

WASCO


**ANGLE STOPS AND
FLEX LINES**

**Do it
Best.**



Lasco # SKU	Description
01-5113 402480	Chrome Plated Oval Angle Stop Handle. Carded.
02-2231 402483	7 Pack, Assorted Rubber Cone Washer Kit, Includes Sizes 23/32", 5/8", 3/4", & 13/16", Used For Connecting Old Style Metal Supply Tubes. Carded.
02-2233 402487	6 Pack, 1/2" OD Tube, Rubber Cone Washer & Friction Rings, Used For Connecting Old Style Metal Supply Tubes. Carded.
02-2235 402490	4 Pack, For 7/16" Supply Tube, 2 Friction Rings & 2 Cone Washers, Used For Connecting Old Style Metal Supply Tubes. Carded.
02-2237 402493	4 Pack, For 3/8" OD Supply Tube, 2 Friction Rings & 2 Cone Washers, Used For Connecting Old Style Metal Supply Tubes. Carded.
02-2241 402496	4 Pack, 1/2" OD Rubber Cone Washers, Threaded Style, Used For Connecting Old Style Metal Supply Tubes, #164. Carded.
02-2243 402499	4 Pack, 1/2" OD Rubber Cone Washer, Used On Ballcock Supply, Threaded Style, Used For Connecting Old Style Metal Supply Tubes, #174. Carded.
02-2333 402502	10 Pack, Assorted Brass Friction Rings, Used With Cone Washers for Faucet Supply Tube Hook Up. Carded
03-1815 402505	1/2" Female Pipe Thread x 3/8" OD Tube, Slip Joint Nut, Used for Connecting Old Style Metal Faucet Supply Tubes, Cone Washer & Friction Ring Included. Carded.

Picture



**Lasco #
SKU**

Description

Picture

03-1847 402509	1/2" Female Pipe Thread x 3/8" OD Tube, Plastic Slip Joint Nut With Wings. Used for Connecting Old Style Metal Faucet Supply Tubes, Cone Washer & Friction Ring Included. Carded.
06-7025 402513	1/2" Female Iron Pipe Inlet x 1/2" Male Iron Pipe Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.
06-7203 402517	1/2" Female Iron Pipe Inlet x 3/8" Compression Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.
06-7207 402520	1/2" Female Iron Pipe Inlet x 1/2" Compression Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.
06-7247 402523	5/8" Copper Compression Inlet x 3/8" Compression Straight Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.
06-7251 402526	5/8" Copper Compression Inlet x 1/4" Compression Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.
06-7253 402529	5/8" Copper Compression Inlet x 3/8" Compression Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.
06-7255 402533	5/8" Coarse Thread Copper Compression Inlet x 3/8" Compression Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.
06-7265 402536	5/8" Copper Compression Inlet x 1/2" Compression Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.



Lasco # SKU	Description	Picture	Lasco # SKU	Description	Picture
06-7271 402539	1/2" Female Iron Pipe Inlet x 1/4" Compression Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9053 402566	Multi Turn Angle Stop Repair Kit, Rubber Packing Washer, Bibb Washer. Carded.	
06-7273 402542	1/2" Female Iron Pipe Inlet x 3/8" Compression Straight Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9101 402569	3/8" Female Compression Inlet x 3/8" Compression x 1/4" Compression Angle Stop Tee, Lead Free Compliant, Raw Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-7275 402545	1/2" Female Iron Pipe Inlet x 1/2" Iron Pipe Straight Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9111 402572	3/8" Female Compression Inlet x 3/8" Compression x 3/8" Compression Angle Stop Tee, Lead Free Compliant, Raw Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-7283 402548	5/8" Copper Compression Inlet x 1/2" Iron Pipe Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9117 402577	1/2" Iron Pipe Inlet x 1/2" Iron Pipe x 1/4" Compression Angle Stop Tee, Lead Free Compliant, Raw Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-7289 402551	5/8" Copper Compression Inlet x 1/2" Iron Pipe Straight Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9119 402580	1/2" Iron Pipe Inlet x 1/2" Iron Pipe x 3/8" Compression Angle Stop Tee, Lead Free Compliant, Raw Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-7319 402554	1/2" Iron Pipe Inlet x 3/8" Compression x 1/4" Compression 3-Way Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9201 402584	1/2" Iron Pipe Inlet x 3/8" Compression Quarter Turn Angle Stop, Chrome Plated, Lead Free Compliant, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-7321 402557	1/2" Iron Pipe Inlet x 3/8" Compression x 3/8" Compression 3-Way Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9211 402587	5/8" Copper Compression Inlet x 3/8" Compression Quarter Turn Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-7353 402560	5/8" Copper Compression Inlet x 3/8" Compression x 1/4" Compression 3-Way Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9213 402590	5/8" Copper Compression Inlet x 1/2" Compression Quarter Turn Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-7355 402563	5/8" Copper Compression Inlet x 3/8" Compression x 3/8" Compression 3-Way Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9221 402593	1/2" Iron Pipe Inlet x 1/2" Iron Pipe Quarter Turn Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	

Lasco # SKU	Description	Picture	Lasco # SKU	Description	Picture
06-9231 402596	5/8" Copper Compression Inlet x 1/2" Iron Pipe Quarter Turn Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9319 402625	1/2" Iron Pipet Inlet x 3/8" Compression x 1/4" Compression Quarter Turn 3-Way Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-9251 402599	1/2" Iron Pipe Inlet x 3/4" Male Hose Thread Quarter Turn Washing Machine Angle Stop, Chrome Plated, Lead Free Compliant. Carded.		06-9321 402628	1/2" Iron Pipet Inlet x 3/8" Compression x 3/8" Compression Quarter Turn 3-Way Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-9253 402602	5/8" Copper Compression Inlet x 3/4" Male Hose Thread Quarter Turn Washing Machine Angle Stop, Chrome Plated, Lead Free Compliant. Carded.		06-9353 402631	5/8" Copper Compression Inlet x 3/8" Compression x 1/4" Compression Quarter Turn 3-Way Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-9263 402606	5/8" Copper Compression Inlet x 1/4" Compression Quarter Turn Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		06-9355 402634	5/8" Copper Compression Inlet x 3/8" Compression x 3/8" Compression Quarter Turn 3-Way Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.	
06-9265 402609	1/2" Iron Pipe Inlet x 1/4" Compression Quarter Turn Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		10-0011 402637	Reducing Supply Line Adapter, 1/2" Male Iron Pipe x 1/4" Female Compression Thread, Chrome Plated, Lead Free Compliant. Carded.	
06-9273 402612	1/2" Iron Pipe Inlet x 3/8" Compression Quarter Turn Straight Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		10-0013 402640	Reducing Supply Line Adapter, 1/2" Male Iron Pipe x 3/8" Female Compression Thread, Chrome Plated, Lead Free Compliant. Carded.	
06-9281 402615	5/8" Copper Compression Inlet x 3/8" Compression Quarter Turn Straight Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		10-0015 402643	Reducing Supply Line Adapter, 1/2" Male Iron Pipe x 7/16" Female Compression Thread, Chrome Plated, Lead Free Compliant. Carded.	
06-9293 402618	5/8" OD Copper or CPVC Push Fit Inlet x 3/8" Compression Outlet, 1/4 Turn, Angle Stop, Lead Free, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		10-0017 402646	Reducing Supply Line Adapter, 1/2" Male Iron Pipe x 1/2" Female Compression Thread, Chrome Plated, Lead Free Compliant. Carded.	
06-9295 402622	5/8" OD Copper or CPVC Push Fit Inlet x 3/8" Compression Outlet, 1/4 Turn, Strait Stop, Lead Free, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded.		10-0051 402649	Reducing Supply Line Adapter, 1/2" Male Iron Pipe x 7/8" Female Ballcock Thread, Chrome Plated, Lead Free Compliant. Carded.	

ANGLE STOPS AND FLEX

Lasco # SKU	Description	Picture	Lasco # SKU	Description	Picture
10-0061 403467	1/2" Female Iron Pipe x 3/8" Male Compression Delta Faucet Brass Adapter. 2 Pieces. Carded.		10-0161 402679	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 60", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0109 402652	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 9", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0173 402682	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 60", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0113 402655	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 12", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0313 402685	Stainless Steel Braided Faucet Supply Line, 1/2" Female Compression x 1/2" Female Iron Pipe x 72", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0117 402658	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 16", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0317 402688	Stainless Steel Braided Faucet Supply Line, 1/2" Female Compression x 1/2" Female Iron Pipe x 16", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0121 402661	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 20", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0321 402691	Stainless Steel Braided Faucet Supply Line, 1/2" Female Compression x 1/2" Female Iron Pipe x 20", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0125 402666	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 24", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0409 402694	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 20", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0131 402669	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 30", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0413 402697	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 12", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0137 402673	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 36", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0417 402700	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 9", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0149 402676	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 48", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0421 402703	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 20", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	

Lasco # SKU	Description	Picture	Lasco # SKU	Description	Picture
10-0425 402706	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 24", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0613 402730	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 7/8" Ballcock Nut x 12", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0431 402711	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 30", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0617 402733	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 7/8" Ballcock Nut x 16", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0437 402714	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 36", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0621 402738	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 7/8" Ballcock Nut x 20", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0449 402717	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 48", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0809 402741	Stainless Steel Braided Faucet Supply Line, 1/2" FIP x 7/8" Ballcock Nut x 9", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0461 402720	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 60", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0813 402744	Stainless Steel Braided Faucet Supply Line, 1/2" FIP x 7/8" Ballcock Nut x 12", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0473 402723	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 72", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0817 402747	Stainless Steel Braided Faucet Supply Line, 1/2" FIP x 7/8" Ballcock Nut x 16", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0512 New	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 3/8" Male Compression x 12", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0821 402750	Stainless Steel Braided Faucet Supply Line, 1/2" FIP x 7/8" Ballcock Nut x 20", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0520 New	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 3/8" Male Compression x 20", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0944 402755	Stainless Steel Braided Appliance Supply Line, 1/4" Female Compression x 1/4" Female Compression x 12", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	
10-0609 402726	Stainless Steel Braided Faucet Supply Line, 3/8" Female Compression x 7/8" Ballcock Nut x 9", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.		10-0946 402758	Stainless Steel Braided Appliance Supply Line, 1/4" Female Compression x 24", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.	

Lasco # SKU	Description
10-0950 402762	Stainless Steel Braided Appliance Supply Line, 1/4" Female Compression x 1/4" Female Compression x 60", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-0954 402765	Stainless Steel Braided Appliance Supply Line, 1/4" Female Compression x 1/4" Female Compression x 120", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-0958 402768	Stainless Steel Braided Appliance Supply Line, 1/4" Female Compression x 1/4" Female Compression x 240", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-0960 402771	Stainless Steel Braided Appliance Supply Line, 3/8" Female Compression x 3/8" Female Compression x 24", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-0962 402774	Stainless Steel Braided Appliance Supply Line, 3/8" Female Compression x 3/8" Female Compression x 36", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-0964 402777	Stainless Steel Braided Appliance Supply Line, 3/8" Female Compression x 3/8" Female Compression x 48", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-0966 402780	Stainless Steel Braided Appliance Supply Line, 3/8" Female Compression x 3/8" Female Compression x 60", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-0970 402783	Stainless Steel Braided Appliance Supply Line, 3/8" Female Compression x 3/8" Female Compression x 12", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-0973 402786	SS Braided Appliance Supply Line, 3/8" Fem. Comp. x 3/8" MIP Elbow x 72", 120 PSI Working Press., Hi Press. Tested to 1800 Lbs, Used for Dishwasher Conn., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.



Lasco # SKU	Description
10-0974 402789	Stainless Steel Braided Appliance Supply Line, 3/8" Female Compression x 3/8" Female Compression x 16", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-0976 402792	Stainless Steel Braided Appliance Supply Line, 3/8" Female Comp. x 3/8" Female Comp. x 20", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-0979 402795	SS Braided Appliance Supply Line, 3/8" Fem. Compression x 3/4" Fem. Hose Elbow x 72", 120 PSI Working Press., Hi Press. Tested to 1800 Lbs, Used for Dishwasher Conn., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Comp. Hang Tag.
10-0981 402798	3/8" Comp. x 3/8" Comp. x 72" Stainless Steel Dishwasher Connector, Universal Fit Most, Comes With 3/8" Compression x 3/8" Male Pipe 90° Elbow & 3/8" Compression x 3/4" Female Garden Hose 90° Elbow. Carded. Hang Tag.
10-0996 402801	Stainless Steel Braided Appliance Supply Line, 3/8" Female Comp. x 3/8" Female Compression x 96", 120 PSI Working Pressure, Hi Pressure Tested to 1800 Lbs, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Hang Tag.
10-2109 402804	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 1/2" IPS x 9". Hang Tag.
10-2113 402808	Poly Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 12", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts. Hang Tag.
10-2117 402811	Poly Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 16", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts. Hang Tag.
10-2121 402814	Poly Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 20", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts. Hang Tag.







Lasco # SKU	Description
10-2125 402817	Poly Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 24", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts. Hang Tag.
10-2131 402820	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 1/2" IPS x 30". Hang Tag.
10-2137 402823	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 1/2" IPS x 36". Hang Tag.
10-2149 402827	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 1/2" IPS x 48". Hang Tag.
10-2413 402830	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 12". Hang Tag.
10-2417 402833	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 16". Hang Tag.
10-2421 402836	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 20". Hang Tag.
10-2425 402839	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 24". Hang Tag.
10-2431 402844	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 30". Hang Tag.



Lasco # SKU	Description
10-2437 402847	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 36". Hang Tag.
10-2449 402851	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 48". Hang Tag.
10-2512 402854	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 3/8" Compression x 12". Hang Tag.
10-2516 402857	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 3/8" Compression x 16". Hang Tag.
10-2524 402860	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 3/8" Compression x 24". Hang Tag.
10-2534 402863	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 3/8" Compression x 36". Hang Tag.
10-2546 402866	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 3/8" Compression x 48". Hang Tag.
10-2573 402871	Appliance Connector, Flexible Poly Connector, Dishwasher Hook-Up 3/8" Compression x 3/8" Compression With 3/8" Male Compression x 3/8" Male Iron Pipe Elbow x 72", For Dishwasher. Hang Tag.
10-2609 402874	Toilet Connector, Flexible Poly Braided Vinyl Connector, Brass Insert / Chrome-Plated Brass Nuts, 3/8" Compression x Ballcock x 9". Hang Tag.



Lasco # SKU	Description	Picture	Lasco # SKU	Description	Picture
10-2613 402878	Poly Braided Toilet Supply Line, 3/8" Female Compression x 7/8" Ballcock x 12", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts. Hang Tag.				
10-2617 402881	Poly Braided Toilet Supply Line, 3/8" Female Compression x 7/8" Ballcock x 16", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts. Hang Tag.				
10-2621 402884	Toilet Connector, Flexible Poly Braided Vinyl Connector, Brass Insert / Chrome-Plated Brass Nuts, 3/8" Compression x Ballcock x 20". Hang Tag.				
10-2813 402887	Toilet Connector, Flexible Poly Braided Vinyl Connector, Brass Insert / Chrome-Plated Brass Nuts, 1/2" IPS x Ballcock x 12". Hang Tag.				
10-2817 402890	Toilet Connector, Flexible Poly Braided Vinyl Connector, Brass Insert / Chrome-Plated Brass Nuts, 1/2" IPS x Ballcock x 16". Hang Tag.				
10-2821 402894	Toilet Connector, Flexible Poly Braided Vinyl Connector, Brass Insert / Chrome-Plated Brass Nuts, 1/2" IPS x Ballcock x 20". Hang Tag.	