



**MR HEATER®**

*Product catalog*

2022



*North America's Most Popular Brand of Portable Heaters*





# Table of Contents

## HEATERS

Buddy Indoor Safe Portable Heaters	6-15
Golf Cart Heater	16
Tank Tops	17
Dual Fuel Vent Free Heaters	18-19
Radiant Vent Free Heaters	20
Blue Flame Vent Free Heaters	21
Cabinet Heater	22
Portable Radiant Heaters	23
Radiant Diesel & Kerosene Heaters	24
Forced Air Diesel & Kerosene Heaters	25
Forced Air Propane Heaters	26-27
Portable Electric Heaters	28-30
Mounted Electric Heater	31
Convection Heaters	32
Patio Heater	33
Radiant Garage & Workshop Heaters	34-35
Radiant Overhead Heaters	36
Unit Heaters & Accessories	37-38
Catalytic Heaters	39
Warmer Packs	40-41
Tent Fan	42
Camping Angle Iron Stoves & Accessories	42
Propane Torches	43

## HOSES, FITTINGS & ACCESSORIES

Dual Tank Hook Up Kit	45
Hose Assemblies	46-48
Propane Regulators	48-49
Brass Fittings and Accessories	50-52
Accessory Kits	53
Gas Mate™ Quick Connector Kits	54
Propane Accessories	55
Tank Top Replacement Parts	56
Mr. Heater FAK/FALP Replacement Parts	57-58
Mr. Heater Buddy® and Vent Free Replacement Parts	59
BaseCamp Gaslight Replacement Parts	60

## INDEX

Complete Product Index	61-66
------------------------	-------



Keep  
stay cr

**NEW**

Electric  
**Buddy**

PAGE 29



**BUDDY FLEX®**

PAGES 6-8

**NEW**

**ELECTRIC HEATERS**



PAGE 28

**NEW**

**DUAL TANK HOOK UP KIT**




PAGE 15 & 45

*so warm  
comfortable*








# RADIANT HEAT




Radiant heat dispersion pattern

## RADIANT HEAT FEATURES

Radiant heat technology uses infrared heat energy from a radiant burner to heat people & objects placed in its path. Similar to how the sun radiates heat to objects without interference from wind.

-  **Point and heat!** Heats people & objects directly in front of the heater.
-  **Positive heat recovery.** Heated objects will remain heated even when exposed to wind.
-  **Efficient heating.** Heated objects will retain heat longer than the surrounding air.
-  **Quiet source of heat.**
-  **Available for use with a thermostat.**



Radiant heat raises the temperature of people & objects in its path.

## GENERAL BUYING INFORMATION

Prices and terms are subject to change without notice. Orders will be billed at prices and terms in effect on the date of shipment.

Terms: Net 30

All orders are accepted and the above terms extended with the approval of the Enerco Group, Inc. Credit Department.

**Freight Terms:** Shipments are F.O.B. Factory (Cleveland, Ohio; Bedford, Ohio; Portland, Oregon; Depending on Shipment of Origin).

All orders for Enerco Group, Inc. products will be shipped to one destination within the 48 continental United States according to one of the following freight policies at Enerco Group, Inc.'s discretion.

**Package Quantities:** Orders must be in package quantities. Enerco Group, Inc. also reserves the right to alter quantities ordered, if necessary, to conform to package quantities.


**Merchandise Return Authorization:** Merchandise may not be returned without the prior approval of Enerco Group, Inc. Please fax your return request to the Customer Service Department at 1-800-321-0552. Upon receipt, the request will be reviewed and if appropriate a return material authorization number (RMA#) will be issued. Merchandise returned without prior approval will be subject to refusal and returned freight collect; or if accepted, a handling charge of 25% of purchase price will be deducted from the credit memo.

Authorized merchandise returned for credit, repair or replacement must be shipped with TRANSPORTATION CHARGES PREPAID. Full credit will be issued for original invoice subject to a handling and repacking charge of 25%. Merchandise returned transportation collect will be charged back by invoice or deducted from credit.

Credit allowances for obsolete, shelf-worn or damaged merchandise will be solely at the discretion of Enerco Group, Inc. This merchandise is subject to an additional 10% handling charge and costs of new packaging.



# FORCED AIR HEAT



## FORCED AIR HEAT FEATURES

Forced air or convective heat technology works by blowing heated air into an enclosed space. Forced air heat is able to quickly and efficiently heat a space. This heat can be lost quickly if cold air is introduced into the space for any prolonged period of time (e.g. repeatedly opening and closing your garage door).



Heats a space quickly and efficiently.



Effectively circulates air in the space.



Quickly heats larger spaces.




Disperses heat evenly throughout a space.



Available for use with a thermostat.

Forced air heat dispersion pattern



Forced air heaters circulates warm air in an area to quickly and efficiently heat a space.

**Indemnification:** Notwithstanding any provisions for indemnification contained in any purchase orders or other documents generated or used by the Customer, Enerco Group, Inc. assumes no responsibility to indemnify or otherwise defend or protect Customer or any other purchaser of its products for liability resulting from Customer's actual or alleged independent conduct, or the actual or alleged independent conduct of Customer's agents or employees including but not limited to, resale of products purchased from Enerco Group, Inc.: (1) with any product alterations not authorized by Enerco Group, Inc. (2) without all instructions and warnings provided by Enerco Group, Inc. (3) with oral or written instructions inconsistent with those provided by Enerco Group, Inc. (4) which have been used or damaged by Customer or returned by Customer after retail/sale, or (5) in violation of any state or local statute or ordinance.

### Image Library

High res and low res product images are available for download from our online image gallery. Call 800.251.0001 for login information.

Enerco Group, Inc., based in Cleveland Ohio, has been at the forefront of infrared combustion technology since 1957. This market leading technology has allowed Enerco Group, Inc. to build expertise in consumer heating products as well as heavy duty commercial and construction heating products. Starting in 1984, Enerco Group, Inc.'s Mr. Heater Brand has delivered innovative technology and unmatched quality and service as America's Most Popular Brand of Heater's. From its Original Tank Tops to its patented Buddy Heaters, millions of consumers have enjoyed high quality comfortable heat. Mr. Heaters Contractor Series Forced Air Propane and Kerosene Heaters have become the industry standard for dependability while its unit heaters have expanded the garage to usable workspace in the winter months. 2011 marked the launch of HERO-The World's First Cordless Forced Air Propane Heaters featuring Quiet Burner Technology®. Through innovative products, innovative marketing, and world class customer service, Mr. Heater is leading the way in portable heat!

Product specifications and appearance are subject to change without notice. Product images may not be precise.





## BUDDY FLEX®

### Portable Radiant Heater

Model # - MH11BFLEX

Stock # - F600100

UPC - 089301005792

### (Massachusetts/Canada Only)\*

Model # - MH11BFLEX

Stock # - F600200

UPC - 089301005785



8,000 - 11,000 BTU



Heats up to 275 sq. ft.



Runs up to 2 hours on high  
3.5 hours on low

- Indoor safe
- Constructed with self extinguishing materials
- Multiple patents pending
- Integrated electronic ignition
- Omni-directional fiber mesh burner
- Thermal shut-down system (*patented*)
- High wind resistance technology
- Infinitely variable output control for efficient fuel consumption (8,000 – 11,000 BTU)
- Integrated heater & accessory controls (*patent pending*)
- Integrated accessory safety shut-off (*patent pending*)
- Quick-connect gas & accessory system (*patent pending*)
- Runs on 1 lb. cylinder or 20 lb. tank with hose (sold separately)
- Certified



Cooker accessory available (Page 8)



PATENTED CROSS THREAD PROTECTION SYSTEM™



EMERGENCY LOW OXYGEN SAFETY SYSTEM™



TIP-OVER SHUT DOWN SYSTEM™



DESIGNED WITH FLAME RETARDANT MATERIALS

\*Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.




# **BuddyFLEX<sup>®</sup>** **SYSTEM**



*World's #1 Brand of*  
**INDOOR SAFE PORTABLE RADIANT HEATERS**



# BuddyFLEX<sup>®</sup> COOKER



## **BUDDY FLEX<sup>®</sup> COOKER**

### **Portable Radiant Cooker**

Model # - MH8CFLEX

Stock # - F600500

UPC - 089301006294



6,000 - 8,000 BTU



Runs up to 2.75 hours on high

- High performance radiant fiber mesh
- Integrated electronic ignition
- 28" quick-connect hose included
- Can be used with BuddyFLEX<sup>®</sup> heater
- Certified



*Heater can be used to run BuddyFLEX<sup>®</sup> accessories (sold separately)*



# **BuddyFLEX®**

## **GEAR BAG**



### **BUDDY FLEX® GEAR BAG**

#### **Heavy-Duty Multipurpose Bag**

Model # - MHBBFLEX

Stock # - F600050

UPC - 089301006416

- Two side compartments for 1 lb. tank storage
- 3 multi-use accessory compartments
- Separate cooker storage compartment
- Padded backpack & shoulder Strap for easy transport



# LITTLE Buddy®



## LITTLE BUDDY®

### Portable Radiant Heater

Model # - MH4B

Stock # - F215100

UPC - 089301151000

### (Massachusetts/Canada Only)\*

Model # - MH4B

Stock # - F215120

UPC - 089301151208



3,800 BTU



Heats up to 95 sq. ft.



Runs 5.6 hours on  
1 lb. Propane Cylinder

- One handed push button ignition
- 8" round stand uses little floor space
- Connects directly to one 1 lb. disposable propane cylinder
- Constructed with self extinguishing materials
- Certified

## INDOOR SAFE



\*Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.



# Portable **Buddy**®



## **PORTABLE BUDDY®** Portable Radiant Heater

Model # - MH9BX  
Stock # - F232000  
UPC - 089301320000

**(Massachusetts/Canada Only)\***

Model # - MH9BX  
Stock # - F232050  
UPC - 089301320505



4,000 / 9,000 BTU




Heats up to 225 sq. ft.



Runs 5.4 hours on low & 2.4 hours on high with 1 lb. propane cylinder

- Single control start knob
- Swivel regulator
- Includes Piezo igniter
- Connects to one 1lb. cylinder or to a 20 lb. tank with optional hose
- Constructed with self extinguishing materials
- Certified

## **INDOOR SAFE**



\*Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.

# Hunting Buddy®



## **HUNTING BUDDY®** Portable Radiant Heater

Model # - MH12HB  
Stock # - F232035  
UPC - 089301320352

**(Massachusetts/Canada Only)\***

Model # - MH12HB  
Stock # - F232045  
UPC - 089301320451



6,000 / 12,000 BTU



Heats up to 300 sq. ft.



Runs 3.5 hours on low 1.8 hours on high with 1 lb. propane cylinder

- Quiet electronic ignition
- Swivel regulator
- Connects to one 1 lb. cylinder or to a 20 lb. tank with optional hose
- Constructed with self extinguishing materials
- Certified

## **INDOOR SAFE**



PATENTED CROSS THREAD PROTECTION SYSTEM™



TIP-OVER SHUT DOWN SYSTEM™



EMERGENCY LOW OXYGEN SAFETY SYSTEM™



DESIGNED WITH FLAME RETARDANT MATERIALS

\*Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.



# BIG Buddy®



## **BIG BUDDY®** Portable Radiant Heater

Model # - MH18B  
Stock # - F274800  
UPC - 089301748002

**(Massachusetts/Canada Only)\***


Model # - MH18B  
Stock # - F274865  
UPC - 089301748651


## **BIG BUDDY® WITHOUT FAN** Portable Radiant Heater


Model # - MH18B  
Stock # - F274805  
UPC - 089301004825

**(Massachusetts/Canada Only)\***

Model # - MH18B  
Stock # - F274806  
UPC - 089301004832


 4,000 / 9,000 / 18,000 BTU

 Heats up to 450 sq. ft.

 Runs approximately 11 hours on low,  
4.8 hours on medium  
& 2.8 hours on high with two 1 lb.  
propane cylinders

- Swivel regulators
- Integrated high powered fan (F274800 & F274865 models)
- Connects to two 1 lb. cylinders or to a 20 lb. tank with optional hose
- Constructed with self extinguishing materials
- Certified

## **INDOOR SAFE**



\*Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.

# Buddy Heater Comparison Chart



**LITTLE  
Buddy**



**Portable  
Buddy**



**Hunting  
Buddy**



**BIGBuddy**



**BuddyFLEX**

Model #	MH4B	MH9BX	MH12HB	MH18B	MH11BFLEX
Stock #	F215100	F232000	F232035	F274800	F600100
UPC	089301151000	089301320000	089301320352	089301748002	089301005792
Stock # for Mass/ Canada (Outdoor Use Only)	F215120	F232050	F232045	F274865	F600200
UPC for Mass/ Canada (Outdoor Use Only)	089301151208	089301320505	089301320451	089301748651	089301005785
Heat Settings	3,800 BTU	4,000 / 9,000 BTU	6,000 / 12,000 BTU	4,000 / 9,000 / 18,000 BTU	8,000 - 11,000 BTU
Heat Up To:	95 Sq. Ft.	225 Sq. Ft.	300 Sq. Ft.	450 Sq. Ft.	275 Sq. Ft.
Ignition	Piezo	Piezo	Electronic	Piezo	Electronic
Fuel/Tank Size	1 lb. Propane Cylinder	1 lb. Propane Cylinder	1 lb. Propane Cylinder	(2X) 1 lb. Propane Cylinder	1 lb. Propane Cylinder
Run Time 1# Propane Cylinder	5.6 Hrs.	5.4 Hrs. Low 2.4 Hrs. High	3.6 Hrs. Low 1.8 Hrs. High	10.8 Hrs. Low (Two 1 lb) 4.8 Hrs. Med. (Two 1 lb) 2.4 Hrs. High (Two 1 lb)	3.5 Hrs. Low 2 Hrs. High
Attach to 20# Propane Tank	NO	YES	YES	YES	YES
Run Time on (1) 20# Tank	N/A	108 Hrs. Low 48 Hrs. High	72 Hrs. Low 36 Hrs. High	108 Hrs. Low 48 Hrs. Med. 24 Hrs. High	70 Hrs. Low 40 Hrs. High
Patented Swivel Regulator	NO	YES	YES	YES	YES



Buddy RED is recognized worldwide for comfortable, safe, portable heat.

## BUDDY HEATER FEATURES

- Indoor safe  
(Certified outdoor use only in Massachusetts/Canada)
- Tip-over safety shut-off
- Automatic low oxygen depletion shut-off system (ODS)
- Portable radiant heat
- Certified

## COMMON USES

- Ice fishing
- Hunting
- Camping
- Workshop
- Outdoor sports

Buddy heaters are not designed for permanent installation or for use above an altitude of 7,000 ft. Always check local codes for permitted uses.  
 NOTICE: Not for use in a "dwelling home" in California  
 \* Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.  
 ONLY USE APPROVED BUDDY HOSES WHEN CONNECTING ANY BUDDY HEATER TO 20 LB. BULK PROPANE TANKS  
 NEVER use third party accessories or attachments with this heater (including attachments for warming or cooking);  
 doing so will void the product warranty, is extremely dangerous, and may result in personal injury or death to you or others.



# Buddy Heater Accessories



## BUDDY HEATER CARRYING BAG

Portable Buddy® Carrying Bag

Stock # - F232078

UPC - 08930132078

Big Buddy® Carrying Bag

Stock # - F274889

UPC - 08930174889



**NEW**

## DUAL TANK HOOK UP KIT

Use with any 1 lb. propane tank appliance\*

\*Not for use with MH4B Little Buddy®

Stock # - F200047

UPC - 089301994966



## 6V/800MA POWER ADAPTER

Use with Big Buddy®

Stock # - F276127

UPC - 089301761278



## 10' BUDDY SERIES HOSE ASSEMBLY

Use with 5 - 20 lb. Propane Tanks

Stock # - F273704

UPC - 089301737044

(Swivel 1" - 20 Male Throwing Cylinder Thread x Soft Nose Excess Flow POL with Handwheel) Connects propane appliances that are designed to be connected to 1lb. propane bottles to 5 - 20 lb. tanks.

Hand tighten swivels on both ends.

No Fuel Filter required.



## 8' UNIVERSAL PROPANE HOSE & GLOW IN THE DARK GAUGE ASSEMBLY

Use with 5 - 20 lb. Propane Tanks

Stock # - F273718

UPC - 089301005198

(Acme Nut x 1" - 20 Male Throwing Cylinder Thread) Connects propane appliances that are designed to be connected to 1 lb. propane bottles to 5 - 20 lb. tanks.

Works on any appliance that uses a disposable cylinder. Hand tighten swivel on both ends. Recommended use with F273699 Fuel Filter.



## PROPANE HOSE ASSEMBLIES

5' Propane Hose Assembly

Stock # - F273701

UPC - 089301737013

12' Propane Hose Assembly

Stock # - F273702

UPC - 089301737020

(Swivel 1" - 20 Male Throwing Cylinder Thread x Excess Flow Soft Nose POL with Handwheel) Connects appliances that are designed for disposable propane cylinders to a 5 - 20 lb. tank.

Hand tighten swivel on both ends. Recommended use with F273699 Fuel Filter.



## 12' BIG BUDDY® HOSE WITH REGULATOR

Use with 5 - 20 lb. Propane Tanks

Stock # - F271803

UPC - 089301718036

(Quick Connect x Regulator with Acme Nut) - Used to hook a Big/Tough Buddy to a 20 lb. propane tank.

No fuel filter required



## PROPANE HOSE ASSEMBLIES WITH ACME NUT

5' Propane Hose Assembly

Stock # - F273703-60

UPC - 089301703605

12' Propane Hose Assembly

Stock # - F273703-144

UPC - 089301031449

(Appliance End fitting/Acme Nut x 1" - 20 Male Throwing Cylinder Thread) Used to connect portable appliances to a 20 lb. propane tank.

Recommended use with F273699 Fuel Filter.



## UNIVERSAL FUEL FILTER

Use with 20 lb. Propane Tank

Stock # - F273699

UPC - 089301736993

Recommended for use with all Portable Buddy, Hunting Buddy & Big Buddy Heaters when attaching to a 20 lb. propane tank. Most commonly used with F273703-60, F273703-144, F273701(5') & F273702(12') propane hose assemblies.

# GOLF CART HEATER



## **GOLF CART HEATER**

### **Portable Radiant Heater**

Model # - MH4GC  
Stock # - F242010  
UPC - 089301000223



4,000 BTU



Heats up to 100 sq. ft.




Runs 5.5 Hours on 1 lb.  
Propane Cylinder

- Wind resistant protective screen
- Universal cup holder stand
- High-intensity radiant heat
- Automatic low oxygen depletion shut-off system (ODS)
- Tip-over safety shut-off
- Outdoor Use Only
- Certified




# TANK TOP HEATERS



## 540 TANK TOP HEATER

- 3 heat settings: 30,000, 36,000, 45,000 BTU
- 360° burner head
- Multi-directional bracket
- No electricity needed
- Push button thermo-electric valve
- Tip-over safety shut-off
- Mounts to a 20 lb. cylinder
- Outdoor Use Only
- Certified



Model #	MH15C	MH15	MH15T	MH30T	MH45T	MH540T
Stock#	F242300 <i>Not available in Canada</i>	F242200 <i>Not available in Canada</i>	F242100	F242650	F242915	F242540
UPC	089301423008	089301422001	089301421004	089301426504	089301429154	089301000629
Heat Settings	10,000 / 12,500 / 15,000 BTU	10,000 / 12,500 / 15,000 BTU	10,000 / 12,500 / 15,000 BTU	10,000 / 12,500 / 15,000 / 20,000 / 25,000 / 30,000 BTU	10,000 / 12,500 / 15,000 / 20,000 / 25,000 / 30,000 / 37,500 / 45,000 BTU	30,000 / 36,000 / 45,000 BTU
Number of Burner Heads	1	1	1	2	3	1
Adjustable Burner Heads	Heater Position Cooker Position	No	Yes	Yes	Yes	Yes
Spark Ignition Available	No	No	Yes #F242105 MH15TS	Yes #F242655 MH30TS	No	No
Fuel/Tank Size	1 lb. Propane Cylinder	1 lb. Propane Cylinder	20 lb. Propane Cylinder	20 lb. Propane Cylinder	20 lb. Propane Cylinder	20 lb. Propane Cylinder
Run Time on (1) 20 Lb. Tank	N/A	N/A	29 Hrs.	14.5 Hrs.	9.5 Hrs.	9.5 Hrs.
Tip-Over Safety Shut-Off	No	No	Yes	Yes	Yes	Yes



### MH15TS with Piezo spark ignition

Stock # - F242105  
*Not available in Canada (not certified)*



### MH30TS with Piezo spark ignition

Stock # - F242655  
*Not available in Canada (not certified)*


## TANK TOP HEATERS COMMON USES

- No electricity needed
- Outdoor use only
- Certified
- Ice fishing
- Hunting
- Camping
- Construction sites



# VENT FREE HEATERS

## BLUE FLAME *convection*




**BEST FOR: INSULATED AREAS**

Convection heat works by dispersing heated air, which then warms the space from the top down, much like a fireplace. Blue Flame warms the air and can be put in narrow areas.



## RADIANT *infrared*



**BEST FOR: DRAFTY AREAS**

Radiant heat works by warming people and objects instead of the air, which in turn warms the space, much like the sun warming your face on a cold day. Infrared warms objects, which heat the air.



# Dual Fuel (NG or LP) Vent Free Heaters



Model#	MHVDF10RT	MHVDF10BF	MHVDF20RTT	MHVDF20BFT	MHVDF30RTT	MHVDF30BFT
Stock #	F299410	F299310	F299420	F299320	F299430	F299330
UPC	089301004887	089301004856	089301004894	089301004863	089301004900	089301004870
BTU Rating	10,000	10,000	18,000 - LP 20,000 - NG	20,000	30,000	30,000
Burn Rate Per Hr.	.463 lbs/hr - LP .001 MCF/hr - NG	.463 lbs/hr - LP .001 MCF/hr - NG	.926 lbs/hr - LP .020 MCF/hr - NG	.926 lbs/hr - LP .020 MCF/hr - NG	1.389 lbs/hr - LP .030 MCF/hr - NG	1.389 lbs/hr - LP .030 MCF/hr - NG
Heats Up To: (Approx. Sq. Ft.)	300	300	700	700	1000	1000
Fuel	NG or LP	NG or LP	NG or LP	NG or LP	NG or LP	NG or LP
Minimum Recommended Tank Size	20 lb.	20 lb.	20 lb.	20 lb.	20 lb.	20 lb.
Ignition	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Optional Blower Fan	NO	NO	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201
Thermostat	NO Low - High	NO Low - High	YES	YES	YES	YES

*Not Approved for use in California or Canada. Always check local codes for permitted uses. 4,500 ft. high altitude restriction.*

## VENT FREE DUAL FUEL HEATERS

Mr. Heater's vent free dual fuel system is composed of dual regulators and automatic oxygen depletion safety shut-off system sensors as well as a fail safe manual selector switch to ensure correct installation.

### FEATURES

- Feet & wall mounting hardware included
- Automatic low oxygen depletion shut-off system (ODS)
- Certified

For your safety the heater will not stay lit unless the conditions below match the desired fuel type.


Dual automatic low oxygen depletion shut-off systems

Dual burner orifice's optimized for each fuel type

Manual valve selector switch – LP/NG

Dual regulators optimized for fuel type

Dual fuel input ports for LP/NG



# Radiant Vent Free Heaters (Single Fuel)



Model #	MHVFRD10LP	MHVFRD10NG	MHVFRD20LPT	MHVFRD20NGT	MHVFRD30LPT	MHVFRD30NGT
Stock #	F299810	F299811	F299820	F299821	F299830	F299831
UPC	089301000902	089301001138	089301000933	089301001145	089301001053	089301001152
BTU Rating	10,000	10,000	18,000	20,000	30,000	30,000
Burn Rate Per Hr.	.463 lbs/hr	.001 MCF/hr	.926 lbs/hr	.020 MCF/hr	1.389 lbs/hr	.030 MCF/hr
Heats Up To: (Approx. Sq. Ft.)	300	300	700	700	1000	1000
Fuel	Propane	Natural Gas	Propane	Natural Gas	Propane	Natural Gas
Minimum Recommended Tank Size	20 lb.	N/A	20 lb.	N/A	20 lb.	N/A
Ignition	Piezo	Piezo	Electronic	Electronic	Electronic	Electronic
Optional Blower Fan	No	No	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201
Thermostat	No Low - High	No Low - High	Yes	Yes	Yes	Yes

*Not Approved for use in California or Canada. Always check local codes for permitted uses. 4,500 ft. high altitude restriction.*



## VENT FREE RADIANT HEATERS

- Feet & wall mounting hardware included
- Low oxygen safety shut-off (ODS)
- Certified

### Vent Free Ice-House Heater

Model # - MHVFIH10LP  
Stock # - F299815  
UPC - 089301003521



-  10,000 BTU
-  Heats up to 300 sq. st.

### Vent Free Ice-House Heater with Thermostat

Model # - MHVFIH10LPT  
Stock # - F299813  
UPC - 089301003187

This 10,000 BTU Propane Ice House Vent Free heater is the perfect heating solution for your ice house or fishing shanty. Unit includes a hose & regulator. The glass on the standard vent free unit has been replaced with a metal heat shield for added durability. Available with or without a thermostat for superior control of the temperature in your space.

- Hose & regulator included

## VENT FREE ACCESSORIES

### Blower Fan Kit

Stock # - F299201  
UPC - 089301001183

Available for 20,000 & 30,000 BTU units.



### Remote Propane Installation Kit

Stock # - F273684  
UPC - 089301002555

For connecting Vent Free heaters to a remote Propane tank. Kit includes:

1. Two stage regulator with POL connection (F273863)
2. Handwheel (F273783)
3. 12' hose assembly (71163-144)
4. 3/8" MP x 3/8" MF adapter (F276262)
5. 3/8" female X 3/8" 90° male street elbow





# Blue Flame Vent Free Heaters (Single Fuel)



Model#	MHVFBF10LP	MHVFBF10NG	MHVFBF20LPT	MHVFBF20NGT	MHVFBF30LPT	MHVFBF30NGT
Stock #	F299710	F299711	F299720	F299721	F299730	F299731
UPC	089301000766	089301000841	089301000773	089301000858	089301000780	089301000865
BTU Rating	10,000	10,000	20,000	20,000	30,000	30,000
Burn Rate Per Hr.	.463 lbs/hr	.001 MCF/hr	.926 lbs/hr	.020 MCF/hr	1.389 lbs/hr	.030 MCF/hr
Heats Up To: (Approx. Sq. Ft.)	300	300	700	700	1000	1000
Fuel	Propane	Natural Gas	Propane	Natural Gas	Propane	Natural Gas
Minimum Recommended Tank Size	20 lb.	N/A	20 lb.	N/A	20 lb.	N/A
Ignition	Piezo	Piezo	Electronic	Electronic	Electronic	Electronic
Optional Blower Fan	NO	NO	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201
Thermostat	NO Low - High	NO Low - High	YES	YES	YES	YES

Not Approved for use in California or Canada. Always check local codes for permitted uses. 4,500 ft. high altitude restriction.

## VENT FREE BLUE FLAME HEATERS

- Feet & wall mounting hardware included
- Low oxygen safety shut-off (ODS)
- Certified

### Black Vent Free Garage Heater (Natural Gas)

Model # - MHVFGH30NGBT  
Stock # - F299741  
UPC - 089301003194



30,000 BTU



Heats up to 1,000 sq. ft.

- Fan & thermostat included
- Metal heat shield for added durability with electronic ignition
- Low oxygen safety shut-off
- Integrated blower fan
- Adjustable thermostat
- Feet & wall mounting hardware included
- Minimum recommended propane tank size for F299740 is 20 lb.

### Black Vent Free Garage Heater (Propane)

Model # - MHVFGH30LPBT  
Stock # - F299740  
UPC - 089301003200

### “One Stop” Universal Gas Appliance Hook-up Kit

Stock # - F271239  
UPC - 08930171239-3

Kit includes:

- 22” stainless steel flex gas connector
- Brass shut-off valve (1/2” female pipe thread x 1/2” male flare)
- 1/2” male flare x 1/2” male pipe
- 1/2” male flare x 3/8” male pipe
- 1/2” male flare x 3/8” female pipe
- Special gas seal tape for connections





# CABINET HEATER




## CABINET PATIO HEATER

Model # - MH18CH  
Stock # - F227500  
UPC - 089301275003

 6,000 - 12,000 - 18,000 BTU

 Heats up to 450 sq. ft.

 Runs up to 72 hours on one 20 lb. propane tank

- Low-medium-high heat settings
- 20 lb. Propane tank mounts inside unit for easy portability
- Hose & regulator included
- Tip-over safety shut-off switch
- Automatic low oxygen depletion shut-off system (ODS)
- Rugged steel construction
- Piezo ignition
- Lockable casters
- Certified
- \* 7000 ft High Altitude Restriction




# PORTABLE RADIANT HEATERS



## PORTABLE RADIANT HEATER

Model # - MH35LP  
Stock # - F270700  
UPC - 089301707009

 35,000 BTU


 Heats up to 875 sq. ft.


- Tip-over safety shut-off switch
- 10' hose & regulator included
- Includes fold-down handle & 3.5" tires
- Runs up to 12 hours on a 20 lb. propane tank
- Certified



## 360° PORTABLE RADIANT HEATER

Model # - MH125LP  
Stock # - F270800  
UPC - 089301708006

 125,000 BTU

 Heats up to 3,125 sq. ft.

- Welded frame, heat shield
- Tip-over safety shut-off switch
- 10' hose & regulator included
- Includes handle & wheels
- Runs up to 17 hours on a 100 lb. propane tank
- Certified



# RADIANT DIESEL AND KEROSENE




## RADIANT KEROSENE FEATURES


- Patented quiet burner technology
- LED readout for set temp. & room temp.
- Thermostatically controlled
- Cooling cycle
- Certified



## RADIANT KEROSENE HEATER

Model # - MH70KTFR  
Stock # - F270265  
UPC - 089301002043

 70,000 BTU

 Heats up to 1,750 sq. ft.


- Runs up to 5 hours on full tank
- Thermostatically controlled
- 2.75 gallon fuel tank
- Fuel level indicator



## RADIANT KEROSENE HEATER

Model # - MH125KTFR  
Stock # - F270269  
UPC - 089301002050

 125,000 BTU

 Heats up to 3,125 sq. ft.

- Runs up to 10 hours on full tank
- Thermostatically controlled
- Adjustable heat angle
- 9.25 gallon fuel tank
- Solid rubber tires



**NEW**

# INCREASED BTUS FORCED AIR DIESEL AND KEROSENE



Model#	MH50KR	MH80KTR	MH140KTR	MH185KTR	MH210KTR
Stock#	F270255	F210180	F210140	F210185	F270385
UPC	089301702554	089301008717	089301008724	089301008731	089301703858
BTU Rating	50,000	80,000	140,000	185,000	210,000
Heats Up To: (Approx. Sq. Ft.)	1,250	2,000	3,500	4,625	5,250
Tank Size (Gallon)	4	6	8.5	13.4	13.4
Run Time: (Approx.)	11 Hrs.	10 Hrs.	8 Hrs.	10 Hrs.	8.5 Hrs.
Thermostat	Sold Separately	Included	Included	Included	Included
On-Board Diagnostics (LED)	NO	YES	YES	YES	YES
Power Requirement	115V / 60Hz / 3.5A	115V / 60Hz / 4A	115V / 60Hz / 5.5A	115V / 60Hz / 5.5A	115V / 60Hz / 5.5A
Fuel Gauge	NO	YES	YES	YES	YES
Tires	NO	NO	10" Flat-Free	10" Flat-Free	10" Flat-Free
Assembly Requirement	Yes (Handle)	Yes (Handle)	Yes (5 Minutes)	Yes (5 Minutes)	Yes (5 Minutes)
Air Pressure Gauge	NO	NO	YES	YES	YES
Drain Plug	NO - Drains from fill	NO - Drains from fill	YES - Steel	YES - Steel	YES - Steel

## FORCED AIR DIESEL & KEROSENE HEATERS

- Runs on diesel, kerosene, jet fuel & fuel oil
- Industry's best cold weather starting capability
- Heavy-duty flat-free tires with steel bearings
- On board diagnostic for easy troubleshooting
- Industry's thickest steel construction
- High powered fan & motor design
- Continuous ignition system
- Illuminated on/off switch
- Low lift handles
- Certified

## COMMON USES

- Construction sites
- Workshops
- Garages



## IN-LINE THERMOSTAT

(For MH50KR only)

Stock # - F261210  
UPC - 089301612105

# **FORCED AIR PROPANE**

**WITH QUIET BURNER  
TECHNOLOGY®**





# Forced Air Propane Comparison Chart



Model#	MH38QFA	MH60QFAV	MH85QFAV	MH125QFAV	MH170QFAVT	MH400FAVT
Stock#	F271350	F271370	F271380	F271390	F271400	F272425
UPC	089301713505	089301713703	089301713802	089301713901	089301714007	089301724259
BTU Rating	38,000	30,000 / 60,000	50,000 / 85,000	75,000 / 125,000	125,000 / 175,000	250,000 / 400,000
Variable Output	NO	YES	YES	YES	Thermostat YES	Thermostat YES
Heats Up To: (Approx. Sq. Ft.)	950	1,500	2,125	3,125	4,250	10,000
Minimum Recommended Tank Size	20 lb.	20 lb.	20 lb.	40 lb.	100 lb.	(2X) 100 lb.
Approx. Run Time On Minimum Tank Size	12 Hrs.	7 Hrs. High 14 Hrs. Low	5 Hrs. High 8.5 Hrs. Low	7 Hrs. High 11.5 Hrs. Low	12.5 Hrs. High 17 Hrs. Low	10 Hrs. High 17 Hrs. Low
Ignition	Piezo	Continuous	Continuous	Continuous	Automatic Solid State	Automatic Solid State

## FORCED AIR PROPANE HEATERS

- 10' hose & regulator included
- Operates on propane
- Patented Quiet Burner Technology®
- Runs 50% quieter than all other forced air propane heaters
- Certified

## COMMON USES

- Construction sites
- Workshops
- Garages

## TWO TANK HOOK UP KIT

Stock # - F273737  
UPC - 089301737372

(30" Hose Assembly with Excess Flow Soft Nose POL's on both ends x Full Flow Tee)  
- Most commonly used to hook multiple bulk tanks to most applications.



# PORTABLE ELECTRIC HEATER



**NEW**



## **ELECTRIC HEATER**

Model # - MHE150FAT

Stock # - F236200

UPC - 089301994195



5,118 BTU



Heats up to 170 sq. ft.

- 120v, 1500W
- Instant, whisper quiet heat
- Thermostatically controlled
- Low and high heat settings
- Fan only option
- Tip-Over Safety Shut-Off
- Overheat protection with automatic shutdown
- Integrated handle for easy portability
- Power indicator light
- 6-foot power cord
- Ideal for small and medium rooms
- Certified



## ELECTRIC BUDDY® FEATURES

- 120v, 1500W
- 6 ft. cord length
- Integrated cord wrap
- Safety features
  - Tip-over safety switch
  - Overheat protection

# Electric Buddy®




**NEW**

### PORTABLE ELECTRIC BUDDY

Model # - MHBE150FAT  
Stock # - F236300  
UPC - 089301994935

 5,118 BTU

 Heats up to 170 sq. ft.

- Fold down handle
- Ceramic heating element
- 2 Heat settings: Low/High
- Fan only setting
- Adjustable thermostat
- Power indicator light
- Ideal for small and medium rooms
- Certified




**NEW**



### WALL MOUNT ELECTRIC BUDDY

Model # - MHBEW150FATW  
Stock # - F236330  
UPC - 089301994911

 5,118 BTU

 Heats up to 170 sq. ft.

- Unit can be mounted to wall or placed on floor using the included feet
- Ability to control heater via WiFi through Smart Life app
  - App is free for iOS and Android
- Simple voice controls enabled with common smart home devices
- Infrared heating element
- LED touch screen display
- 3 heat modes: Eco/Low/High
- Adjustable thermostat with 12H timer
- Ideal for medium and large rooms
- Certified

# PORTABLE ELECTRIC HEATERS



## ELECTRIC HEATER FEATURES


- Thermostatically controlled
- Fan only option
- Quiet operation
- Adjustable heat angle
- 6' Cord & plug included
- Certified



## 1.5 kW PORTABLE FORCED AIR ELECTRIC HEATER

Model # - MH165FAET  
Stock # - F236120  
UPC - 089301001305

 5,118 BTU

 Heats up to 136 sq. ft.


- Thermostatically controlled
- 120V, 15 amp



## 3.6 kW PORTABLE FORCED AIR ELECTRIC HEATER

Model # - MH360FAET  
Stock # - F236125  
UPC - 089301000636

 12,283 BTU

 Heats up to 307 sq. ft.

- Thermostatically controlled
- 240V 15 amp double pole breaker required



# MOUNTED ELECTRIC HEATER



## ELECTRIC HEATER FEATURES

- Thermostatically controlled
- Fan only option
- Quiet operation
- High & low heat settings
- 6' Cord included (plug sold separately)
- Certified



## 5.3 kW FORCED AIR ELECTRIC GARAGE HEATER

Model # - MH530FAET

Stock # - F236130

UPC - 089301000643



18,084 BTU



Heats up to 452 sq. ft.

- Thermostatically controlled
- 240V 30 amp double pole breaker required
- Plug sold separately
- Adjustable heat angle
- Ceiling mount with tilt & swivel feature

# CONVECTION HEATERS

## CONVECTION HEATER FEATURES

- 10' Hose & Regulator Included
- Piezo Ignition System
- Certified



Model #	MH25CVX	MH80CVX	MH200CVX
Stock#	F270470	F270490	F270500
UPC	089301704701	089301000209	089301000216
BTU	25,000	30,000 / 80,000	75,000 / 200,000
Minimum Propane Tank Size	20 lb.	20 lb.	100 lb.
Approx. Run Time On Min. Tank Size	17 Hrs.	14 Hrs. (Low) 5.4 Hrs. (High)	29 Hrs. (Low) 10.8 Hrs. (High)
Approx. Heating Area	625 Sq. Ft.	2,000 Sq. Ft.	5,000 Sq. Ft.
Telescoping & Instant Locking Chamber	NO	YES	YES



# PATIO HEATER





**NEW**



## PATIO HEATER

Model # - MH48PH  
Stock # - F270765  
UPC - 089301988033

 48,000 BTU

 Heats up to 1,200 sq. ft.

- Double door design
- Electronic ignition
- Wheels included make repositioning easy
- 430# Stainless Steel
- Certified

# RADIANT GARAGE AND WORKSHOP



## RADIANT GARAGE & WORKSHOP HEATER FEATURES

- Heats up to 625 sq. ft. (2-1/2 car garage)
- Mounted installation
- For use in buildings with 7-12 ft. ceilings or higher
- No electricity required - heats during power outages
- Includes thermostat & mounting brackets
- Certified

## RADIANT GARAGE & WORKSHOP HEATER

Model # - MH25LP  
Stock # - F272100  
UPC - 089301721005



22,000 BTU



Heats up to 625 sq. ft.

Model # - MH25NG  
Stock # - F272200  
UPC - 089301722002



25,000 BTU



Heats up to 625 sq. ft.



As seen on **ask**  
This Old House

## CONVERSION KITS

### Natural Gas to Propane

Stock # - F200293  
UPC - 089301002937

### Propane to Natural Gas

Stock # - F200294  
UPC - 089301002944

## ACCESSORY

### Universal Hook Up Kit

Stock # - F271239  
UPC - 089301712393



# RADIANT GARAGE AND WORKSHOP


## RADIANT GARAGE & WORKSHOP HEATER FEATURES


- Heats up to 1,000 sq. ft.
- Hanging installation
- For use in buildings with 12-15 ft. ceilings or higher
- No electricity required - heats during power outages
- Includes thermostat & mounting brackets
- Certified



## RADIANT GARAGE & WORKSHOP HEATER


Model # - MH40LP  
Stock # - F272700  
UPC - 089301727007

 40,000 BTU

 Heats up to 1,000 sq. ft.

Model # - MH40NG  
Stock # - F272800  
UPC - 089301728004

 40,000 BTU

 Heats up to 1,000 sq. ft.



## ACCESSORY

### Universal Hook Up Kit

Stock # - F271239  
UPC - 089301712393

## CONVERSION KITS

### Natural Gas to Propane

Stock # - 00285A  
UPC - 856795001452

### Propane to Natural Gas

Stock # - 00286A  
UPC - 856795001469

# RADIANT OVERHEAD HEATERS



\*Shown with optional decorative grid kit



## LOW INTENSITY INFRARED RADIANT TUBE HEATER

Model # - MH45GSP

Stock # - F202860

UPC - 089301028500

### Decorative Grid Kit

Stock # - F102859

UPC - 089301003835



45,000 BTU



Heats Up to 1,125 Sq. Ft.

- Ships pre-assembled for simple installation
- Provides uniform heat distribution
- Compact aluminized steel U-tube design
- 4" venting connections
- Polished aluminum deep-dish reflector
- Commercial approved
- Indoor / outdoor approved with proper ventilation
- Ships as natural gas
  - includes propane conversion kit
- Thermostat available: 10371
- Horizontal vent kit: F102860
- Vertical vent kit: F102848
- Certified

## RESTAURANT/PATIO RADIANT GLASS HEATER

Model # - MHRP37GL

Stock # - F240200

UPC - 089301028500



37,000 BTU



Heats Up to 850 Sq. Ft.

- Includes brackets, heat deflector & on/off remote
- Highly efficient, quiet radiant heat
- Constructed of high quality materials
- Compact, minimal design
- No air movement
- Instant heat
- Spark ignition
- Ships as natural gas
  - includes propane conversion kit
- Certified





**NEW**

# UNIT HEATERS

# BIG MAXX<sup>®</sup>

## NEW SIZES AND COLORS



Model #	MHU50	MHU80	MHU125	MHU200NG	MHU250NG	MHU300NG	MHU400NG
Stock #	F260550	F260560	F260590	F262000	F262500	F263000	F264000
UPC	089301605503	089301605602	089301002142	089301007215	089301007222	089301007239	089301007246
BTU Rating	50,000	80,000	125,000	200,000	250,000	300,000	400,000
Heats Up To: (Approx. Sq. Ft.)	1,667	2,667	4,167	6,700	8,400	10,000	13,400

### UNIT HEATER FEATURES

- Runs on propane or natural gas
- Ships as natural gas with propane conversion kit
- Recommended thermostat: 24V
- Certified

### COMMON USES


- Garages
- Workshops



Compatible with  
WiFi/digital thermostats

# BIG MAXX®

# Accessories



## VENT KITS

### Vertical Vent Kit 4"

Stock # - F102848

UPC - 089301028487

Includes: (1) 4" x 36" B-vent pipe, (2) 4" x 24" vent pipe, (1) 4" 90-degree elbow, (1) wall fire stop, (1) roof flashing, (1) storm collar, (1) vent cap.


**NEW**

### Vertical Vent Kit 6"

Stock # - F102849

UPC - 089301004573

Includes: (1) 6" x 36" B-vent pipe, (2) 6" x 24" vent pipe, (1) 6" 90-degree elbow, (1) wall fire stop, (1) roof flashing, (1) storm collar, (1) vent cap.



### Horizontal Vent Kit 4"

Stock # - F102860

UPC - 089301028609

Includes: (1) 4" adapter, (1) 45 degree elbow, (1) 4"x12" length, (1) 4" adjustable length (6"-19"), (1) wall thimble, (1) 4" screened termination tee, (1) Hi-temp 2.8 oz. silicone, (1) SS screw kit.

*(Stainless steel meets category III venting standards)*

**NEW**

### Horizontal Vent Kit 6"

Stock # - F102861

UPC - 089301007253

Includes: (1) 6" adapter, (1) 45 degree elbow, (1) 6"x12" length, (1) 6" adjustable length (6"-19"), (1) wall thimble, (1) 4" screened termination tee, (1) Hi-temp 2.8 oz. silicone, (1) SS screw kit.

*(Stainless steel meets category III venting standards)*



## THERMOSTAT

### Analog Thermostat

Stock # - F210359

UPC - 08930110359-7

- Low voltage Reed switch
- Certified



# PORTABLE CATALYTIC HEATERS

**CERTIFIED  
INDOOR SAFE**

## CATALYTIC HEATER FEATURES

- Indoor safe
- Not for use in Massachusetts or Canada
- Not for use in dwelling home
- Low oxygen shut-off system (ODS)
- Accidental tip-over safety shut-off
- No electricity required
- Not for permanent installation
- Not for use in wet conditions
- Not for use in windy conditions
- For use in dry environments only
- Runs on 20 lb. propane tank  
(Never bring 20 lb. propane tank indoors)
- Certified



Feet included



**Journey™  
SERIES**



Dust shield included



22" propane hose assembly included

Model #	MHCAT3LP	MHCAT6LP	MHCAT8LP
Stock #	F209150	F209250	F209350
UPC	089301004306	089301004313	089301004320
BTU Rating	3,000	6,000	8,000
Heats Up To: (Approx. Sq. Ft.)	100	200	300



## PROPANE HOSE ASSEMBLIES

Stock # - F271161-144 = 144"

UPC - 089301005167

(Regulator with Appliance End Fitting/Acme Nut x 3/8" Female Flare) - For Type 1 (QCC-1©) propane systems.

Portable catalytic heaters are not designed for permanent installation or for use above an altitude of 7,000 ft.

Always check local codes for permitted uses.

NOTICE: Not for use in a "dwelling home" in California

\* Not for use in Massachusetts or Canada.

NEVER use third party accessories or attachments with this heater (including attachments for warming or cooking); doing so will void the product warranty, is extremely dangerous, and may result in personal injury or death to you or others.



# WARMERS



## TOE WARMERS

30 individual pairs per cut case

Stock # - F235051  
UPC - 089301002074

- 8 display boxes containing 30 packs with a total of 240 individual pairs

15 - 8 packs per cut case

Stock # - F235052  
UPC - 089301002357

- Adhesive back
- 2 display boxes containing 15 packs of 8 pairs, with a total of 30 packs



## FULL FOOT WARMERS

30 individual pair per cut case

Stock # - F235091  
UPC - 089301002494

- Adhesive back
- 6 display boxes containing 30 packs with a total of 180 individual pairs



## HAND WARMERS

40 individual pairs per cut case

Stock # - F235011  
UPC - 089301002067

- 6 display boxes containing 40 packs with a total of 240 individual pairs

12 - 10 packs per cut case

Stock # - F235012  
UPC - 089301002340

- 2 display boxes containing 12 packs of 10 pairs, with a total of 24 packs

*Do not place warmers directly against skin. Remove warmers immediately if they become too warm or uncomfortable.*



# SEAT WARMER



F235076

F235077

**14**  
HOURS



**5**  
HOURS



## **XL WARMERS**

**40 individual warmers per cut case**

Stock # - F235076  
UPC - 089301002081

- 6 display boxes containing 40 packs with a total of 240 individual warmers

**12 - 10 packs per cut case**

Stock # - F235077  
UPC - 089301002364

- Adhesive back
- 2 display boxes containing 12 packs of 10 warmers, with a total of 24 packs

## **SEAT WARMER**

**6 pack seat warmers**

Stock # - F235041  
UPC - 089301005105

- 6 display boxes containing 12 packs with a total of 72 individual warmers

## **SEAT CUSHION WITH WARMER POCKET**

**1 warmer included**

Stock # - F235001  
UPC - 089301005112

- 2 display boxes containing 3 cushions with a total of 6 individual units
- Includes 1 warmer
- Displays in 3 pack box
- Pocket lined with reflectors to reflect heat upward



# CAMPING



## TENT FAN

### Tent Fan with LED Light

Stock # - F235100  
UPC - 089301351004



- Fan runs 48 hours on low & 24 hours on high

- Two speeds
- Light runs up to 100 hours
- Carabiner hook included
- Operates with 4 x D batteries (not included)
- Certified



## ANGLE IRON STOVES

### Single Burner

Stock # - F235825  
UPC - 089301358256

### Double Burner

Stock # - F235830  
UPC - 089301358300

### Triple Burner

Stock # - F235835  
UPC - 089301358355

- For use with propane
- Outdoor use only
- Hose & regulator required (Sold Separately)

*\*Not approved for use in Canada*

- Certified



## PROPANE HOSE ASSEMBLIES

### 5' Propane Hose Assembly

Stock # - F273071  
UPC - 089301730717

### 12' Propane Hose Assembly

Stock # - F273072  
UPC - 089301730724

(Regulator w/Restricted Flow Soft Nose POL and Hand Wheel x 3/8" Female Flare)  
Connects low pressure portable propane appliances to a 20 lb. propane tank.



# PROPANE TORCHES




## PROPANE TORCH FEATURES

- Needle valve adjustment
- Excess flow POL fitting
- Certified



## HANDHELD TORCH

Model # - MH500LPT  
Stock # - F272602  
UPC - 089301726024


 500,000 BTU

- 10' hose included
- 36" heavy-duty shaft
- Ergonomic handle
- Striker included
- Lightweight, easy to use



## HANDHELD TORCH

Model # - MH400PT  
Stock # - F272601  
UPC - 089301726017

 400,000 BTU

- 10' hose included
- 31" total length
- Lightweight, easy to use
- 8 pack cut case





# ***HOSES, FITTINGS, & ACCESSORIES***





# DUAL TANK HOOK UP KIT



**NEW**



## DUAL TANK HOOK UP KIT

Use with any 1 lb. propane  
tank appliance

Stock # - F200047

UPC - 089301994966

- Connects two 1 lb. propane tanks to any standard propane appliances
- Draws evenly from both tanks
- Longer run times
- Includes tankfoot
- Higher tank yield
- Easy to transport



# Hose Assemblies

## 5' Propane Hose/Regulator Assembly

Stock # - F273071  
UPC - 089301730717

## 12' Propane Hose/Regulator Assembly

Stock # - F273072  
UPC - 089301730724

(Regulator with Restricted Flow Soft Nose POL and Handwheel x 3/8" Female Flare) Connects low pressure portable propane appliances to a 20 lb. propane tank.



## 5' Propane Hose/Regulator Assembly

Stock # - F273076  
UPC - 089301730762

## 12' Propane Hose/Regulator Assembly

Stock # - F273077  
UPC - 089301730779

(Regulator with Soft Nose POL and Handwheel x 3/8" Female Pipe Thread) Connects low pressure portable propane appliances to a 20 lb. propane tank.



## Propane Hose & Regulator Assembly with Appliance End Fitting/Acme Nut

Stock # - F271161 = 22"  
UPC - 089301711617

Stock # - F271161-144 = 144"  
UPC - 089301005167

(Regulator with Appliance End Fitting/Acme Nut x 3/8" Female Flare) - For Type 1 (QCC-1©) propane systems.



Not sure what you need?  
Call us at **800.251.0001** or  
visit our website **mrheater.com**

## 22" Propane Replacement Barbecue Hose

Stock # - F273716  
UPC - 089301737167

(3/8" Male Pipe Thread x 3/8" Female Flare) - Fits most BBQ propane gas grills.

*Most commonly used with F273761 regulator*



## 5' Propane Hose Assembly

Stock # - F276124  
UPC - 089301761247

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread) Used to connect low pressure propane appliances to low pressure propane regulators.



## 30", 60" - Propane Hose Assembly (XX = inches)

Stock # - F271163-(XX)

30" UPC - 089301163300

60" UPC - 089301163607

(3/8" Male Pipe Thread x 3/8" Female Flare) - Most commonly used to hook a low pressure regulator to a propane appliance.



## 5' Propane Hose Assembly

Stock # - F273707  
UPC - 089301737075

## 9' Propane Hose Assembly

Stock # - F273707-108  
UPC - 089301071087

(1/4" Male Pipe Thread x 3/8" Female Flare) Replaces most propane hose assemblies between regulator and fish cooker/smoker, torches, or other propane appliances.



## 15' Propane Appliance Extension Hose Assembly

Stock # - F271470  
UPC - 089301714700

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread) (3/8" ID High Pressure Hose) Used in addition to the existing propane hose for more length between propane tank and propane appliances.



## 15' Propane Appliance Extension Hose Assembly

Stock # - F271474  
UPC - 089301714748

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread) (1/4" ID High Pressure Hose) Use as an extension hose for portable propane appliances.







**5' Propane Appliance  
Extension Hose Assembly**

**Stock # - F273717**

UPC - 089301737174  
(1/4" Male Pipe Thread x 1/4" Female Pipe Thread) (1/4" ID High Pressure Hose) - Use as an extension hose for portable propane appliances.



**5' Propane Hose Assembly**

**Stock # - F276148**

UPC - 089301761483  
(9/16" Left Hand Female Threads on Both Ends) Used to connect one propane hose or for additional length connect two F276148 hoses with F276154 propane brass fitting.



**5' Propane Hose Assembly**

**Stock # - F273701**

UPC - 089301737013

**12' Propane Hose Assembly**

**Stock # - F273702**

UPC - 089301737020  
(Swivel 1"- 20 Male Throwaway Cylinder Thread x Excess Flow Soft Nose POL with Handwheel) Connects appliances that are designed for disposable propane cylinders to a 5 - 20 lb. tank.  
*Hand tighten swivel on both ends.  
Recommended use with F273699 Fuel Filter*



**5' Propane Hose Assembly**

**Stock # - F273703-60**

UPC - 089301703605

**12' Propane Hose Assembly**

**Stock # - F273703-144**

UPC - 089301031449  
(Appliance End fitting/Acme Nut x 1" - 20 Male Throwaway Cylinder Thread) Used to connect portable appliances to a 20 lb. propane tank.  
*Recommended use with F273699 Fuel Filter*



**10' Buddy Series Hose Assembly**

**Stock # - F273704**

UPC - 089301737044

(Swivel 1"- 20 Male Throwaway Cylinder Thread x Soft Nose Excess Flow POL with Handwheel) Connects propane appliances that are designed to be connected to 1lb. propane bottles to 5 - 20 lb. tanks.  
*Hand tighten swivels on both ends.  
No Fuel Filter required*



**5' Propane Hose Assembly**

**Stock # - F273710**

UPC - 089301737105

**12' Propane Hose Assembly**

**Stock # - F273711**

UPC - 089301737112

(Swivel 1"-20 Male Throwaway Cylinder Thread x Swivel 1"-20 Female Throwaway Cylinder Thread) - Used with most propane distribution posts and "Y" (F271715) connectors as well as 1lb. propane cylinders.  
*Hand tighten swivel on both ends.*



**20" Propane Hose Assembly**

**Stock # - F271138-20**

UPC - 089301138209

(Acme Nut x 1/4" Male Pipe Thread) Commonly used to connect bulk propane tank on a camper to a regulator.



**60", 144" - Lengths (XX = inches)**

**Stock # - F271144-(XX)**

60" UPC - 089301144606

144" UPC - 089301441446

(Excess Flow Soft Nose POL x 1/4" Inverted Male Flare) Commonly used to connect an auxiliary bulk propane tank to a motor home.



**72" Propane Hose Assembly**

**Stock # - F271149-72**

72" UPC - 089301149724

(3/8" Female Flare x 3/8" Female Flare) - Connects existing propane gas line to appliances equipped with 3/8" male flare



**12", 15", 18", 24", 36" - Lengths (XX = inches)**

**Stock # - F271158-(XX)**

12" UPC - 089301158122

15" UPC - 089301158153

18" UPC - 089301158184

(Acme Nut x 1/4" Inverted Male Flare) Connects to propane tank and propane auto change-over dual stage regulator. (F273766)





# Hose Assemblies

## 12' Big/Tough Buddy Hose with Regulator

**Stock # - F271803**

UPC - 089301718036

(Quick Connect x Regulator with Acme Nut) - Used to hook a Big/Tough Buddy to a 20 lb. propane tank. (Not compatible with the Buddy FLEX™)



## 12' Big/Tough Buddy RV Hose

**Stock # - F271802**

UPC - 089301718029

(Quick Connect x 3/8" Female Flare) Used to hook an existing regulated propane line in a camper or motor home to the Big/Tough Buddy.



## 12' Quick-Connect Propane Hose Assembly

**Stock # - F271117**

UPC - 089301711174

(Male quick-connect X swivel 1"-20 male throwaway cylinder thread) Connect a high-pressure grill or appliance that uses throw-away propane cylinders to a high-pressure RV onboard propane supply.



## 12' Quick Connect Propane Hose Assembly with shut off valve and full flow male plug

**Stock # - F271806**

UPC - 089301000551

Connects a low pressure propane gas grill to an onboard RV propane supply.



## 12' Natural Gas/Propane Patio Hose Assembly

**Stock # - F273720**

UPC - 089301737204

(3/8" Female Pipe Thread x 3/8" Male Flare Quick Connect/Disconnect with Dust Plug and Cap) Used when connecting natural gas BBQ grills attached to decks or patios to the supply from a structure.



## Propane Gas Gauge

**Stock # - F276342**

UPC - 089301763425

(Appliance End Fitting/Acme Nut x Acme Thread and Female POL) - Meets all Type 1 safety standards.



## 10' RV Quick-Connect Hose Assembly

**Stock # - F273708**

UPC - 089301021266

(3/8" Female Flare x Type 250 Male Quick-Connect)



## 8' Universal Propane Hose & Glow in the Dark Gauge Assembly

**Stock # - F273718**

UPC - 089301005198

(Acme Nut x 1" - 20 Male Throwaway Cylinder Thread) Connects propane appliances that are designed to be connected to 1 lb. propane bottles to 5 - 20 lb. tanks.

Works on any appliance that uses a disposable cylinder. Hand tighten swivel on both ends. Recommended use with F273699 Fuel Filter.



Indicator glows in the dark.



## Propane "Steak Saver" Adapter

**Stock # - F276171**

UPC - 089301761711

(1" - 20 Female Throwaway Cylinder Thread x Female POL & Acme Thread) Used with 1lb. bottles to grills or distribution posts to grills.



## Propane Tank Refill Adapter

**Stock # - F276172**

UPC - 089301761728

(Female 1 lb. Cylinder Thread x Soft Nose POL) - Refills 1lb. bottles in 1 minute or less.

**NOT AVAILABLE IN CANADA**



## Propane Portable Table Top Regulator

**Stock # - F273769**

UPC - 089301737693

(1"-20 Female Throwaway Cylinder Thread Inlet x Orifice Outlet) Used with most propane tabletop grills.



## Propane High Pressure Regulator with POL

**Stock # - F273719**

UPC - 089301737198

Range of 0 - 20 PSI (Full Flow Soft Nose POL X 1/4" Female Pipe Thread) - Most commonly used on deep fryers, fish cookers, smokers or other high pressure propane appliances.







## Propane Auto-Changeover High Capacity Two Stage Regulator

**Stock # - F273846**  
UPC - 089301994812

Two stage auto changeover regulator provides easy change over from empty to full cylinder while providing adequate fuel to your RV. Complete with cover bracket and hardware (not shown). 11" wc 400,000 BTU max flow. 2 - 1/4" Inverted Female Flare Inlets x 3/8" Female Pipe Outlet - Propane level indicator located on top of regulator.

**NEW**



400,000 BTU

## Propane Auto-Changeover Two Stage Regulator

**Stock # - F273776**  
UPC - 089301994805

Two stage auto changeover regulator provides easy change over from empty to full cylinder while providing adequate fuel to your RV. Complete with cover bracket and hardware (not shown). 11" wc 325,000+ BTU max flow. 2 - 1/4" Inverted Female Flare Inlets x 3/8" Female Pipe Outlet - Propane level indicator located on front of regulator.

**NEW**



## Propane Vertical Two Stage Regulator

**Stock # - F273763**  
UPC - 089301737631

## Propane Horizontal Two Stage Regulator

**Stock # - F273868**  
UPC - 089301738683

## Propane Horizontal Two Stage Regulator with POL

**Stock # - F273863**  
UPC - 089301738638

Dual stage regulator uses both a high/low pressure regulator to provide smooth and continuous flow to the appliance or RV while providing 11" wc Complete with covers (not shown). 225,000 BTU max flow. 1/4" Female Pipe Thread Inlet x 3/8" Female Pipe Thread Outlet.

Vertical

Horizontal



## Propane Low Pressure Regulator

**Stock # - F273767**  
UPC - 089301737679

1/4" Female Pipe Thread (Inlet) x 3/8" Female Pipe Thread (Outlet)  
Use with low pressure propane appliances up to 115,000 BTU's.



## Propane Low Pressure Regulator with POL

**Stock # - F276136**  
UPC - 089301761360

(3/8" Female Pipe Thread x Restricted Flow Soft Nose POL) - 11" wc low pressure regulator will operate BBQ grills and low pressure appliances. 75,000 BTU max flow.



## Propane Regulator with Acme Nut

**Stock # - F273768**  
UPC - 089301737686

Acme nut x 3/8" female pipe thread. 11" wc low pressure regulator. For use with most propane grills 75,000 BTU max flow.



## Propane Low Pressure 90° Regulator with Acme Nut

**Stock # - F273761**  
UPC - 089301737617

(3/8" Female Pipe Thread x Appliance End Fitting) - For Type 1 (QCC-1®) gas grill systems. 11" wc regulator. 90°, 75,000 BTU max flow.



## Propane Low Pressure 90° Regulator with POL

**Stock # - F273759**  
UPC - 089301737594

(3/8" Female Pipe Thread x Restricted Flow Soft Nose POL) 11" wc low pressure regulator will operate propane BBQ grills and low pressure propane appliances. 90°, 75,000 BTU max flow.





# Brass Fittings & Accessories

**Excess Flow Soft Nose POL x 1/4" Male Pipe Thread with Handwheel**

Stock # - F273655  
UPC - 089301736559



**Full Flow Soft Nose POL with Handwheel x 1/4" Male Pipe Thread**

Stock # - F273762  
UPC - 089301737624



**9/16" Left Hand Thread x Restricted Flow Soft Nose POL with Handwheel**

Stock # - F276129  
UPC - 089301761292




**1/4" Male Pipe Thread x Restricted Flow Soft Nose POL with Handwheel**

Stock # - F276139  
UPC - 089301761391



**1/4" Male Pipe Thread x 1"-20 Female Throaway Cylinder Thread**

Stock # - F273754  
UPC - 089301737549



**1/4" Male Pipe Thread x 1"-20 Male Throaway Cylinder Thread**

Stock # - F273755  
UPC - 089301737556




**1" - 20 Male Throaway Cylinder Thread x 1/4" Female Pipe Thread**

Stock # - F276140  
UPC - 089301761407



**9/16" Left Hand Male Thread x 1"-20 Throaway Cylinder Thread with Shut-off**

Stock # - F276130  
UPC - 089301761308



**1/4" Inverted Female Flare x 1/4" Male Pipe Thread**

Stock # - F273729  
UPC - 089301737297

Replacement inlet fitting for F273766 auto-changeover regulator.



**Propane Female POL. with Acme Thread x 1/4" Male Pipe Thread**

Stock # - F273791  
UPC - 089301737914







## Propane Grill Acme Nut

**Stock # - F276495**  
UPC - 089301764958

(Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread) For appliances with 80,000 BTU's or less.



## Propane RV Acme Nut (Green)

**Stock # - F276497**  
UPC - 089301764972

(Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread) - 200,000 BTU Capacity.



## Propane Bulk Cylinder Adapter with Handwheel

**Stock # - F273758**  
UPC - 089301737587

(1"-20 Throwaway Cylinder Thread x Restricted Flow Soft Nose POL) To be attached directly to a bulk tank (i.e., Mr. Camper, Coleman Co. Inc.®, or Century Primus® stove).



## Propane Bulk Cylinder Adapter with Acme Nut

**Stock # - F276133**  
UPC - 089301761339

Acme Nut x 1"-20 Male Throwaway Cylinder Thread Used to hook portable appliances to new propane tanks.



## Propane Brass Caps

**Stock # - F276400**  
UPC - 089301764002

(1" - 20 Female Pipe Thread) - Provides threaded protection for most posts, tees, etc. Two caps provided.



## 30"/15" Propane Distribution Post/Tree

**Stock # - F271744**  
UPC - 089301009110

(Three 1"-20 Male Throwaway Cylinder Threads x Full Flow Soft Nose POL) Hooks 3 propane appliances to a single 20 lb. propane tank. Can hook up to new QCC-1® and old style cylinders.



## Propane Black Pipe Tee

**Stock # - F271733**  
UPC - 089301717336

(2 - 1"-20 Throwaway Cylinder Threads x Appliance End/Acme Nut Fitting) Hookup 2 appliances to a refillable 20lb. cylinder (use with F273712 hose assy.).



## Propane Black Pipe Tee with Adapter

**Stock # - F271736**  
UPC - 089301717367

Appliance End/Acme Nut fitting x 1"-20 Throwaway Cylinder Thread x Female POL with Acme Thread (Use with hose assemblies. F273074, F273706 and F273712).



## Propane Converter

**Stock # - F276338**  
UPC - 089301763388

Converts white gas style stoves to 1 lb. propane tanks Converter is Pressure Regulated and has a Variable Rate Control.





# Brass Fittings & Accessories

## Propane "Y" Male Adapter with Handwheel

Stock # - F271715  
UPC - 089301717152

(Excess Flow Soft Nose POL x 2 - 1"-20 Throwaway Cylinder Threads) Hookup 2 propane appliances to a refillable 20 lb. propane cylinder (use with F273710-11 hose assy.).



## Propane "Y" Female Adapter with Handwheel

Stock # - F271735  
UPC - 089301717350

(Excess Flow Soft. Nose POL x Two Female POL's with Acme Threads) Hook up 2 propane appliances to a bulk propane tank (use with F273701-02).



## Propane Double Quick Connect

Stock # - F271716  
UPC - 089301004924

(2 1/4" Female Quick Connects x 1/4" Male Quick Connect) Hookup 2 low pressure propane appliances to an RV.



## Propane Tank Quick Connect

Stock # - F271718  
UPC - 089301004948

(1/4" Female Quick Connect x Appliance Acme Nut) 11" wc regulator. 90°, 75,000 BTU max flow.



## Propane Adapter Tee

Stock # - F273751  
UPC - 089301737518

(Excess Flow Soft Nose POL x 1"-20 Throwaway Cylinder Thread x Female POL with Acme Thread) (Use with hose assy. F273710-11 and F273701-02).



## Propane Stay A While Tee

Stock # - F273752  
UPC - 089301737525

(Excess Flow Soft Nose POL x 1"-20 Male Throwaway Cylinder Thread x Female POL with Acme Thread x 1/4" Inverted Female Flare) - Connects auxiliary propane cylinder to additional propane appliance.



## Propane 90° Stay Flow Adapter

Stock # - F273753  
UPC - 089301737532

(Excess Flow Soft Nose POL x 1"-20 Male Throwaway Cylinder Thread x Female POL and Acme Thread) - Connects additional propane appliance to 20 lb. propane tank.



## Propane 90° Elbow

Stock # - F273760  
UPC - 089301737600

(Restricted Flow Soft Nose POL x 1" - 20 Male Throwaway Cylinder Thread) - Allows for propane appliances designed to be attached directly to refill cylinder such as a propane lantern.



## 1/4" Male Pipe Thread x 9/16" Left Hand Male Thread

Stock # - F276152  
UPC - 089301761520



## 3/8" Male Pipe Thread x 9/16" Left Hand Male Thread

Stock # - F276153  
UPC - 089301761537



## 9/16" Left Hand Male Pipe Thread x 9/16" Left Hand Male Thread

Stock # - F276154  
UPC - 089301761544



## 3/8" Male Pipe Thread x 3/8" Male Flare

Stock # - F276262  
UPC - 089301762626







## Propane Stay Flow Kit

**Stock # - F273714**  
UPC - 089301737143

## Propane Stay Flow Plus Kit

**Stock # - F273735**  
UPC - 089301737358

Commonly used in RV applications to provide additional source of propane to high pressure appliances. (Swivel 1" - 20 Male throwaway cylinder thread x swivel 1" - 20 female throwaway cylinder thread x tee assembly; excess flow Soft Nose POL x 1" - 20 male throwaway cylinder thread x female POL and Acme thread) (F273735 includes 90° Stay Flow Adapter rather than straight Tee)



## Propane Stay A While Kit

**Stock # - F273733**  
UPC - 089301737334

## Propane Stay A While Deluxe Kit

**Stock # - F273734**  
UPC - 089301737341

Connects auxiliary propane hose cylinder to motor home. 5' Propane Flexible pigtail hose assembly: Soft Nose excess flow POL x 1/4" inverted male flare; stay a while tee: excess flow Soft Nose POL x 1" - 20 male throwaway cylinder thread x female POL with Acme thread x 1/4" inverted female flare (F273734 includes an additional 12' propane hose assembly)

*F273734 complete deluxe kit*



## Propane 2 Tank Hook Up Kit

**Stock # - F273737**  
UPC - 08930173737-2

(30" Hose Assembly with Excess Flow Soft Nose POL's on both ends x Full Flow Tee) - Most commonly used to hook multiple bulk tanks to most applications.



## "One Stop" Universal Gas Appliance Hook-up Kit

**Stock # - F271239**  
UPC - 08930171239-3

Kit includes:

- 22" stainless steel flex gas connector
- Brass shut-off valve (1/2" female pipe thread x 1/2" male flare)
- 1/2" male flare x 1/2" male pipe
- 1/2" male flare x 3/8" male pipe
- 1/2" male flare x 3/8" female pipe
- Special gas seal tape for connections



## Remote LP installation kit

**Stock # - F273684**  
UPC - 08930100255-5

For connecting Vent-Free heaters to a remote LP tank  
Kit includes:

1. Two stage regulator with POL connection (F273863)
2. Handwheel (F273783)
3. 12' hose assembly (71163-144)
4. 3/8" MP x 3/8" MF adapter (F276262)
5. 3/8" female X 3/8" 90° male street elbow





# Gas Mate™ Quick Connector Kits

## Propane/Natural Gas Connector Kit with Safety Shut-Off Valve & Full Flow Male Plug

Stock # - F276181  
UPC - 089301761810

(1/4" Male Pipe Thread Plug x 1/4" Female Pipe Thread Socket)  
Certified: 1/2 PSI Low pressure



## Propane/Natural Gas 1/4" Quick Connector & Excess Flow Male Plug

Stock # - F276186  
UPC - 089301761865

(1/4" Male Pipe Thread Excess Flow Plug x 1/4" Female Pipe Thread Socket)  
Certified: 250 PSI rated



## Propane/Natural Gas 3/8" Quick Connector & Full Flow Male Plug

Stock # - F276187  
UPC - 089301761872

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread)  
Certified; 1/2 PSI Low pressure



## Propane/Natural Gas 1/4" Quick Connector & Full Flow Male Plug

Stock # - F276190  
UPC - 089301761902

(1/4" Male Pipe Thread Full Flow Plug x 1/4" Female Pipe Thread Socket)  
Certified: 250 PSI rated



## Propane/Natural Gas Full Flow Male Plug

Stock # - F276281  
UPC - 089301762817

(1/4" Male Pipe Thread x Full Flow Male Plug) - For high pressure appliances. Can be used with F276334 or can replace excess flow plug-in F276186 & F276330



## Propane/Natural Gas Excess Flow Male Plug

Stock # - F276328  
UPC - 089301763289

(1/4" Male Pipe Thread x Male Plug Quick Connect Fitting) - For appliances 80,000 BTU's or less. For use with F276334.



## Propane Cylinder Fill Plug

Stock # - F276329  
UPC - 089301763296

(7/8" Female POL x Male Plug) - Use with Gas Mate II Quick Connect Coupling Kit. (F276330).



## Propane Gas Quick Connect Adapter Kit

Stock # - F276330  
UPC - 089301763302

(1/4" Male Pipe Thread x Male Plug) (Quick Connect x Soft Nose Excess Flow POL) Provides plug in/plug out use of appliances.  
Certified; 250 PSI Rated



## Propane Gas Grill "Quick Connect" Adapter

Stock # - F276334  
UPC - 089301763340

(Quick Connect x Soft Nose Excess Flow POL) Use with Ducane, Weber & PGS gas grills or other grill users of a Gas Mate II system.  
Certified; 250 PSI Rated



## Low Pressure 1/4 inch RV Quick Connect Adapter Fitting

Stock # - F271719  
UPC - 089301995437

Only for use with Blackstone 17" and 22" tabletop griddles.

*This adapter is not sourced or sponsored by Blackstone. The manufacturer's name has been used for reference only. Blackstone is not affiliated with Mr. Heater®.*



**NEW**





## Thermostat - For Portable Kerosene (50KR only)

Stock # - F261210  
UPC - 08930161210-5



## TankFoot® Propane Tank Stabilizer (6)

Stock # - F273169-6  
UPC - 089301731691

## TankFoot® Propane Tank Stabilizer (30)

Stock # - F273169-30  
UPC - 089301731691

Fits 20 lb., 30 lb. and 40 lb. tanks; reduces risk of tipping propane tank while on jobsite and transporting in your R.V., pick-up, car, etc.



## Universal Fuel Filter

Stock # - F273699  
UPC - 089301736993

• Patented design  
Recommended for use with all Portable Buddy and Big Buddy Heaters when attaching to a 20 lb. propane tank. Most commonly used with F273701(5') and F273702(12') propane hose assemblies



## Handwheel

Stock # - F273783  
UPC - 089301737839

(2 handwheels per pack) Used with Mr. Heater propane products and POL nuts that use a 7/8" open end wrench



## O-Rings

Stock # - F273786  
UPC - 089301737860

(20 per pack) Used to replace o-rings on Mr. Heater Soft Nose POL's



## Tank Foot (1 lb. propane cylinder)

Stock # - F275228  
UPC - 089301752283

Fits portable throw-away propane cylinders; reduces risk of tipping cylinder while in use.



## 6v/800mA Power Adapter

Stock # - F276127  
UPC - 089301761278

Use with Big Buddy and Tough Buddy heaters. Uses standard 110 outlet. Also powers products requiring 6VDC and up to 800mA current.





# Tank Top Replacement Parts

## Safety Shut-off Valve with Orifice

Stock # - F273116  
UPC - 089301731165

Replacement for MH12, MH12T Mr. Heater Tank Top Models (up to and including 2010)



## 12" Thermocouple Lead

Stock # - F273117  
UPC - 089301731172

Replacement for most Mr. Heater Tank Top Models (Replacement for Mr. Heater models up to and including 2010)



## Thermocouple Assembly with Tip-over Switch Wires

Stock # - F237349  
UPC - 089301373495

MR. HEATER: MH15T, MH15TS (2011-current)  
MH30T, MH30TS (2012-current)  
SUNRITE:SRC15T, SRC30T (all)  
SR15T, SR30T (2011-current)



Replaces part #17349

## Thermocouple Assembly Without Tip-Switch

Stock # - F237425  
UPC - 089301374256

MR. HEATER: MH15, MH15C  
MH30T, MH30TS (2011 series)  
MH45T (2011-2012)  
SUNRITE:SRC15T, SRC30T (2009-2010 ONLY)



Replaces part #17425

## Screen Assembly

Stock # - F273164  
UPC - 089301731646

Replacement for most Mr. Heater Tank Top Models (Includes replacement hardware)



## Regulator for Mr. Heater and Sun Rite Tank Top Heaters

Stock # - F237314  
UPC - 089301373143

MR. HEATER: MH15T, MH15TS, MH30T, MH30TS, MH45T  
SUNRITE:SRC15T, SRC30T  
Replaces part #17314





## Safety Shut-off for Mr. Heater and SunRite Tank Top Heaters

Stock # - F237416  
UPC - 089301374164

MR. HEATER: MH15T, MH15TS, MH30T, MH30TS, MH45T  
SUNRITE:SRC15T, SRC30T  
Replaces part #17416



Go to our website  
[www.mrheater.com](http://www.mrheater.com)







**Electrode Kit**  
**(Kerosene 2006 models through current)**

**Stock # - F221857**  
 UPC - 089301218574

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT, MH210KT  
 MR. HEATER: MH50KR, MH75KTR, MH125KTR, MH175KT, MH210KT  
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT, HS210KT

Replaces part #21819 and 22144



**Replacement Filter Kit**  
**(2009 models through current)**

**Stock # - F221887**  
 UPC - 089301218871

MR. HEATER: MH50KTR, MH75KTR, MH125KTR, MH175KTR, MH210KTR  
 CONTRACTOR SERIES: TS75KR, TS125KTR, TS175KTR, TS210KTR  
 CONTRACTOR PLUS: PA50KR, PA75KTR, PA175KTR, PA210KTR  
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT



**Rotor Kit**  
**(2003 models through current)**

**Stock # - F226831**  
 UPC - 089301268319

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT  
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT  
 ALL PRO: SPC-, SPC-K50, SPC-K100, SPC-K125, SPC-K150, SPC-K175  
 UNIVERSAL: K50-FA, K75, K100-FAT, K125, K150-FAT, K175



**Flame Sensor Kit**  
**(2003 models through current)**

**Stock # - F226865**  
 UPC - 089301268654

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT  
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

ALL PRO: SPC-K50, SPC-K100, SPC-K150  
 UNIVERSAL: K50-FA, K100-FA, K150-FA

Replaces part #s:  
 26903  
 26924  
 26925  
 F226875



**Pump Adjustment Kit**  
**(2003 models through current)**

**Stock # - F266842**  
 UPC - 089301668423

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT(2003-2008)  
 MR. HEATER: MH50KR, MH75KTR, MH125KTR, MH175KTR, MH210KTR  
 (2009-present)  
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

ALL PRO: SPC-K50, SPC-K100, SPC-K150  
 UNIVERSAL: K50-FA, K100-FA, K150-FA





# Forced Air Replacement Parts

## Nozzle Kit (All models through current)

Stock # - F227416  
UPC - 089301274167

MR. HEATER: MH50KT  
HEATSTAR: HS50K



Replaces part #27416/28710

## Nozzle Kit (All models through current)

Stock # - F221878  
UPC - 089301218789

MR. HEATER: MH75KT/MH75KTR  
HEATSTAR: HS75KT



Replaces part  
#28741/28711

## Nozzle Kit (All models through current)

Stock # - F221879  
UPC - 089301218796

MR. HEATER: MH125KT/MH125KTR  
HEATSTAR: HS125KT



Replaces part #28742/28712

## Nozzle Kit (All models through current)

Stock # - F221889  
UPC - 089301218895

MR. HEATER: MH175KT/MH175KTR  
HEATSTAR: HS175KT



Replaces part #28743/28713

## Nozzle Kit (All models through current)

Stock # - F221891  
UPC - 089301218918

MR. HEATER: MH210KT/MH210KTR  
HEATSTAR: HS210KT



Replaces part #22109/28714

## High Limit Switch

Stock # - F228796  
UPC - 089301287969

MR. HEATER: MH35FA, MH170FAVT, MH400FAVT  
HEATSTAR: HS35FA, HS170FAVT, MH400FAVT



Replaces part #26168

## High Limit Switch

Stock # - F228797  
UPC - 089301287976

MR. HEATER: MH55FAV, MH85FAV  
HEATSTAR: HS55FAV, HS85FAV



Replaces part #21751

## High Limit Switch

Stock # - F228798  
UPC - 089301287983

MR. HEATER: MH125FAV  
HEATSTAR: HS125FAV



Replaces part #22015





## **Buddy** Pilot Assemblies




### **Pilot Assembly for Portable Buddy®**

**Stock # - F273401**  
 UPC - 089301734012  
 MR. HEATER: MH9B (2001-2008)  
 MH9BX (2009-CURRENT)  
 Replaces part #73404



### **Pilot Assembly for Big Buddy®**

**Stock # - F278527**  
 UPC - 089301785274  
 MR. HEATER: MH18B  
 Replaces part #78422




## Vent-Free Series Pilot Assemblies

### **Vent-Free Pilot Assemblies (NG) (2015 - prior)**

**Stock # - F270398**  
 UPC - 089301703988

All Mr. Heater / Heatstar 20k &  
 30k NG Vent Free Heater  
 Replaces part #70339



### **Vent-Free Pilot Assemblies (LP) (2015 - prior)**

**Stock # - F270399**  
 UPC - 089301703995

All Mr. Heater / Heatstar 20k &  
 30k LP Vent Free Heater  
 Replaces part #70358





# Base Camp Gaslight Replacement Parts

## Glass Globe (Fits Paulin® Gas Lights)

Stock # - F220330

UPC - 089301203303

Replacement globe made of heat resistant glass.



## Soft. Tie-On Mantle (Fits Paulin® Gas Lights)

Stock # - F220353

UPC - 089301203532

Replaces broken soft. mantle, or can be used with ceramic burner head 20381 and gasket 20339 to convert light from preformed mantle to soft mantle.



## Burner Head Gasket

Stock # - 20339

UPC - 089301203396

Replacement gasket for both burner heads; should be replaced whenever burner head is removed.




## Preformed Mantle (Fits Paulin® Gas Lights)

Stock # - F220351

UPC - 089301203518

Replaces broken preformed mantle, or can be used with ceramic burner head 20338 and gasket 20339 to convert light from soft mantle to preformed mantle.



## Ceramic Burner Head (For Preformed Mantle )

Stock # - 20338

UPC - 089301203389

Replaces broken burner head, or can be used with preformed mantle F220351 above and gasket 20339 to convert light from soft mantle to preformed mantle.



## Ceramic Burner Head (For Soft. Mantle)

Stock # - 20381

UPC - 089301203815

Replaces broken burner head, or can be used with soft. mantle F220353 and gasket 20339 to convert light from preformed mantle to soft mantle.





Part Number	Description	Page Number
00285A	Fuel Conversion Kit - NG to LP	35
00286A	Fuel Conversion Kit - LP to NG	35
10371	24v Thermostat	36
20338	Ceramic Burner Head (For Preformed Mantle )	60
20339	Burner Head Gasket	60
20381	Ceramic Burner Head (For Soft. Mantle)	60
F102848	Vent Kit - Vertical- 4"	38
F102849	Vent Kit - Vertical- 6"	38
F102859	Decorative Grid Kit	36
F102860	Vent Kit - Horizontal - 4"	38
F102861	Vent Kit - Horizontal - 6"	38
F200047	Dual Tank Hook Up Kit	15, 45
F200293	Fuel Conversion Kit - NG to LP for MH25NG	34
F200294	Fuel Conversion Kit - LP to NG for MH 25LP	34
F202860	MH45GSP - 45,000 Btu/hr. (Natural Gas) with LP conversion kit	36
F209150	Catalytic Heater - 3,000 BTU	39
F209250	Catalytic Heater - 6,000 BTU	39
F209350	Catalytic Heater - 8,000 BTU	39
F210140	MH140KTR -Forced Air Kerosene - 140,000 Btu/hr.	25
F210180	MH80KTR -Forced Air Kerosene - 80,000 Btu/hr.	25
F210185	MH185KTR -Forced Air Kerosene - 185,000 Btu/hr.	25
F210359	Thermostat for unit/utility heaters	38

Part Number	Description	Page Number
F215100	MH4B "Little Buddy®" Heater (Indoor Safe) - 3,800 Btu/hr.	10
F215120	MH4B "Little Buddy®" (Massachusetts/Canada Only)*	10
F220330	Glass Globe (Fits Paulin® Gas Lights)	60
F220351	Preformed Mantle (Fits Paulin® Gas Lights)	60
F220353	Soft. Tie-On Mantle (Fits Paulin® Gas Lights)	60
F221857	Electrode Kit (Kerosene 2006 models through current) see listing for model numbers	57
F221878	Nozzle Kit (All models through current) see listing for model numbers	58
F221879	Nozzle Kit (All models through current) see listing for model numbers	58
F221887	Replacement Filter Kit (2009 models through current) see listing for model numbers	57
F221889	Nozzle Kit (All models through current) see listing for model numbers	58
F221891	Nozzle Kit (All models through current) see listing for model numbers	58
F226831	Rotor Kit (2003 models through current) see listing for model numbers	57
F226865	Flame Sensor Kit (2003 models through current) see listing for model numbers	57
F227416	Nozzle Kit (All models through current) see listing for model numbers	58
F227500	MH18CH - (Propane) - 6,000, 12,000 and 18,000 Btu/hr.	22
F228796	High Limit Switch, see listing for model numbers	58
F228797	High Limit Switch see listing for model numbers	58
F228798	High Limit Switch, see listing for model numbers	58
F232000	MH9BX Portable "Buddy®" Heater (Indoor Safe) - 4,000 and 9,000 Btu/hr.	11
F232035	MH12HB Hunting Buddy® (Indoor Safe)- 6,000 and 12,000 Btu/hr.	12
F232045	MH12HB Hunting Buddy® - (Massachusetts/Canada)*	12

Part Number	Description	Page Number
F232050	MH9BX Portable "Buddy®" Heater (Massachusetts/Canada Only)*	11
F232078	9BX Portable Buddy Carry Bag	15
F235001	Seat Cushion with Warmer Pocket	41
F235011	Hand Warmers 40 individual pair pk cut case	40
F235012	Hand Warmers 12 - 10 pk cut case	40
F235041	Seat Warmer 6 Pack	41
F235051	Toe Warmers 30 individual pair pk cut case	40
F235052	Toe Warmers 15 - 8 pk cut case	40
F235076	XL Warmers 40 individual pair pk cut case	41
F235077	XL Warmers 12 - 10 pk cut case	41
F235091	Full Foot Warmers 30 individual pair pk cut case	40
F235100	Tent Fan with L.E.D. Light	42
F235825	Single Burner Angle Iron Stove	42
F235830	Double Burner Angle Iron Stove	42
F235835	Triple Burner Angle Iron Stove	42
F236120	MH165FAET 1.5 Kw Portable Forced Air Electric Heater	30
F236125	MH360FAET 3.6 Kw Portable Forced Air Electric Heater	30
F236130	MH530FAET 5.3 Kw Forced Air Electric Garage Heater	31
F236200	MHE150FAT Portable Electric Heater	28
F236300	MHBE150FAT Portable Electric Buddy Heater	29
F236330	MHBE150FAT Wall Mount Electric Buddy Heater	29
F237314	Regulator for Mr. Heater and Sun Rite Tank Top Heaters	56

Part Number	Description	Page Number
F237349	Thermocouple Assembly with Tip-over Switch Wires	56
F237416	Safety Shut-off for Mr. Heater and SunRite Tank Top Heaters	56
F237425	Thermocouple Assembly	56
F240200	Restaurant/Patio Radiant Glass Heater - 37,000 Btu/hr.	36
F242010	MH4GC Golf Cart Heater (Propane) - 4,000 Btu/hr.	16
F242100	MH15T Heater - 10,000-15,000 Btu/hr.	17
F242105	MH15TS with Piezo spark ignition	17
F242200	MH15 Heater - 10,000-15,000 Btu/hr.	17
F242300	MH15C Heater/Cooker - 10,000-15,000 Btu/hr.	17
F242540	MH540T Heater - 45,000 Btu/hr.	17
F242650	MH30T Heater - 10,000-30,000 Btu/hr.	17
F242655	MH30T Heater - 10,000-30,000 Btu/hr. with electronic spark ignition	17
F242915	MH45T Heater - 10,000-45,000 Btu/hr.	17
F260550	MHU50 - 50,000 Btu/hr. includes LP conversion kit	37
F260560	MHU80 - 80,000 Btu/hr. includes LP conversion kit	37
F260590	MHU125 - 125,000 Btu/hr. includes LP conversion kit	37
F261210	In-line Thermostat	25, 55
F262000	MHU200NG - 200,000 Btu/hr. includes LP conversion kit	37
F262500	MHU250NG - 250,000 Btu/hr. includes LP conversion kit	37
F263000	MHU300NG - 300,000 Btu/hr. includes LP conversion kit	37
F264000	MHU400NG - 400,000 Btu/hr. includes LP conversion kit	37



Part Number	Description	Page Number
F266842	Pump Adjustment Kit (2003 models through current) see listing for model numbers	57
F270255	MH50KR -Forced Air Kerosene - 50,000 Btu/hr.	25
F270265	MH70KTFR - 70,000 Btu/hr. Radiant Kerosene	24
F270269	MH125KTFR - 125,000 Btu/hr. Radiant Kerosene	24
F270385	MH210KTR - Forced Air Kerosene - 210,000 Btu/hr.	25
F270398	Vent-Free Pilot Assemblies (NG) (2015 - prior)	59
F270399	Vent-Free Pilot Assemblies (LP) (2015 - prior)	59
F270470	MH25CVX - Convection Heater - 25,000 Btu/hr.	32
F270490	MH80CVX -Convection Heater - 30,000 - 80,000 Btu/hr.	32
F270500	MH200CVX -Convection Heater - 75,000 - 200,000 Btu/hr.	32
F270700	MH35LP -Portable Radiant - 35,000 Btu/hr.	23
F270765	MH48PH -Patio Heater - 48,000 Btu/hr.	33
F270800	MH125LP - Portable Radiant - 125,000 Btu/hr.	23
F271117	12' Quick-Connect Propane Hose Assembly	48
F271138-20	20" Propane Hose Assembly	47
F271144-(XX)	60,144 Propane Hose Assemblies	47
F271149-72	72" Propane Hose Assemblies	47
F271158-(XX)	12, 15, 18, Propane Hose Assemblies	47
F271161	22" Propane Hose & Regulator Assembly with Appliance End Fitting/ Acme Nut	46
F271161-144	144" Propane Hose & Regulator Assembly with Appliance End Fitting/ Acme Nut	39, 46
F271163-(XX)	30,60 - Propane Hose Assembly	46

Part Number	Description	Page Number
F271239	Universal Hook Up Kit	21, 53
F271350	MH38QFA - Forced Air Propane - 38,000 Btu/hr.	27
F271370	MH60QFAV- Forced Air Propane - 30,000-60,000 Btu/hr.	27
F271380	MH85QFAV - Forced Air Propane- 50,000-85,000 Btu/hr.	27
F271390	MH125QFAV - Forced Air Propane - 75,000 - 125,000 Btu/hr.	27
F271400	MH170QFAVT -Forced Air Propane - 125,000-170,000 Btu/hr.	27
F271470	15' Propane Appliance Extension Hose Assembly	46
F271474	15' Propane Appliance Extension Hose Assembly	46
F271715	Propane "Y" Male Adapter with Handwheel	52
F271716	Double Quick Connect	52
F271718	Tank Quick Connect	52
F271719	Low Pressure 1/4 Inch RV Quick-Connect Fitting	54
F271733	Black Pipe Tee	51
F271735	Propane "Y" Female Adapter with Handwheel	52
F271736	Black Pipe Tee w/Adapter	51
F271744	30"/15" Propane Distribution Post/Tree	51
F271802	12' Big/Tough Buddy RV Hose	48
F271803	12' Big/Tough Buddy Hose with Regulator	15, 48
F271806	12' Quick Connect Propane Hose Assembly with shut off valve and full flow male plug	48
F272100	MH25LP - 22,000 Btu/hr. High intensity Radiant (Propane)	34
F272200	MH25NG - 25,000 Btu/hr. High intensity Radiant (Natural Gas)	34
F272425	MH400FAVT -Forced Air Propane - 250,000-400,000 Btu/hr.	27

Part Number	Description	Page Number
F272601	MH400PT Handheld Torch - 400,000 Btu/hr.	43
F272602	MH500LPT Handheld Torch - 500,000 Btu/hr.	43
F272700	MH40LP - 40,000 Btu/hr. High intensity Radiant (Propane)	35
F272800	MH40NG - 40,000 Btu/hr. (Natural Gas)	35
F273071	5' Propane Hose Assembly for angle iron stoves	42, 46
F273072	12' Propane Hose Assembly for angle iron stoves	42, 46
F273076	5' Propane Hose/Regulator Assembly	46
F273077	12' Propane Hose/Regulator Assembly	46
F273116	Safety Shut-off Valve with Orifice	56
F273117	12.5" Thermocouple Lead	56
F273164	Screen Assembly	56
F273169-30	TankFoot® Propane Tank Stabilizer (30)	55
F273169-6	TankFoot® Propane Tank Stabilizer (6)	55
F273401	Pilot Assembly for Portable Buddy	59
F273655	Excess Flow Soft Nose POL x 1/4" Male Pipe Thread	50
F273684	Remote Propane Installation Kit	20, 53
F273699	Universal Fuel Filter	15, 55
F273701	5' Propane Hose Assembly	15, 47
F273702	12' Propane Hose Assembly	15, 47
F273703-144	12' Propane Hose Assembly	47
F273703-60	5' Propane Hose Assembly	47
F273704	10' Buddy Series Hose Assembly	15, 47

Part Number	Description	Page Number
F273707	5' Propane Hose Assembly	46
F273707-108	9' Propane Hose Assembly	46
F273710	5' Propane Hose Assembly	47
F273711	12' Propane Hose Assembly	47
F273714	Propane Stay Flow Kit	53
F273716	22" Propane Replacement Barbecue Hose	46
F273717	5' Propane Appliance Extension Hose Assembly	47
F273718	8' Universal Propane Hose & Gauge Assembly	15, 48
F273719	Propane High Pressure Regulator with POL	48
F273720	12' Natural Gas Patio Hose Assembly	48
F273729	1/4" Inverted Female Flare x 1/4" Male Pipe Thread	50
F273733	Propane Stay A While Kit	53
F273734	Propane Stay A While Deluxe Kit	53
F273735	Propane Stay Flow Plus Kit	53
F273737	Accessories - 2 tank hook up kit	27, 53
F273751	Propane Adapter Tee	52
F273752	Propane Stay A While Tee	52
F273753	Propane 90° Stay Flow Adapter	52
F273754	1/4" Male Pipe Thread x 1"-20 Female Throatway Cylinder Thread	50
F273755	1/4" Male Pipe Thread x 1"-20 Male Throatway Cylinder Thread	50
F273758	Propane Bulk Cylinder Adapter with Handwheel	51
F273759	90° Propane Low Pressure Regulator with POL	49



Part Number	Description	Page Number
F273760	Propane 90° Elbow	52
F273761	90° Propane Low Pressure Regulator with Appliance End Fitting /Acme Nut	49
F273762	Full Flow Soft Nose POL. w/Handwheel x 1/4" Male Pipe Thread	50
F273763	Propane Vertical Two Stage Regulator	49
F273768	Propane Grill Regulator with Acme Nut	49
F273769	Propane Portable Table Top Regulator	48
F273776	Propane Auto-Changeover Two Stage Regulator	49
F273783	Handwheel	55
F273786	O-Rings	55
F273791	Propane Female POL. w/Acme Thread x 1/4" Male Pipe Thread	50
F273863	Propane Horizontal Two Stage Regulator with POL	49
F273684	Remote LP install kit	20, 53
F273846	Propane Auto-Changeover High Capacity Two Stage Regulator	49
F273868	Propane Horizontal Two Stage Regulator	49
F274800	MH18B "Big Buddy®" Heater (Indoor Safe) - 4,000, 9,000 and 18,000 Btu/hr.	13
F274865	MH18B "Big Buddy®" Heater (Indoor Safe) - 4,000, 9,000 and 18,000 Btu/hr.	13
F274889	MH18B Portable Buddy Carry Bag	15
F275228	Tank Foot (1 lb. propane cylinder)	55
F276124	5' Propane Hose Assembly	46
F276127	6v/800mA Power Adapter	15, 55
F276129	Restricted Flow Soft Nose POL x 9/16" Left Hand Male Thread	50

Part Number	Description	Page Number
F276130	9/16" Left Hand Male Thread x 1"-20 Throwaway Cylinder Thread with Shut-off	50
F276133	Propane Bulk Cylinder Adapter with Appliance End Fitting/Acme Nut	51
F276136	Propane Low Pressure Regulator	49
F276139	Restricted Flow Soft Nose POL. x 1/4" Male Pipe Thread	50
F276140	1" - 20 Male Throwaway Cylinder Thread x 1/4" Female Pipe Thread	50
F276148	5' Propane Hose Assembly	47
F276152	1/4" Male Pipe Thread x 9/16" Left Hand Male Thread	52
F276153	3/8" Male Pipe Thread x 9/16" Left Hand Male Thread	52
F276154	9/16" Left Hand Male Pipe Thread x 9/16" Left Hand Male Thread	52
F276171	Propane "Steak Saver" Adapter	48
F276172	Propane Tank Refill Adapter	48
F276181	Propane/Natural Gas Connector Kit with Shut-off valve & Full Flow Male Plug	54
F276186	Propane/Natural Gas 1/4" Quick Connector & Excess Flow Male Plug	54
F276187	Propane/Natural Gas 3/8" Quick Connector & Full Flow Male Plug	54
F276190	Propane/Natural Gas Connector & Full Flow Male Plug	54
F276262	3/8" Male Pipe Thread x 3/8" Male Flare	52
F276281	Propane/Natural Gas Full Flow Male Plug	54
F276328	Propane/Natural Gas Excess Flow Male Plug	54
F276329	Propane Cylinder Fill Plug	54
F276330	Propane Gas Grill "Quick-Connect" Adapter Kit	54
F276334	Propane Gas Grill "Quick Connect" Adapter	54

Part Number	Description	Page Number
F276338	Propane Converter	51
F276342	Propane Gas Gauge	48
F276400	Propane Brass Caps	51
F276495	Propane Grill Acme Nut (Black)	51
F276497	Propane Grill Acme Nut (Green)	51
F278527	Pilot Assembly for Big Buddy	59
F299201	Integrated Blower Fan	20
F299310	MHVDF10BF - (Dual Fuel) - 10,000 Btu/hr.	19
F299320	MHVDF20BFT - (Dual Fuel) - 20,000 Btu/hr.	19
F299330	MHVDF30BFT - (Dual Fuel) - 30,000 Btu/hr.	19
F299410	MHVDF10RTT - (Dual Fuel) - 10,000 Btu/hr.	19
F299420	MHVDF20RTT - (Dual Fuel) - 20,000 Btu/hr.	19
F299430	MHVDF30RTT - (Dual Fuel) - 30,000 Btu/hr.	19
F299710	MHVFBF10LP - (Propane) - 10,000 Btu/hr.	21
F299711	MHVFBF10NG - (Natural Gas) - 10,000 Btu/hr.	21
F299720	MHVFBF20LPT - (Propane) - 20,000 Btu/hr.	21
F299721	MHVFBF20NGT - (Natural Gas) - 20,000 Btu/hr.	21
F299730	MHVFBF30LPT - (Propane) - 30,000 Btu/hr.	21
F299731	MHVFBF30NGT - (Natural Gas) - 30,000 Btu/hr.	21
F299740	MHVFGH30LPT - (Propane Garage Heater) - 30,000 Btu/hr.	21

Part Number	Description	Page Number
F299741	MHVFGH30NGT - (Natural Gas Garage Heater) - 30,000 Btu/hr.	21
F299810	MHVFRD10LP - (Propane) - 10,000 Btu/hr.	20
F299811	MHVFRD10NG - (Natural Gas) - 10,000 Btu/hr.	20
F299813	MHVFIH10LPT - (W/thermostat) - 10,000Btu/hr. (Hose & regulator included)	20
F299815	Vent-Free Ice House Heater	20
F299820	MHVFRD20LPT - (Propane) - 18,000 Btu/hr.	20
F299821	MHVFRD20NGT - (Natural Gas) - 20,000 Btu/hr.	20
F299830	MHVFRD30LPT - (Propane) - 30,000 Btu/hr.	20
F299831	MHVFRD30NGT - (Natural Gas) - 30,000 Btu/hr.	20
F600050	MHBBFLEX - Heavy-Duty Multipurpose Gear Bag	9
F600100	MH11BFLEX - Portable Radiant Heater - 11,000 BTU/hr	6
F600200	MH11BFLEX - Portable Radiant Heater - 11,000 BTU/hr (Canada/Massachusetts)	6
F600500	MH8CFLEX - Portable Radiant Cooker - 8,000 BTU/hr	8



# Sponsorships



## KING OF THE LAKE

The King of the Lake competition is in its 4th year and this year we have reformatted it to be more engaging with our customers! Take a photo, tag Mr. Heater on Instagram, and support St. Jude's Children's Hospital.

[MRHEATER.COM/KINGOFTHELAKE](http://MRHEATER.COM/KINGOFTHELAKE)



## THE BUSBY HIVE

The Busby Hive is a sustainable off the grid homesteading micro-farm that provides farm fresh goods and inspirational online content to motivate others to lead adventurous lifestyles by their own design. Founders, Mollie & Sean Busby are TV personalities, world-travelers, entrepreneurs, and sustainable living experts.

[THEBUSBYHIVE.COM](http://THEBUSBYHIVE.COM)



## ICE TEAM

No one has done more to advance the sport of ice fishing than Ice Team. Since 1997 their Pros have come up with every significant ice fishing method and refinement in history, starting with Dave Genz and the Clam Fish Trap and the Vexilar flasher. Today their Pros and staff continue to blaze new trails.

[ICETEAM.COM](http://ICETEAM.COM)



## TIGHTLINE OUTDOORS

Tightline Outdoors is the premier fishing guide service of Colorado and "The Authority in Western Outdoors!" Whether you are looking for an action-packed day of catching fish in Colorado or searching for that once-in-a-lifetime trophy fish in Colorado we are the right match.

[TIGHTLINEOUTDOORS.COM](http://TIGHTLINEOUTDOORS.COM)





**NEW**

*Electric*  
**Buddy®**



**PAGE 29**

**DUAL TANK  
HOOK UP KIT**

**NEW**



**PAGE 15 & 45**

**BUDDY FLEX®**



**PAGES 6-8**

**VISIT US ONLINE: MRHEATER.COM — FOLLOW OUR SOCIAL MEDIA:**    

Enerco Group Inc. 4560 West 160th Street - Cleveland OH 44135 - 800.251.0001

©Enerco Group Inc - L357 - 2022