

CONTENTS

CONTENTS/UL SAFETY INFO/CONTACT DRYCONN® WATERPROOF CONNECTORS	2
Aqua Series	3
Direct Bury	
DBT-600	
DBR/Y-600	
DBYN-600	
DBO/B-600	6
316 IR+	
DBR/Y-600 Black	8
DBSR Black Medium	
DB Power Connect	8
ALUMICONN	4
GORILLA NUTS	5
CONTRACTORS' CHOICE CONNECTORS	7
TREELIGHT MOUNT™	9
INSTALIGHT®	9
SIPHON KING®	
Siphon King Utility PumpsSiphon King Replacement Parts	10 11
Siphon King Jr	11 12-13
ACCESSORIES	14-15

JL SAFETY

WHY IS UL SO IMPORTANT TO YOU?

Liability

Using a connector that does not meet the strict UL standard of quality means a huge liability risk. This risk is virtually eliminated with a UL Listed splice.

Quality

When working with electricity, an unreliable connector is just not an option. A UL listing means safe splices... which means safe irrigation, lighting and electrical systems.

Compliance

A UL connector ensures that you and your customers are in constant compliance with national and local electrical codes in wet, damp and direct bury applications.

WHAT DOES KING DO TO ENSURE QUALITY?

Testing

The thorough DryConn testing process ensures that these connectors can withstand 2,200 VAC while submerged, are heat aged and can endure cold... and that's just the beginning.

Manufacturing

A controlled manufacturing process plus the use of superior materials allows DryConn connectors to meet stringent quality requirements.

3rd Party Audits

Each quarter King is visited by a UL auditor who reviews the manufacturing processes to ensure our quality connector "recipe" is intact.

CONTACT

ECM Industries, LLC 16250 W Woods Edge Rd New Berlin, WI 53151

Phone: 800.624.4320

Fax: 262.649.7178

Email:

customer.service@kinginnovation.com

Website:

www.kinginnovation.com











RESOURCES

Gardner Bender

www.gardnerbender.com

SPERRY INSTRUMENTS

www.sperryinstruments.com



www.bergeninc.com

CALTERM®
www.calterm.com



Aqua Series

- Waterproof and corrosion proof
- Pre-filled with dielectric silicone sealant that never hardens
- One-step® installation saves time and money
- No pre-twisting required
- Multiple sizes for all applications
- UL Listed and 600V rated
- Designed for outdoor/electrical wire splices, especially those exposed to condensation, water vapors or dust

SKU# 62110 Aqua/Orange- Card of 6 SKU# 62125 Aqua/Orange- Bag of 25 SKU# 62135 Aqua/Orange- Bag of 100 SKU# 62146 Aqua/Orange- Canister of 150 SKU# 62150 Aqua/Orange- Bag of 500 SKU# 62210 Aqua/Red- Card of 5 SKU# 62225 Aqua/Red-Bag of 20 SKU# 62235 Aqua/Red- Bag of 100 SKU# 62241 Aqua/Red- Canister of 100 SKU# 62250 Aqua/Red- Box of 500 SKU# 62310 Aqua/Blue- Card of 3 SKU# 62325 Aqua/Blue- Bag of 15 SKU# 62335 Aqua/Blue- Bag of 50 SKU# 62340 Aqua/Blue- Bag of 250



MADE IN USA



ALUMICONN®ALUMINUM TO COPPER LUG

Aluminum to Copper Lug

- · Secure, mechanical connection of conductors
- Runs approximately 25°F cooler than purple twist-ons*
- Provides a safer connection
- Separate ports eliminate intermixing of conductors
- One piece for easy installation
- Dielectric silicone inhibitor reduces corrosion of connection
- Tin-plated lug and nickel-plated screws
- Max voltage: 300V
- Aluminum Wire Range: #12 #10 solid AWG
- Copper Wire Range: #18 #10 solid and stranded AWG
- UL 486C Listed to meet U.S. and Canadian standards
- Temperature rating of insulating material: 105°C
- Suitable for aluminum to aluminum, aluminum to copper, and copper to copper wire splices
- Approved by CPSC and insurance companies
- Available in 2-Port and 3-Port styles

UL LISTED.

INSURANCE COMPANY ENDORSED.

CONSUMER PRODUCT SAFETY COMMISSION APPROVED.

COMPACT FIT.

LOW COST.

SECURE CONNECTION.

FIRE PREVENTATIVE.

PERMANENT SOLUTION.

SKU# 95015 AlumiConn 2 Port- Bag of 10

SKU# 95025 AlumiConn 2 Port- Bag of 25

SKU# 95035 AlumiConn 2 Port-Box of 100

SKU# 95045 AlumiConn 2 Port- Box of 1000

SKU# 95085 AlumiConn 2 Port- Box of 2500

SKU# 95104 AlumiConn 3 Port- Card of 2

SKU# 95110 AlumiConn 3 Port- Card of 10

SKU# 95125 AlumiConn 3 Port- Bag of 25

SKU# 95135 AlumiConn 3 Port-Box of 100

SKU# 95145 AlumiConn 3 Port- Box of 1,000

SKU# 95185 AlumiConn 3 Port- Box of 2,500





U.S. Pat. 9,172,167 and additional Patents Pending apply. All other trademarks, U.S. and Foreign Patents apply. All Rights Reserved.



CUSHION GRIP WIRE CONNECTORS

Red/Yellow Min 2 #18/Max 2 #8








- Eliminates pain and numbness in hands and fingers
- Less inventory, improved coverage, fits a wide wire range
- Unique design allows for better torque and twisting leverage
- Comfortable cushion grip offers improved slip resistance
- Flexible WorkSkirt™ protects against over stripping
- Square cut spring provides a secure connection and wire bite with first twist

SKU# 68105 Orange/Blue- Bag of 10 SKU# 68110 Orange/Blue-Box of 100 SKU# 68150 Orange/Blue- Canister of 500 SKU# 68170 Orange/Blue- Box of 5,000 SKU# 68205 Red/Yellow- Bag of 10 SKU# 68210 Red/Yellow- Box of 100 SKU# 68245 Red/Yellow- Canister of 450 SKU# 68270 Red/Yellow- Box of 5,000 SKU# 68310 Blue/Gray -Box of 50

SKU# 68325 Blue/Gray- Canister of 250



U.S. Pat. 7,560,645, 8,067,692, 8,525,026, 9,331,445 and additional Patents Pending apply. All other trademarks, U.S. and Foreign Patents Pending apply. All Rights Reserved.

WATERPROOF CONNECTORS

DBT-600 (Tube with Tan Wing) and DBR/Y-600

(Tube with Red/Yellow Gorilla Nut)

Direct Bury Silicone Filled Tube with Strain Relief

- UL 486D Listed and 600V rated
- For use with solid and stranded wire
- Waterproof and corrosion proof
- Snap fit lid provides strain relief
- UV and impact resistant
- Pre-filled with silicone that never hardens
- Perfect for Two-Wire Decoder Systems

SKU# 20220 DBT-600- Bag of 2 SKU# 20225 DBT-600- Box of 100 SKU# 20230 DBR/Y-600- Bag of 2 SKU# 20235 DBR/Y-600- Box of 100





Min #22/Max #8

U.S. Pat. 8,431,824 and additional Patents Pending apply. All other trademarks, U.S. and Foreign Patents Pending apply. All Rights Reserved.



DBYN-600 (Tube with Yellow Nut) and DBO/B-600

(Tube with Orange/Blue Gorilla Nut)

Direct Bury Silicone Filled Tube with Strain Relief

- Perfect for use in two-wire decoder systems and direct bury applications
- For use with solid and stranded wire
- UL 486D Listed for waterproof and direct bury connections
- Max 600V
- UV resistant for above ground applications
- Pre-filled with dielectric silicone sealant that never hardens
- Snap fit lid provides strain relief

SKU# 20520 DBYN-600- Bag of 2 SKU# 20525 DBYN-600- Box of 100 SKU# 20630 DBO/B-600- Bag of 2 SKU# 20635 DBO/B-600- Box of 100



Yellow Nut Min #22/Max #12

Gorilla Nut Min #22/Max #8

U.S. Pat. 8,431,824 and additional Patents Pending apply. All other trademarks, U.S. and Foreign Patents Pending apply. All Rights Reserved.



316 IR+

- No need to strip wires
- For use with solid and stranded wire
- Pre-filled with dielectric silicone sealant that never hardens
- Max Voltage: 600V
- · Manufacturer approved for low voltage (30V) wet, damp and direct bury applications
- UV and impact resistant

SKU# 98230 316 IR+- Bag of 30





Min #22/Max #14

U.S. Patent Number 9,496,626. All other trademarks, U.S. and Foreign Patents Pending apply. All Rights Reserved

Contractors'

Conventional Dry Splices

- Designed for conventional copper/ copper dry splices, available in nut, wing and push-in style
- Tough Thermoplastic Flame Retardant Shell
- Industry color-coded and suitable for wire combinations from #22 through #12
- Steel plated spring and flame-retardant housing
- Rated between 300V and 600V
- No pre-twisting required
- Perfect for indoor, dry applications for both commercial and residential installations
- Nut driver included in all bagged items

Nut Connectors

SKU# 67011 Gray Nut- Bag of 1,000 SKU# 67015 Gray Nut- Box of 100 SKU# 67021 Blue Nut-Bag of 1,000 SKU# 67025 Blue Nut- Box of 100 SKU# 67031 Orange Nut-Bag of 500 SKU# 67035 Orange Nut-Box of 100 SKU# 67041 Yellow Nut-Bag of 500 SKU# 67045 Yellow Nut-Box of 100 SKU# 67051 Red Nut-Bag of 500 SKU# 67055 Red Nut- Box of 100

Wing Connectors

SKU# 67071 Yellow Wing-Bag of 500 SKU# 67075 Yellow Wing-Box of 100 SKU# 67081 Tan Wing- Bag of 500 SKU# 67085 Tan Wing- Box of 100 SKU# 67091 Red Wing- Bag of 500 SKU# 67095 Red Wing- Box of 100 SKU# 27145 Green Wing-Bag of 500 SKU# 67111 Blue Wing- Bag of 100 SKU# 67115 Blue Wing-Box of 50

Push-In Connectors

SKU# 67205 Yellow 2 Port Push-In- Box of 100 SKU# 67215 Orange 3 Port Push-In- Box of 100 SKU# 67225 Clear 4 Port Push-In- Box of 75 SKU# 67235 Blue 5 Port Push-In- Box of 50 SKU# 67245 Purple 6 Port Push-In- Box of 50



Select products available in bags





DBR/Y-600 Black

(Tube with Red/Yellow Gorilla Nut)

Direct Bury Silicone Filled Tube with Strain Relief

- UL 486D Listed and 600V rated
- For use with solid and stranded wire
- Waterproof and corrosion proof
- Snap fit lid provides strain relief
- UV and impact resistant
- Pre-filled with silicone that never hardens

SKU# 20250 DBR/Y-600 Black- Bag of 2 SKU# 20255 DBR/Y-600 Black- Box of 100





DBSR® Black Medium

Direct Bury Twist-on with Strain Relief

- UL Listed 600V for dry, wet or above/below grade applications when used in an enclosure
- For use in Direct Bury applications when operating at 30V or less
- For use with solid and stranded wire
- Waterproof and corrosion proof
- Pre-filled with dielectric silicone sealant that never hardens
- Easy latch lid provides strain relief

SKU# 63415 DBSR Black Medium- Canister of 15 SKU# 63475 DBSR Black Medium-Box of 100



U.S. Pat. 7,170,005, 6,815,616 and additional Patents Pending apply. All other trademarks, U.S. and Foreign Patents Pending apply. All Rights Reserved.



DB Power Connect

Direct Bury Power Connector

- Designed for use in direct bury line voltage applications or in irrigation systems
- For use with solid and stranded wire
- Pre-filled with a non-toxic SmartGel®
- Waterproof and corrosion proof
- For use in outdoor or direct burial locations
- UV and impact resistant
- Eliminates the need for heat shrinks, primers, tapes, resins, and epoxy packs
- Rated up to 600V

SKU# 98105 DB Power Connect- Bag of 3



TreeLight Mount™

Great for creating a downlight effect in trees

- Mount most landscape lighting fixture brands to trees for a downlight effect
- Landscape lighting fixture attaches to a 1/2" NPT threaded female fitting
- Internal 5/16" hex head allows for fast installation with drill and nut driver bit
- 100% stainless steel with bronze powder coat finish
- 3.5" stand-off bolt accommodates for many years of tree growth
- Eco-friendly design will not damage trees
- · Lasts as long as the LED light you are installing
- No yearly maintenance
- Mono (single point) installation makes the TreeLight less likely to infect a tree
- Pass through slot accommodates prewired fixtures



TreeLight Mount™ **Counter Display**

- Great vibrant display for the counter
- Buy 6 tools, display ships FREE!



Insta-Light®

Battery pack for low voltage landscape lighting demos

• Thread fixture stake onto base for uplighting, or use extension coupler for downlighting demos

- Use with LED Light fixtures
- Lightweight, portable construction
- Quickly set up temporary party/ event lighting
- Effortlessly demo low voltage (12VDC) LED light fixtures
- Lock in more sales with leave-behind nighttime demonstrations







Downlighting



SKU# 75500 Insta-Light- Bag of 1



Siphon King® Utility Pumps

- Corrosion proof
- Provides quick removal of water
- Self-priming, lightweight utility pump
- High strength, ergonomic handle can withstand extreme temperatures and harsh usage
- 36" pump provides quick removal of 1 gallon in 4 strokes
- 24" extension available; fits on to existing pump to access hard to reach areas
- · Steel shaft improves strength
- Flexible discharge hose for directing water evacuation
- · Removable intake foot for easy cleaning
- Perfect for removing water from valve boxes, meter pits, pipe trenches, and anywhere water accumulates

SKU# 48024 24" Pump x 36" Hose- Quantity 1 SKU# 48036 36" Pump x 36" Hose- Quantity 1 SKU# 48072 36" Pump x 72" Hose- Quantity 1 SKU# 48230 24" Pump Extension- Quantity 1





Siphon King Display Rack

- 25" tall x 18" wide x 18" deep
- Metal construction, assembles in
- seconds, no tools required
- Holds 16 Siphon King pumps
- Four sided signage allows for ease of movement and placement anywhere

SKU# RET250 QTY 1]

9" Accessory Hook

- Fits onto RET250 display without any tools or hassle
- Holds Siphon King accessory items: Syringe Sucker and Extension Hose

SKU# RET251 QTY 1

Display Riser

- Attaches to lower shelf of RET250 display
- Riser allows 24" pump (48024) and 24" Extension Pump (48230) to be displayed

SKU# RET252 QTY 1

U.S. Pat. 7726,231. All other trademarks, U.S. and Foreign Patents Pending apply.
All Rights Reserved.

Siphon King Syringe Sucker

- For use in small spaces, including golf valve bodies, meter pits, narrow trenches, etc.
- 3/4" barb fitting with 12" pipe attachment
- Replace 12" pipe with any length funny pipe for maximum flexibility and reach

SKU# 48215 Syringe Sucker- Card of 1



Siphon King Pump Assembly Foot

- Screws on easily
- Works with all Siphon King Utility Pumps

SKU# 48205 Pump Assembly Foot-Bag of 1



Siphon King 72" Extension/Replacement Hose with Coupler

• 72" flexible hose directs water away from work site

Coupler provides extension to existing pump hose



Siphon King Jr.

- Intake and discharge transfer system
- May be used to transfer liquids, remove water, change oil, siphon gas, or inflate small objects
- Complete with two 50" siphon hoses, a dipstick tube, and an air pressure hose

SKU# 48050 Siphon King Jr. with 50" Hose- Pkg of 1





SwitchBlade PRO Cutter

- QUICK RELEASE BLADE: push button blade release for the fastest blade swap on the market
- Cleanly cuts non-metallic flexible conduit
- Comfort fit handle conforms to your hand
- Replacement blades available
- 10 pack dispenser with magnetic backing (not available for 2")

SKU# SB5000 11/2" Switchblade PRO w/PTFE Coated Blade- Card of 1

SKU# BL5001 PTFE Coated Replacement Blade- Card of 1

SKU# BL5010 PTFE Coated Replacement Blades- Pack of 10

SKU# SB5000SS 11/2" Switchblade PRO w/Stainless Steel Blade- Card of 1

SKU# BL5001SS Stainless Steel Replacement Blade- Card of 1

SKU# BL5010SS Stainless Steel Replacement Blades- Pack of 10

SKU# SB6000 2" Switchblade PRO w/PTFE Coated Blade- Card of 1

SKU# BL6001 2" PTFE Coated Replacement Blade- Card of 1

U.S. Pat. D694,603, 9,566,716. All Rights Reserved.

11/4" Ratchet Poly/PVC Pipe Cutter

- Cleanly cuts up to 11/4" SCH40, Class PVC Pipe and up to 11/4" Poly (PE) Pipe
- Now with a PTFE Coated Steel Blade for precision cuts!
- Strong and durable cast aluminum body
- · Pointed steel blade for ease of cutting

SKU# 46310 11/4" Ratchet- Card of 1 SKU# 46311 11/4" Ratchet Replacement Blade- Card of 1



- Cuts up to 2" SCH40, Class PVC Pipe or Yellow (PE) Gas Pipe
- Cuts up to 2" Poly (PE) Pipe
- Now with a PTFE Coated Steel Blade for precision cuts!
- Strong and durable cast aluminum body
- Easy to change blade

SKU# 46350 2" Ratchet- Card of 1 SKU# 46351 2" Ratchet Replacement Blade-Card of 1



- Strips off outer jacket in one quick motion
- Will not nick copper wire like a traditional knife blade
- Small enough to reach inside boxes and enclosures
- Made of heat-treated carbon steel with long lasting blade
- Ergonomic grip protects tired hands

SKU# 46200 Gorilla UF/NM-B Cable Stripper- Card of 1

Min/Max Strip #14-#10 AWG

Cable Saw

- 36" Cable Saw
- For fast cutting of PVC plumbing, drain, and irrigation pipe
- Great for tight spaces

SKU# 46300 Cable Saw- Card of 1

Storage Organizers

- Perfect for storage and organization
- High-impact plastic pail with heavy duty handle
- Storage trays fit snugly inside pail
- Full size sorter trays interchange with half size trays
- · Water-resistant lids are easy to put on and take off
- Available in multiple tray quantities for customization

SKU# 47502 5 Gallon Yellow Pail- 1 Lid, 2 Large and 2 Small Black Trays

SKU# 47405 5 Gallon Yellow Pail- 1 Lid, 3 Large Black Trays SKU# 47506 5 Gallon Yellow Pail- 1 Lid, 6 Small Black Trays



MADE IN USA

Bucket, Lid and Divider

- · High impact pail with heavy duty handle
- Great for organization and storage needs
- · Lid sold separately

Dividers:

- Fits cleanly into buckets to divide into four sections
- Carry pipe fittings, saddles, connectors, and more without intermixing sizes and styles
- Durable material withstands prolonged use

SKU# 47400 Logo Bucket- QTY 1 SKU# 47410 Logo Bucket Lid- QTY 1 SKU# 47420 Logo Bucket Dividers- QTY 1



Front





MADE IN USA

Mini-Torch

- Perfect for use with heat shrink style wire connectors
- Uses butane gas (not included)
- · Quick light torch with easily adjustable continuous flame
- Compact size for portability
- · Includes soldering attachment
- Fuel: Butane
- Operating Time: 30-40 minutes
- Approximate Temperature: Up to 1300°C (2372°F) (blue flame)

SKU# 43010 Mini-Torch- QTY 1

Size: 5.8"h x 4.3"l x 2.40"w Weight: 5.29oz Gas container capacity: 0.85oz

DANGER- EXTREMELY FLAMMABLE WARNING- CONTENTS UNDER PRESSURE



Gray Tote Tray

- Easily transport glue, tools, and other supplies to and from job sites
- Oversized for maximum capacity without the worry of spilling
- Storage grooves on the side of handle allow for smaller supplies, such as connectors
- Heavy duty construction

SKU# 47027 Gray Tote Tray- QTY 1



Pipe Wrap Tape

- Provides UV and Weather Protection
- Stretchable, strong adhesive
- Great for cast and ductile iron, galvanized steel, electrical conduit types of pipes and fittings
- Waterproof and non-corrosive
- 2" x 100 feet x 10 mil

SKU# 86080 Pipe Wrap Tape- QTY 1

UPC Pipe Wrap TapeProvides UV and Weather Protection

- Stretchable, strong adhesive Great for cast and ductile iron, galvanized steel, electrical conduit types of pipes and fittings
- Waterproof and non-corrosive
- 2" x 100 feet x 10 mil

SKU# 86081 UPC Pipe Wrap Tape- QTY 1

Duct Tape

- 9 mil, multi-purpose grade tape
 2" x .0085" x 60 yards
 48 mm x .210 mm x 55 m

- Excellent adhesion to a wide variety of surfaces
- Use for a broad range of applications or bundling
- Conforms well to irregular spaces

SKU# 86070 Duct Tape- QTY 1

PTFE Thread Tape

- · Creates a watertight seal around threaded pipe joints
- Resists water and corrosion
- Flexible and easy to tear for quick installation
- 0.004" thick, medium density
- Tensile Strength: 3.5 lbs/inch, Elongation: 25%
- Temperature Range: -375°F to 500°F

SKU# 86020 1/2" x 520" PTFE Thread Tape- QTY 1 SKU# 86021 3/4" x 520" PTFE Thread Tape- QTY 1 SKU# 86022 1" x 520" PTFE Thread Tape- QTY 1

Anchor Kit

- Kit includes 100 #10 x 1" slotted Phillips combination pan head screws
- Kit includes 100 1/4" x 1" plastic anchors
- Free carbide-tipped drill bit included

SKU# 25130 Anchor Kit- QTY 1

Drywall Anchor Kit

- Pre-drills its own small precise hole in drywall
- Attaches through drywall
- Available in zinc or plastic anchors
- Kit includes 50 pan head screws and anchors

SKU# 25140 Drywall Plastic Anchors- QTY 1 SKU# 25150 Drywall Zinc Anchors- QTY 1





MADE IN USA



MADE IN USA



MADE IN USA



ECM Industries, LLC 16250 W Woods Edge Rd | Fax: 262.649.7178 New Berlin, WI 53151

Phone: 800.624.4320

Website: www.kinginnovation.com

Email: customer.service@ kinginnovation.com











