Proform



Spring 17





The Picasso™ roller frame incorporates patented innovations that allow painters the freedom to paint accurately and quickly. It reduces prep work, time and labor costs. The frame will take the best and worst professionals have to offer and continue to 'roll on'.

Proform understands the need for quality materials that perform to the standards professionals need. The Picasso roller cover employs Italian fiber milled to perfection and thermally adhered to a long lasting core. With proper care, this cover will last job after job

Once you have gone 'Picasso', it is hard to accept anything but.



PIC-ROL-3/8 - Picasso® Roller

9x1 1/2x3/8 - Single; Orange w/ grey stripe - Italian Microfiber UPC - 758598011570

"Built For the BEST Painters"





PIC-ROL-1/2 - Picasso® Roller

9x1 1/2x1/2 - Single; Orange w/ grey stripe - Italian Microfiber UPC - 758598011587



PIC-ROL-3/8-2PK - Picasso® Roller

9x1 1/2x3/8 - 2pk Orange w/ grey stripe - Italian Microfiber UPC - 758598011594



PIC-ROL-1/2 - 2PK - Picasso® Roller

9x1 1/2x1/2 - 2pk Orange w/ grey stripe - Italian Microfiber UPC - 758598011600



PIC-ROL-1/2-12 - Picasso® Roller

12x1 1/2X1/2 - Single, Orange w/ grey stripe - Italian Microfiber UPC - 758598011655



PIC-ROL-3/4-12 - Picasso® Roller

12x1 1/2X3/4 - Single, Orange w/ grey stripe - Italian Microfiber UPC - 758598011662



PIC-ROL-1/2-18 - Picasso® Roller

18x1 1/2X1/2 - Single, Orange w/ grey stripe - Italian Microfiber UPC - 758598012164



PIC-ROL-3/4-18 - Picasso® Roller

18x1 1/2X3/4 - Single, Orange w/ grey stripe - Italian Microfiber UPC - 758598012171



PIC-ROL-FRAME - Picasso® Roller Frame

9x1 1/2x3/8 Picasso® Roller with 2 Headlock® core UPC - 758598011563



PIC-ROL-CORE-4PK
Picasso® Headlock® core replacements - 4pk
UPC - 758598011617







HEADLOCK™ and the HEADLOCK symbol are marks of Coral Tools Ltd and used under license. UK patent number 2522126 with international patents pending. Patent owner Coral Tools Ltd. All rights reserved.



Patented

CONTRACTOR SERIES

The affordable, dependable line of applicators from Proform built with the contractor and crew in mind.
The Contractor series employs a beautifully woven fiber roller with a phenolic core, completely solvent resistant. The quality is here at a price that can't be matched.

White Woven Roller



Contractor Roller 9x1 1/2x3/8 - Single; White Woven UPC - 758598011679



C-ROL-3/8-3PK

Contractor Roller 9x1 1/2x3/8 - 3pk; White Woven UPC - 758598011693

C-ROL-1/2

Contractor Roller 9x1 1/2x1/2 - Single; White Woven UPC - 758598011686



C-ROL-1/2-3PK

Contractor Roller 9x1 1/2x1/2 - 3pk; White Woven UPC - 758598011709



UPC -758598011716

 $m{T}$ he Void $^{ ext{ iny M}}$ assortment of rollers and frames is Proform's 'price conscious' offering to painters of every level. Built with performance in mind, the Void series gets the job done right with precision and affordability.

E-ROL-3/8 - Void Roller 9x1 1/2x3/8 Yellow Polyester Roller - Single UPC - 758598011723

E-ROL-3/8-3PK - Void Roller 9x1/2x3/8 Yellow Polyester Roller - 3 pk UPC - 758598011747

E-ROL-1/2 - Void Roller 9x1 1/2 x 1/2 Yellow Polyester Roller - Single UPC - 758598011730

E-ROL-1/2-3PK - Void Roller 9x1/2x1/2 Yellow Polyester Roller - 3 pk UPC - 758598011754



Dicasso[®]
"Built For the BEST Painters"

StylusTM
Advantage Nylon
Filament Blend

The Picasso Stylus utilizes a lightweight, round 'European' style handle built specifically for increased, precise control when cutting or detail work.



PIC 23 ROUND HANDLE CHISEL TIP

PIC 23 ROUND HANDLE CHISEL TIP



PIC 24 ROUND HANDLE STRAIGHT CUT

Model Dia. Length Out UPCROUND HANDLE - CHISEL TIP

1/2" 2" PIC23-10mm 758598011563 2" PIC23-17mm 5/8" 758598011242 PIC23-18mm 3/4" 2 3/8" 758598011297 7/8" 2 5/8" PIC23-21mm 758598011341

ROUND HANDLE - STRAIGHT CUT

PIC24-14mm	9/16"	2"	758598011396
PIC24-16mm	5/8"	2 1/8"	758598011440
PIC24-19mm	3/4"	2 7/16"	758598011495

HARDLINE ™No Drip" Interior Construction

patented

Additional
Epoxy
Holds Handle to
Ferrule Securely
and Fills Gap
Between Handle
and Brush Knot...
NO DRIP!



Primary
Epoxy
Binds Filament



Worlds' FIRST 'Angled Oval' Applicator!



PIC 21 BULB HANDLE OVAL FERRULE ANGLED CUT

Model

Size UPC

BULB HANDLE - OVAL FERRULE ANGLED CUT

PIC21-1.5	1.5"	758598011006
PIC21-2.0	2"	758598011037
PIC21-2.5	2.5"	758598011068
PIC21-3.0	3"	758598011099

BULB HANDLE - STRAIGHT CUT

PIC22-1.5	1.5"	758598011129
PIC22-2.0	2"	758598011150
PIC22-2.5	2.5"	758598011181
PIC22-3.0	3"	758598011211

Additional
Epoxy
Holds Handle to
Ferrule Securely
and Fills Gap

Between Handle and Brush Knot...

NO DRIP! Securing Hardware

Most Indestructable
Brush Made!




PIC 22 BULB HANDLE STRAIGHT CUT

HARDLINE "No Drip" Interior Construction

patented







The 'CHISEL' PICASSO® - Firm Blend PBT™ Filament Blend A stiffer blend of PBT filament for all applications Model Size UPC CUTTING & TRIM STANDARD HANDLE - OVAL FERRULE - ANGLED CUT PIC11-1.5 1.5" 758598009157 2" PIC11-2.0 758598009188 PIC11-2.5 2.5" 758598009218 PIC11-3.0 758598009249



PIC12-2.5 2.5" 758598009270 PIC12-3.0 3" 758598009300 PIC12-4.0 4" 758598009331

BEAVER TAIL HANDLE - OVAL FERRULE - ANGLED CUT

2.5" 758598009362 PIC13-2.5

PIC13-3.0 758598009393

STANDARD HANDLE - STRAIGHT CUT

1.5" PIC14-1.5 758598009423 PIC14-2.0 758598009454 PIC14-2.5 2.5" 758598009485 758598009515

3"

SHORT HANDLE - ANGLED CUT The Bull

1.5" 758598009546 PIC15-1.5 PIC15-2.0 2" 758598009577 PIC15-2.5 2.5" 758598009607

SASH HANDLE - OVAL FERRULE - ANGLED CUT

1" 758598009638 PIC16-1.0 PIC16-1.5 1.5" 758598009669 PIC16-2.0 758598009690 PIC16-2.5 2.5" 758598009720 PIC16-3.0 3" 758598009751

The Picasso® Bull™ Counter Top Display

*Self Display

PIC14-3.0

*Great Impulse Buy

*Better Margins

*Perfect Fit For Limited Areas 10x8x7





PIC5 DISPLAY



Promotion & MANELLO

Picasso rates The MARKET TO S







758598008983



5 - PIC5 1.5"

5 - PIC5 2.0"

5 - PIC5 2.5"



CONTRACTOR

PBT/PET Filament Blend

Model Size UPC

STANDARD HANDLE - ANGLED CUT


CI.5AS	1.5"	758598001793
C2.0AS	2"	758598001809
C2.5AS	2.5"	758598001816
C3.0AS	3"	758598001823
C3.5AS	3.5"	758598002264

STANDARD HANDLE - STRAIGHT CUT

CI.5S	1.5"	758598004299
C2.0S	2"	758598004305
C2.5S	2.5"	758598004312
C3.0S	3"	758598004329

SASH HANDLE - ANGLED CUT

CSI.0AS	1"	758598002011
CS1.5AS	1.5"	758598002028
CS2.0AS	2"	758598002035
CS2.5AS	2.5"	758598002042
CS3.0AS	3"	758598002219



CI.0BS	1"	758598001731
C1.5BS	1.5"	758598001748
C2.0BS	2"	758598001755
C2.5BS	2.5"	758598001762
C3.0BS	3"	758598001779
C4 0BS	4"	758598001786

OVAL FERRULE/BEAVER TAIL HANDLE STRAIGHT CUT

C02.0S	2"	758598002059
C02.5S	2.5"	758598002066
C03.0S	3"	758598002073
C03.5S	3.5"	758598002202

WALL FERRULE/BEAVER TAIL HANDLE STRAIGHT CUT

CM3.0S 3" 758598002271 CM4.0S 4" 758598002295

SHORT HANDLE - ANGLED CUT

CR1.5AS 1.5" 758598002080 CR2.0AS 2" 758598002097 CR2.5AS 2.5" 758598002103











CONTRACTOR

STIFF BRUSH[™] PBT/PET Stiff Filament Blend

Model Size UPC

STANDARD HANDLE - ANGLED CUT

C1.5AVS 1.5" 758598000597 C2.0AVS 2" 758598004374 C2.5AVS 2.5" 758598004381 C3.0AVS 3" 758598004398

SASH HANDLE - ANGLED CUT

CS1.0AVS 1" 758598008440 CS1.5AVS 1.5" 758598008471 CS2.0AVS 2" 758598004404 CS2.5AVS 2.5" 758598004411 CS3.0AVS 3" 758598004428

OVAL FERRULE/BEAVER TAIL HANDLE STRAIGHT CUT

C02.5VS 2.5" 758598004435 C03.0VS 3" 758598004442

BEAVER TAIL HANDLE - STRAIGHT CUT

CB2.5VS 2.5" 758598007719 CB3.0VS 3" 758598004459 CB4.0VS 4" 758598007726













Model Size UPC

STANDARD HANDLE - OVAL - ANGLED CUT

C1.5AO 1.5" 758598010146 C2.0AO 2" 758598010177 C2.5AO 2.5" 758598010207 C3.0AO 3" 758598010238

STANDARD HANDLE - OVAL - STRAIGHT CUT

 C1.5SO
 1.5"
 758598010269

 C2.0SO
 2"
 758598010290

 C2.5SO
 2.5"
 758598010320

 C3.0SO
 3"
 758598010351

BEAVER TAIL HANDLE - OVAL - ANGLED CUT

CB1.0AO 758598009966 1.5" CB1.5AO 758598009997 2" CB2.0AO 758598010023 CB2.5AO 2.5" 758598010054 3" CB3.0AO 758598010085 CB4.0AO 758598010115

SASH HANDLE - OVAL - ANGLED CUT

CS1.0AO 1" 758598010382 CS1.5AO 1.5" 758598010412 CS2.0AO 2" 758598010443 CS2.5AO 2.5" 758598010474 CS3.0AO 3" 758598010504

ROUND HANDLE - CHISEL TIP

BLAZE23-10MM 10mm 758598012256 BLAZE23-17MM 17mm 758598012300





MODEL

SIZE UPC

STANDARD HANDLE - ANGLED CUT

E1.5AS VOID 1.5" 758598008471 E2.0AS VOID 2.0" 758598008488 E2.5AS VOID 2.5" 758598008495 E3.0AS VOID 3.0" 758598008501

STANDARD HANDLE - STRAIGHT CUT

 E1.5S VOID
 1.5"
 758598008518

 E2.0S VOID
 2.0"
 758598008525

 E2.5S VOID
 2.5"
 758598008532

 E3.0S VOID
 3.0"
 758598008549

BEAVER TAIL HANDLE - STRAIGHT CUT

EB2.0S VOID 2.0" 758598008440 EB2.5S VOID 2.5" 758598008457 EB3.0S VOID 3.0" 758598008464

SASH HANDLE - ANGLED CUT

ES1.0AS VOID 1.0" 758598008556 ES1.5AS VOID 1.5" 758598008563 ES2.0AS VOID 2.0" 758598008570 ES2.5AS VOID 2.5" 758598008587 ES3.0AS VOID 3.0" 758598008594



A sensible choice for

price conscious

retailers

BLOCK HEAD™ - CONTRACTOR LARGE AREA STAIN BRUSHES

Model Size UPC

BLOCK STAINER HANDLE - OIL BASE

PBT/China White Blend

CBH5.0B 5" 758598004343 CBH6.0B 6" 758598004350 CBH7.0B 7" 758598004367

BLOCK STAINER HANDLE - WATER BASE

- PBT/PET Blend

CBH5.0L 5" 758598008006 CBH6.0L 6" 758598008013



CHINA WHITE CONTRACTOR SERIES - White Natural Bristle

Model Size UPC

STANDARD HANDLE - ANGLED CUT

C1.5AX 1.5" 758598002318 C2.0AX 2" 758598002325 C2.5AX 2.5" 758598002332 C3.0AX 3" 758598002349



SASH HANDLE - ANGLED CUT

CS1.0AX 1" 758598002417 CS1.5AX 1.5" 758598002424 CS2.0AX 2" 758598002431 CS2.5AX 2.5" 758598002448 CS3.0AX 3" 758598002455



BEAVER TAIL HANDLE - STRAIGHT CUT

CB1.0X 1" 758598002356 CB1.5X 1.5" 758598002363 CB2.0X 2" 758598002370 CB2.5X 2.5" 758598002387 CB3.0X 3" 758598002394 CB4.0X 4" 758598002400





PROFESSIONAL ERGONOMIC - PBT/PET Filament Blend

Model Size UPC

ERGONOMIC HANDLE - ANGLED CUT

PI.5AS 1.5" 758598001694 P2.0AS 2" 758598001700 P2.5AS 2.5" 758598001717 P3.0AS 3" 758598001724



ERGONOMIC HANDLE - STRAIGHT CUT

 PI.5S
 1.5"
 758598001656

 P2.0S
 2"
 758598001663

 P2.5S
 2.5"
 758598001670

 P3.0S
 3"
 758598001687






NAILSET/CENTER PUNCH

Ergonomic Nailwing[™] holder allows the user to manipulate the tool more efficiently and safely. Available in: 1/32", 2/32", 3/32" and Center Punch.

Model	Description	UPC
N-4B	All four items	758598001601
N-132	1/32" Nailset	758598001618
N-232	2/32" Nailset	758598001625
N-332	3/32" Nailset	758598001632
N-CP	Center Punch	758598001649



The Hi-Lite™ is the first 'Fits All' illumination device for painting those hard to see, dark areas. No need setting up lights, just slip over any ferrule (2" and up) and it's daytime! It's easy on and easy off of any brush!

H - 2.5" W - 1.5"

D - 1.375"



LED Type: 5mm LED

Qty: 5pcs

Beam Angle: 90 degree

(Narrow angle common

is 120 degree)

Color Temp: 6500K

(cool white)

Brightness: 6lm/pcs

Battery: CR2032 3V

Lithium Battery (built in)

Battery Life: 20 hours -

3V 100% brightness

40 hours -

2.55V - 80% brightness

Waterproof



Model UPC

Hi-Lite 758598010955 Hi-Lite POP 758598010986

POP - Counter Top Display with 20 Clam Packed Hi-Lite Units