



















































WASCO

**ANGLE STOPS AND
FLEX LINES**

Lasco # HDW SKU	Description/ UPC Code	Picture	Lasco # HDW SKU	Description/ UPC Code	Picture
02-2203 251312	4 Pack, 1/2" Nut x 3/8" OD Tube, #2 Rubber Cone Washer, Used For Connecting Old Style Metal Supply Tubes. Carded. 052151020239		06-7247 251763	5/8" Copper Compression Inlet x 3/8" Compression Straight Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815835	
02-2225 251321	4 Pack, Ballcock Nut x 3/8" OD Tube, #9 Rubber Stepped Cone Washer, Used For Connecting Old Style Metal Supply Tubes. Carded. 052151063588		06-7251 251764	5/8" Copper Compression Inlet x 1/4" Compression Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815842	
02-2231 251324	7 Pack, Assorted Rubber Cone Washer Kit, Includes Sizes 23/32", 5/8", 3/4", & 13/16", Used For Connecting Old Style Metal Supply Tubes. Carded. 052151020024		06-7253 251765	5/8" Copper Compression Inlet x 3/8" Compression Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815859	
02-2241 251326	4 Pack, 1/2" OD Rubber Cone Washers, Threaded Style, Used For Connecting Old Style Metal Supply Tubes, #164. Carded. 052151020741		06-7255 251766	5/8" Coarse Thread Copper Compression Inlet x 3/8" Compression Angle Stop, Lead Free, Chrome Plated Brass, Approved in All States, Connects Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815866	
02-2243 251328	4 Pack, 1/2" OD Rubber Cone Washer, Used On Ballcock Supply, Threaded Style, Used For Connecting Old Style Metal Supply Tubes, #174. Carded. 052151020758		06-7273 251767	1/2" Female Iron Pipe Inlet x 3/8" Compression Straight Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815897	
03-1807 251543	1/2" Female Pipe Thread X 1/2" OD Tube, Slip Joint Nut, Used for Connecting Old Style Metal Faucet Supply Tubes, Cone Washer and Friction Ring Included. Carded. 052151030924		06-7319 251768	1/2" Iron Pipe Inlet x 3/8" Compression x 1/4" Compression 3-Way Angle Stop, Lead Free, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815934	
03-1815 251544	1/2" Female Pipe Thread x 3/8" OD Tube, Slip Joint Nut, Used for Connecting Old Style Metal Faucet Supply Tubes, Cone Washer & Friction Ring Included. Carded. 052151031136		06-7321 251769	1/2" Iron Pipe Inlet x 3/8" Compression x 3/8" Compression 3-Way Angle Stop, Lead Free, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815941	
03-1847 251556	1/2" Female Pipe Thread x 3/8" OD Tube, Plastic Slip Joint Nut With Wings, Used for Connecting Old Style Metal Faucet Supply Tubes, Cone Washer & Friction Ring Included. Carded. 052151069993		06-7353 251770	5/8" Copper Compression Inlet x 3/8" Compression x 1/4" Compression 3-Way Angle Stop, Lead Free, Chrome Plated Brass, Approved in All States, Connects Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815958	
06-7203 251761	1/2" Female Iron Pipe Inlet x 3/8" Compression Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815811		06-7355 251771	5/8" Copper Compression Inlet x 3/8" Compression x 3/8" Compression 3-Way Angle Stop, Lead Free, Chrome Plated Brass, Approved in All States, Connects Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815965	

ANGLE STOPS & FLEX

Lasco # HDW SKU	Description/ UPC Code	Picture	Lasco # HDW SKU	Description/ UPC Code	Picture
06-7407 251772	Angle Stop Valve, 1/2" Female Pipe Thread x 3/8" Texas Fine Thread Flare, Chrome Plated Brass. Carded. 052151216250		06-9321 260092	1/2" Iron Pipe Inlet x 3/8" Compression x 3/8" Compression Quarter Turn 3-Way Angle Stop, Lead Free, Chrome Plated Brass, Approved in All States, Connects Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815996	
06-9201 259866	1/2" Iron Pipe Inlet x 3/8" Compression Quarter Turn Angle Stop, Chrome Plated, Lead Free Compliant, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815705		06-9353 260093	5/8" Copper Compression Inlet x 3/8" Comp. x 1/4" Comp. Quarter Turn 3-Way Angle Stop, Lead Free, Chrome Plated Brass, Approved in All States, Connects Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151816009	
06-9211 259864	5/8" Copper Compression Inlet x 3/8" Compression Quarter Turn Angle Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815712		06-9355 260094	5/8" Copper Compression Inlet x 3/8" Comp. x 3/8" Comp. Quarter Turn 3-Way Angle Stop, Lead Free, Chrome Plated Brass, Approved in All States, Connects Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151816016	
06-9251 258920	1/2" Iron Pipe Inlet x 3/4" Male Hose Thread Quarter Turn Washing Machine Angle Stop, Chrome Plated, Lead Free Compliant. Carded. 052151266248		10-0013 251963	Reducing Supply Line Adapter, 1/2" Male Iron Pipe x 3/8" Female Compression Thread, Chrome Plated, Lead Free Compliant. Carded. 052151223531	
06-9253 258921	5/8" Copper Compression Inlet x 3/4" Male Hose Thread Quarter Turn Washing Machine Angle Stop, Chrome Plated, Lead Free Compliant. Carded. 052151266224		10-0113 251964	Stainless Steel Braided Faucet Supply Line, 3/8" Female Comp. x 1/2" Female Iron Pipe x 12", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Carded. Hang Tag. 052151815538	
06-9271 259867	3/8" Iron Pipe Inlet x 3/8" Compression Outlet, 1/4 Turn, Strait Stop, Lead Free Compliant, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets and Other Appliances. Carded. 052151285331		10-0117 251965	Stainless Steel Braided Faucet Supply Line, 3/8" Female Comp. x 1/2" Female Iron Pipe x 16", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Carded. Hang Tag. 052151815545	
06-9273 259869	1/2" Iron Pipe Inlet x 3/8" Compression Quarter Turn Straight Stop, Lead Free, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815774		10-0121 251966	Stainless Steel Braided Faucet Supply Line, 3/8" Female Comp. x 1/2" Female Iron Pipe x 20", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Carded. Hang Tag. 052151815552	
06-9281 259868	5/8" Copper Compression Inlet x 3/8" Compression Quarter Turn Straight Stop, Lead Free, Chrome Plated Brass, Approved in All States, Used to Connect Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815781		10-0125 251967	Stainless Steel Braided Faucet Supply Line, 3/8" Female Comp. x 1/2" Female Iron Pipe x 24", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Carded. Hang Tag. 052151815569	
06-9319 260091	1/2" Iron Pipe Inlet x 3/8" Compression x 1/4" Compression Quarter Turn 3-Way Angle Stop, Lead Free, Chrome Plated Brass, Approved in All States, Connects Water Supply to Faucets, Toilets & Other Appliances. Carded. 052151815798		10-0131 251968	Stainless Steel Braided Faucet Supply Line, 3/8" Female Comp. x 1/2" Female Iron Pipe x 30", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant. Carded. Hang Tag. 052151815576	

Lasco # HDW SKU	Description/ UPC Code	Picture	Lasco # HDW SKU	Description/ UPC Code	Picture
10-0137 251969	Stainless Steel Braided Faucet Supply Line, 3/8" Female Comp. x 1/2" Female Iron Pipe x 36", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151815583		10-0617 251972	Stainless Steel Braided Faucet Supply Line, 3/8" Female Comp. x 7/8" Ballcock Nut x 16", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151093813	
10-0413 260095	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 12", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151815613		10-0621 251973	Stainless Steel Braided Faucet Supply Line, 3/8" Female Comp. x 7/8" Ballcock Nut x 20", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151213952	
10-0417 260096	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 16", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151815620		10-0813 260098	Stainless Steel Braided Faucet Supply Line, 1/2" FIP x 7/8" Ballcock Nut x 12", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151093905	
10-0421 260097	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 20", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151815637		10-0817 260099	Stainless Steel Braided Faucet Supply Line, 1/2" FIP x 7/8" Ballcock Nut x 16", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151093929	
10-0425 262872	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 24", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151815644		10-0821 260100	Stainless Steel Braided Faucet Supply Line, 1/2" FIP x 7/8" Ballcock Nut x 20", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151213969	
10-0437 262873	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 36", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151815668		10-0944 262875	Stainless Steel Braided Appliance Supply Line, 1/4" Female Comp. x 1/4" Female Comp. x 12", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151243706	
10-0449 262874	Stainless Steel Braided Faucet Supply Line, 1/2" Female Iron Pipe x 1/2" Female Iron Pipe x 48", 120 PSI Working Pressure, Tested to 1800 Lbs., Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151815361		10-0946 262876	Stainless Steel Braided Appliance Supply Line, 1/4" Female Comp. x 1/4" Female Comp. x 24", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151216779	
10-0609 251970	Stainless Steel Braided Faucet Supply Line, 3/8" Female Comp. x 7/8" Ballcock Nut x 9", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151093776		10-0950 251974	Stainless Steel Braided Appliance Supply Line, 1/4" Female Comp. x 1/4" Female Comp. x 60", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151214737	
10-0613 251971	Stainless Steel Braided Faucet Supply Line, 3/8" Female Comp. x 7/8" Ballcock Nut x 12", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151093790		10-0954 251976	Stainless Steel Braided Appliance Supply Line, 1/4" Female Comp. x 1/4" Female Comp. x 120", 120 PSI Working Pressure, Tested to 1800 Pounds, Brass Inserts, Chrome Plated Brass Nuts, Lead Free Compliant, Carded. Hang Tag. 052151214744	

Lasco # HDW SKU	Description/ UPC Code	Picture	Lasco # HDW SKU	Description/ UPC Code	Picture
10-0973 251977	Stainless Steel Braided Appliance Supply Line, 3/8" Fem. Comp. x 3/8" MIP Elbow x 72", 120 PSI Working Pressure, Tested to 1800 Lbs., Dishwasher Conn., Brass Inserts, Chrome Plated Brass Nuts, No-Lead, Carded. Hang Tag. <i>052151815439</i>		10-1181 251986	Poly Flexible Plastic Faucet Supply Line, 3/8" Ballcock x 1/2" Female Pipe Thread x 12", Old Style, For Toilet. Carded. Hang Tag. <i>052151094568</i>	
10-0979 261022	Stainless Steel Braided Appliance Supply Line, 3/8" Fem. Comp. x 3/4" Fem. Hose Elbow x 72", 120 PSI Working Pressure, Tested to 1800 Lbs., Dishwasher Conn., Brass Inserts, Chrome Plated Brass Nuts, No-Lead, Carded. Hang Tag. <i>052151197511</i>		10-1372 250790	Flexible Water Connector, Corrugated Stainless Steel, 3/4" Female Pipe Thread x 3/4" Female Pipe Thread x 15" Long, Used For Water Heater Installation, No-Lead, 250 PSI 190° F. Bulk. <i>052151818966</i>	
10-1071 251978	Stainless Steel Braided Faucet Supply Line, 3/8" Texas Fine Flare x 1/2" Female Pipe Thread x 12", Old Style, For Lavatory and/or Kitchen. Carded. Hang Tag. <i>052151225283</i>		10-1374 250800	Flexible Water Connector, Corrugated Stainless Steel, 3/4" Female Pipe Thread x 3/4" Female Pipe Thread x 18" Long, Used For Water Heater Installation, No-Lead, 250 PSI 190° F. Bulk. <i>052151818973</i>	
10-1073 251979	Stainless Steel Braided Faucet Supply Line, 3/8" Texas Fine Flare x 1/2" Female Pipe Thread x 16", Old Style, For Lavatory and/or Kitchen. Carded. Hang Tag. <i>052151225306</i>		10-1376 250911	Flexible Water Connector, Corrugated Stainless Steel, 3/4" Female Pipe Thread x 3/4" Female Pipe Thread x 24" Long, Used For Water Heater Installation, No-Lead, 250 PSI 190° F. Bulk. <i>052151818980</i>	
10-1075 251980	Stainless Steel Braided Faucet Supply Line, 3/8" Texas Fine Flare x 1/2" Female Pipe Thread x 20", Old Style, For Lavatory and/or Kitchen. Carded. Hang Tag. <i>052151225320</i>		10-1388 250913	Flexible Water Connector, Corrugated Stainless Steel, 1" Female Pipe Thread x 1" Female Pipe Thread x 18" Long, Used For Water Heater Installation, No-Lead, 250 PSI 190° F. Bulk. <i>052151216540</i>	
10-1081 251981	Stainless Steel Braided Faucet Supply Line, 3/8" Texas Fine Flare x 7/8" Ballcock x 12", Old Style, For Toilet. Carded. Hang Tag. <i>052151225344</i>		10-1398 251042	Flexible Water Connector, Corrugated Stainless Steel, 1" Female Pipe Thread X 3/4" Female Pipe Thread X 24" Long, Used For Water Softener Installation, No-Lead, 250 PSI 190° F. Bulk. <i>052151818997</i>	
10-1171 251982	Poly Flexible Plastic Faucet Supply Line, 3/8" Texas Fine Flare x 1/2" Female Pipe Thread x 12", Old Style, For Lavatory and/or Kitchen. Carded. Hang Tag. <i>052151094483</i>		10-1403 251988	Water Flex, Replacement Rubber Gaskets For Corrugated Copper Type Water Heater Connector, 1 Pair. Carded. <i>052151100016</i>	
10-1173 251983	Poly Flexible Plastic Faucet Supply Line, 3/8" Texas Fine Flare x 1/2" Female Pipe Thread x 16", Old Style, For Lavatory and/or Kitchen. Carded. Hang Tag. <i>052151094506</i>		10-2113 251990	Poly Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 12", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts, Carded. Hang Tag. <i>052151816092</i>	
10-1175 251984	Poly Flexible Plastic Faucet Supply Line, 3/8" Texas Fine Flare x 1/2" Female Pipe Thread x 20", Old Style, For Lavatory and/or Kitchen. Carded. Hang Tag. <i>052151094520</i>		10-2117 251991	Poly Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 16", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts, Carded. Hang Tag. <i>052151815460</i>	

Lasco # HDW SKU	Description/ UPC Code
10-2121 251992	Poly Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 20", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts, Carded. Hang Tag. 052151815477
10-2125 251993	Poly Braided Faucet Supply Line, 3/8" Female Compression x 1/2" Female Iron Pipe x 24", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts, Carded. Hang Tag. 052151815484
10-2131 251994	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 1/2" IPS x 30", Carded. Hang Tag. 052151815491
10-2137 251995	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 3/8" Compression x 1/2" IPS x 36", Carded. Hang Tag. 052151815507
10-2413 260101	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 12", Carded. Hang Tag. 052151815248
10-2417 260102	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 16", Carded. Hang Tag. 052151815255
10-2421 260103	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 20", Carded. Hang Tag. 052151815262
10-2425 262877	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 24", Carded. Hang Tag. 052151815279
10-2437 262878	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 36", Carded. Hang Tag. 052151815293

Picture



Lasco # HDW SKU	Description/ UPC Code
10-2449 262879	Faucet Connector, Flexible Poly Connector, Brass Insert / Chrome-Plated Nuts, 1/2" IPS x 1/2" IPS x 48", Carded. Hang Tag. 052151815309
10-2573 260104	Appliance Connector, Flexible Poly Connector, Dishwasher Hook-Up 3/8" Compression x 3/8" Compression With 3/8" Male Compression x 3/8" Male Iron Pipe Elbow x 72", For Dishwasher, Carded. Hang Tag. 052151815354
10-2609 251996	Toilet Connector, Flexible Poly Braided Vinyl Connector, Brass Insert / Chrome-Plated Brass Nuts, 3/8" Compression x Ballcock x 9", Carded. Hang Tag. 052151097101
10-2613 251997	Poly Braided Toilet Supply Line, 3/8" Female Compression x 7/8" Ballcock x 12", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts, Carded. Hang Tag. 052151100078
10-2617 251998	Poly Braided Toilet Supply Line, 3/8" Female Compression x 7/8" Ballcock x 16", Brass Inserts, Lead Free Compliant, Burst Pressure 1800 PSI, Working Pressure 120 PSI, Chrome Plated Brass Nuts, Carded. Hang Tag. 052151100085
10-2621 251999	Toilet Connector, Flexible Poly Braided Vinyl Connector, Brass Insert / Chrome-Plated Brass Nuts, 3/8" Compression x Ballcock x 20", Carded. Hang Tag. 052151097149
10-2809 252038	Toilet Connector, Flexible Poly Braided Vinyl Connector, Brass Insert / Chrome-Plated Brass Nuts, 1/2" IPS x Ballcock x 9", Carded. Hang Tag. 052151097286
10-2813 252039	Toilet Connector, Flexible Poly Braided Vinyl Connector, Brass Insert / Chrome-Plated Brass Nuts, 1/2" IPS x Ballcock x 12", Carded. Hang Tag. 052151100054
10-2817 252040	Toilet Connector, Flexible Poly Braided Vinyl Connector, Brass Insert / Chrome-Plated Brass Nuts, 1/2" IPS x Ballcock x 16", Carded. Hang Tag. 052151100061

Picture



