

ARTU[®] USA

PRO-QUALITY



MULTI-PURPOSE DRILL BITS • PORCELAIN TILE DRILL BITS • HSS/COBALT DRILL BITS • GRITTED HOLE SAWS & BLADES

800-367-2788 | artu.com



330 Fields Dr., Aberdeen NC 28315
P (910) 944-1883 • F (910) 944-1884

Message from the President

The ARTU-USA line of tools is perfect for everyone from the professional to the do-it-yourself. We are a leading distributor of high quality cutting tools specializing in tungsten carbide cutting hand tools and tungsten carbide and cobalt cutting accessories such as our Multi-Purpose Drill Bits, Precision Multi-Purpose Drill Bits, High Speed Steel Drill Bits, Cobalt Drill Bits, SDS Drill Bits, PORC+ Tile Bits, Concrete Screw Bits, Spline Shanks, Tungsten Carbide Grit Hole Saws and Tungsten Carbide Grit Saw Blades.

Providing quality products in a timely manner is our number one priority. We strive to ship all orders received before 3:00 PM EST same-day. ARTU offers tech support by phone or e-mail M-F 8:30 AM – 5:00 PM EST. Order by EDI, phone, fax or e-mail.

ARTU's signature product, the Multi-Purpose Drill Bit, has been sold worldwide for nearly four decades. In 1979 ARTU-USA's partner company, ARTU GmbH, was founded in Dortmund, Germany and ten years later, in 1989, the ARTU brand expanded to the United States with the creation of ARTU-USA, Inc. The company, located in Aberdeen, NC, is a certified woman-owned small business.

At ARTU-USA, Inc., our staff is our most important asset, working together to provide you with answers to your questions regarding our product capability. Our goal is to meet our customers' complete needs. Please contact us any time.

Beverly Tate-Cooper



DRILL BITS.....	1-5
Multi-Purpose	1-3
Porcelain Plus.....	4
SDS.....	4
High Speed Steel	5
Cobalt.....	5
HOLE SAWS.....	6-8
Arbored Unit.....	7
Individual Pieces.....	8
Diamond.....	8
SAW BLADES.....	9-11
Jigsaw.....	9-11
Reciprocating.....	9-11
Hacksaw.....	9-11
Rod Saw.....	9-11
Grout Rake	9-11
MISCELLANEOUS.....	11-12
Spline Shank.....	11
Hand Files.....	11
Nibbler Cutting Tool.....	12
Grinding Wheel.....	12
Hobby Plane	12
Drill Holder	12
Coping Saw	12



For Rotary or Percussion Drilling

Special negative back grinding enables the tip to bore through materials with a filing action, not cutting

The blend and high tech bonding of cobalt and tungsten carbide allows bit to withstand temperatures up to 2000° F

Chrome vanadium steel shank has enormous strength and flexibility


- Works ideally for cordless drills, corded drills and drill presses
- Outlasts regular carbide tipped bits
- Requires no center punch — eliminates walking
- Resharpens on a high quality silicon carbide grinding wheel
- Conforms to ANSI standards
- Uses standard coolants: turpentine, light oil, water

Now Improved!

Flat bottom parabolic flute for faster waste removal


For use on

- Glass
- Plexiglass
- Ceramic Tile
- Cast Metal
- Hardened Steel
- Soft Wood
- Hard Wood
- Granite
- Marble
- Fiberglass
- Brick
- Masonry
- Concrete
- PVC



Please be advised that ARTU Multi-Purpose Drill Bits are not recommended to be used on mild steel, i.e., angle iron, galvanized pipe, copper, aluminum, brass, stainless steel, etc. Instead, use ARTU's HSS or Cobalt Drill Bits. Refer to page 5.

THE SAME BIT FOR EVERY JOB



Masonry, Concrete & Granite



Ceramic Tile & Marble




Baked Ceramic



Glass, Crystal & Mirror



Woods & Plastics



Hardened Steel & Cast Metal

Carded	ITEM NUMBER	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	SHANK	
	01010	1/8"	1-5/16"	2-5/8"	Straight	
	01012	5/32"	1-3/4"	3-1/8"	Straight	
	01020	3/16"	1-7/8"	3-1/2"	Straight	
	01022	7/32"	1-7/8"	3-3/4"	Straight	
	01030	1/4"	2-1/4"	4-1/8"	Straight	
	01032	9/32"	2-5/8"	4-3/8"	Straight	
	01040	5/16"	2-5/8"	4-1/2"	Straight	
	01042	11/32"	2-5/8"	4-7/8"	Straight	
	01050	3/8"	3-1/16"	5-1/4"	Straight	
Tube	ITEM NUMBER	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	SHANK	
	01052	13/32"	3-3/8"	5-3/4"	Straight	
	01060	7/16"	3-3/4"	6-1/8"	Straight	
	01062	15/32"	3-5/8"	6-1/4"	3/8"	
	01070	1/2"	3-3/4"	6-1/4"	3/8"	
	01075	9/16"	3-1/8"	6-1/4"	3/8"	
	01080	5/8"	2-7/8"	6-1/8"	3/8"	
	01081	5/8"	5-5/8"	9"	3/8"	
	01090	3/4"	2-7/8"	6-1/4"	3/8"	
	01095	3/4"	5-1/4"	9-1/4"	3/8"	
Pouch	ITEM NUMBER	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	SHANK	
	01097	7/8"	2-5/8"	6-3/8"	3/8"	
	01099	1"	3-1/4"	6-1/2"	1/2"	
	01006	5/32"	1-7/8"	3-1/2"	Straight	
	01011	5/32"	3-1/4"	5-1/2"	Straight	
	01014	3/16"	1-7/8"	3-1/2"	Straight	
	01021	3/16"	3-1/4"	5-1/2"	Straight	
	01024	3/16"	4-5/8"	7-1/2"	Straight	
	01023	7/32"	3-1/4"	5-1/2"	Straight	
	01031	1/4"	4-1/4"	6-1/4"	Straight	
Tube	ITEM NUMBER	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	SHANK	
	01033	1/4"	4-3/4"	8"	Straight	
	01041	5/16"	4-1/4"	6-1/4"	Straight	
	01043	5/16"	4-3/4"	8"	Straight	
	01145	3/16"	11-5/8"	16"	Straight	
	01150	1/4"	11-5/8"	16"	Straight	
	01155	5/16"	11-5/8"	16"	Straight	
	01160	3/8"	11-5/8"	16"	Straight	
	01165	7/16"	11-5/8"	16"	Straight	
	01170	1/2"	11-3/4"	16"	Straight	
Quick Connect	ITEM NO. CARDED	ITEM NO. BULK	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	
	01171*		1/2"	17-3/4"	24"	3/8"
	01173*		9/16"	11-3/4"	16"	Straight
	01175		5/8"	11-3/4"	16"	1/2"
	01180		3/4"	11-3/4"	16"	1/2"
	01185		7/8"	11-3/4"	16"	1/2"
	01456	01455	1/8"	1-1/4"	2-7/8"	
	01458	01457	5/32"	1-1/2"	3-1/8"	
	01460	01459	3/16"	1-7/8"	3-1/2"	
	01464	01463	1/4"	2-1/4"	4-1/8"	
Metric	ITEM NUMBER	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	SHANK	
	01468	01467	5/16"	2-3/4"	4-1/2"	
	01472	01471	3/8"	2-7/8"	5-1/4"	
	01514		3 mm	31 mm	70 mm	Straight
	01515		4 mm	44 mm	80 mm	Straight
	01516		5 mm	47 mm	90 mm	Straight
	01517		6 mm	57 mm	100 mm	Straight
	01518		7 mm	63 mm	110 mm	Straight
	01519		8 mm	66 mm	120 mm	Straight
	01520		9 mm	76 mm	130 mm	Straight

Sets	ITEM NUMBER	NO. OF PIECES	DESCRIPTION
	01503	3	9/16", 5/8", 3/4"
	01505	5	1/8", 3/16", 1/4", 5/16", 3/8"
	01506	5	4 mm, 5 mm, 6 mm, 8 mm, 10 mm
	01510	7	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
	01511	7	4 mm, 5 mm, 6 mm, 7 mm, 8 mm, 10 mm, 12 mm
	01535	13	1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2"
01540 <i>Quick Connect</i>	6	1/8", 5/32", 3/16", 1/4", 5/16", 3/8"	

Bulk	ITEM NUMBER	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	SHANK
	01005	1/8"	1-5/16"	2-5/8"	Straight
	01007	5/32"	1-3/4"	3-1/8"	Straight
	01008	5/32"	1-7/8"	3-1/2"	Straight
	01009	5/32"	3-1/4"	5-1/2"	Straight
	01015	3/16"	1-7/8"	3-1/2"	Straight
	01016	3/16"	3-1/4"	5-1/2"	Straight
	01019	3/16"	4-5/8"	7-1/2"	Straight
	01017	7/32"	1-7/8"	3-3/4"	Straight
	01018	7/32"	3-1/4"	5-1/2"	Straight
	01025	1/4"	2-1/4"	4-1/8"	Straight
	01026	1/4"	4-1/4"	6-1/4"	Straight
	01028	1/4"	4-3/4"	8"	Straight
	01027	9/32"	2-5/8"	4-3/8"	Straight
	01035	5/16"	2-5/8"	4-1/2"	Straight
	01036	5/16"	4-1/4"	6-1/4"	Straight
	01038	5/16"	4-3/4"	8"	Straight
	01037	11/32"	2-5/8"	4-7/8"	Straight
	01045	3/8"	3-1/16"	5-1/4"	Straight
	01047	13/32"	3-3/8"	5-3/4"	Straight
	01055	7/16"	3-3/4"	6-1/8"	Straight
	01057	15/32"	3-5/8"	6-1/4"	3/8"
	01065	1/2"	3-3/4"	6-1/4"	3/8"
	01073	9/16"	3-1/8"	6-1/4"	3/8"
	01074	5/8"	2-7/8"	6-1/8"	3/8"
01076	5/8"	5-5/8"	9"	3/8"	
01089	3/4"	2-7/8"	6-1/4"	3/8"	
01094	3/4"	5-1/4"	9-1/4"	3/8"	
01096	7/8"	2-5/8"	6-3/8"	3/8"	
01098	1"	3-1/4"	6-1/2"	1/2"	

Metric	ITEM NUMBER	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	SHANK
	01521	10 mm	82 mm	140 mm	Straight
	01522	11 mm	95 mm	160 mm	Straight
	01526	12 mm	101 mm	160 mm	Straight

* bulk only. ARTU Multi-Purpose Drill Bits conform to ANSI standards. Precision bits accurate to -0.05mm can be manufactured upon request.



05012 Multi-Purpose Drill Bit Display
57 pieces - 14"W x 26"H x 10.5"D

Multi-Purpose Drill Bit Displays				
ITEM NUMBER	DESCRIPTION	05012 QTY	05016 QTY	
01010	1/8" x 2-5/8" Multi-Purpose Bit	6	2	
01012	5/32" x 3-1/8" Multi-Purpose Bit	6	2	
01020	3/16" x 3-1/2" Multi-Purpose Bit	6	2	
01022	7/32" x 3-3/4" Multi-Purpose Bit	3	2	
01030	1/4" x 4-1/8" Multi-Purpose Bit	6	2	
01032	9/32" x 4-3/8" Multi-Purpose Bit	3	2	
01040	5/16" x 4-1/2" Multi-Purpose Bit	4	2	
01042	11/32" x 4-7/8" Multi-Purpose Bit	2		
01050	3/8" x 5-1/4" Multi-Purpose Bit	4	2	
01052	13/32" x 5-3/4" Multi-Purpose Bit	1		
01060	7/16" x 6-1/8" Multi-Purpose Bit	2	2	
01062	15/32" x 6-1/4" x 3/8" Multi-Purpose Bit	1		
01070	1/2" x 6-1/4" x 3/8" Multi-Purpose Bit	3	2	
01075	9/16" x 6-1/4" x 3/8" Multi-Purpose Bit	2	1	
01080	5/8" x 6-1/8" x 3/8" Multi-Purpose Bit	2	1	
01505	5-Piece Multi-Purpose Bit Set	2	1	
01510	7-Piece Multi-Purpose Bit Set	2		
01551	Grinding Wheel	2	1	



Quick Connect Drill Bit Plan-O-Gram

ITEM NUMBER	DESCRIPTION	05024 QTY
01456	1/8" Quick Connect Multi-Purpose Bit	4
01458	5/32" Quick Connect Multi-Purpose Bit	4
01460	3/16" Quick Connect Multi-Purpose Bit	4
01464	1/4" Quick Connect Multi-Purpose Bit	4
01468	5/16" Quick Connect Multi-Purpose Bit	4
01472	3/8" Quick Connect Multi-Purpose Bit	4
01540	6-Piece Quick Connect Multi-Purpose Bit Set	2



05024 Quick Connect Multi-Purpose Drill Bit Plan-O-Gram
26 pieces - 15"W x 11"H x 1.5"D



05011 Concrete Screw Bit Display
29 pieces - 13"W x 9.5"H x 2.8"D

Concrete Screw Bit Displays				
ITEM NUMBER	DESCRIPTION	05008 QTY	05011 QTY	
01006	5/32" x 3-1/2" Concrete Screw Bit	8	5	
01011	5/32" x 5-1/2" Concrete Screw Bit	8	5	
01014	3/16" x 3-1/2" Concrete Screw Bit	8	5	
01021	3/16" x 5-1/2" Concrete Screw Bit	8	5	
01023	7/32" x 5-1/2" Concrete Screw Bit		3	
01031	1/4" x 6-1/4" Concrete Screw Bit		3	
01041	5/16" x 6-1/4" Concrete Screw Bit		3	

Porcelain Plus for Hard Tiles

Sizes	ITEM NO. CARDED	ITEM NO. BULK	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	SHANK
	01425*	01416	5/32"	1-1/2"	3-1/8"	Straight
	01430*	01418	3/16"	1-7/8"	3-1/2"	Straight
	01435*	01420	1/4"	2-3/8"	4-1/8"	Straight
	01440*	01422	5/16"	2-3/8"	4-1/2"	Straight
	01445*	01424	3/8"	3-1/8"	5-5/16"	Straight
		01426	1/2"	3-5/8"	6-1/4"	3/8"

* Carded bits include 5/32" pilot bit

Set	ITEM NUMBER	NO. OF PIECES	DESCRIPTION
	01405	4	5/32", 5/32", 3/16", 1/4"

Cobalt tungsten carbide tip is ideal for drilling porcelain tiles up to a scratch hardness of 8 — unique 4-face grinding extends drill bit life

- Flat bottom parabolic flute ensures fast and efficient removal of the drill dust and prevents clogging
- Extreme low drilling pressure with excellent centering prevents walking – no tape or center punching needed
- Drill bit shank is made from the finest chrome vanadium steel
- Diamond ground PORC+ cuts nice, clean holes with very little or no chipping

ARTU USA PORCELAIN TILE DRILL BITS



01448 Porcelain Tile Drill Bit Display
12 pieces - 19"W x 11"H x 1.75"D

Porcelain Tile Drill Bit Displays

ITEM NUMBER	DESCRIPTION	01448 QTY	01450 QTY
01405	4-Piece PORC+ Bit Set	1	1
01425	5/32" PORC+ Tile Bit & 5/32" Pilot Bit	2	3
01430	3/16" PORC+ Tile Bit & 5/32" Pilot Bit	2	3
01435	1/4" PORC+ Tile Bit & 5/32" Pilot Bit	2	3
01440	5/16" PORC+ Tile Bit & 5/32" Pilot Bit	2	3
01445	3/8" PORC+ Tile Bit & 5/32" Pilot Bit	2	3
02964	1-3/8" Diamond Hole Saw & Pilot Bit	1	

Quickhammer® SDS Plus

SDS Plus	ITEM NUMBER	DIAMETER	FLUTE LENGTH	OVERALL LENGTH
	01200	5/32"	4"	6"
	01202	3/16"	2"	4"
	01206	3/16"	4"	6"
	01210	3/16"	7"	9"
	01212	3/16"	10"	12"
	01213	7/32"	4"	6"
	01215	7/32"	6"	8"
	01214	1/4"	2"	4"
	01218	1/4"	4"	6"
	01222	1/4"	6"	8"
	01223	1/4"	8"	10"
	01226	1/4"	10"	12"
	01230	5/16"	4"	6"
	01234	5/16"	6"	8"
	01236	5/16"	10"	12"
	01238	3/8"	4"	6"
	01242	3/8"	6"	8"
	01243	3/8"	8"	10"
	01246	3/8"	10"	12"
	01250	7/16"	4"	6"
	01254	1/2"	4"	6"
	01258	1/2"	6"	8"
	01262	1/2"	10"	12"
	01266	9/16"	4"	6"
	01270	9/16"	10"	12"
	01274	5/8"	4"	6"
	01278	5/8"	6"	8"
01282	5/8"	10"	12"	
01286	3/4"	4"	6"	
01290	3/4"	6"	8"	
01294	3/4"	10"	12"	
01296	7/8"	10"	12"	
01298	1"	10"	12"	

- For drilling in concrete, brick, stone, marble, tile, plaster and other masonry materials
- For use in SDS plus hammer drills only

Shank is made from chrome vanadium steel for maximum strength & flexibility

Unique TMS surface treatment double tempering combined with shot peening ensures maximum tensile strength and long life



Jobber Length



HSS



■ The split point minimizes end thrust and is self-centering for faster penetration and accurate starting with no center punch



■ Starts on contact, stronger, faster, lasts longer



01304

M35 COBALT



High Speed Steel	ITEM NO. CARDED	ITEM NO. BULK	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	SHANK
	01906	01907	1/16"	7/8"	1-7/8"	Straight
01908	01909	5/64"	1"	2"	Straight	
01910	01911	3/32"	1-1/4"	2-1/4"	Straight	
01912	01913	7/64"	1-1/2"	2-11/16"	Straight	
01914	01915	1/8"	1-5/8"	2-3/4"	Straight	
01916	01917	9/64"	1-3/4"	2-7/8"	Straight	
01918	01919	5/32"	2-1/16"	3-1/8"	Straight	
01920	01921	11/64"	2-3/16"	3-5/16"	Straight	
01922	01923	3/16"	2-3/8"	3-9/16"	Straight	
	01925	13/64"	2-1/2"	3-11/16"	Straight	
01926	01927	7/32"	2-9/16"	3-3/4"	Straight	
	01929	15/64"	2-11/16"	3-7/8"	Straight	
01930	01931	1/4"	2-13/16"	4-1/16"	Straight	
	01933	17/64"	2-7/8"	4-1/8"	Straight	
01934	01935	9/32"	3"	4-1/4"	Straight	
	01937	19/64"	3-1/16"	4-3/8"	Straight	
01938	01939	5/16"	3-3/16"	4-1/2"	Straight	
	01941	21/64"	3-5/16"	4-5/8"	Straight	
	01943	11/32"	3-1/2"	4-13/16"	Straight	
	01945	23/64"	3-9/16"	4-15/16"	Straight	
01946	01947	3/8"	3-11/16"	5-1/16"	Straight	
	01949	25/64"	3-13/16"	5-3/16"	Straight	
	01951	13/32"	3-15/16"	5-5/16"	Straight	
	01953	27/64"	4"	5-1/2"	Straight	
01954	01955	7/16"	4-1/8"	5-5/8"	Straight	
	01957	29/64"	4-1/4"	5-3/4"	Straight	
	01959	15/32"	4-7/16"	5-7/8"	Straight	
	01961	31/64"	4-1/2"	5-15/16"	Straight	
01962	01963	1/2"	4-9/16"	6-1/16"	Straight	

Sets	ITEM NUMBER	NO. OF PIECES	DESCRIPTION
	01904	14	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 7/32", 1/4", 9/32", 5/16", 3/8"
	01905	29	1/16" to 1/2" by 1/64"

Cobalt	ITEM NO. CARDED	ITEM NO. BULK	DIAMETER	FLUTE LENGTH	OVERALL LENGTH	SHANK
	01306	01307	1/16"	7/8"	1-7/8"	Straight
01308	01309	5/64"	1"	2"	Straight	
01310	01311	3/32"	1-1/4"	2-1/4"	Straight	
01312	01313	7/64"	1-1/2"	2-11/16"	Straight	
01314	01315	1/8"	1-5/8"	2-3/4"	Straight	
01316	01317	9/64"	1-3/4"	2-7/8"	Straight	
01318	01319	5/32"	2-1/16"	3-1/8"	Straight	
01320	01321	11/64"	2-3/16"	3-5/16"	Straight	
01322	01323	3/16"	2-3/8"	3-9/16"	Straight	
	01325	13/64"	2-1/2"	3-11/16"	Straight	
01326	01327	7/32"	2-9/16"	3-3/4"	Straight	
	01329	15/64"	2-11/16"	3-7/8"	Straight	
01330	01331	1/4"	2-13/16"	4-1/16"	Straight	
	01333	17/64"	2-7/8"	4-1/8"	Straight	
01334	01335	9/32"	3"	4-1/4"	Straight	
	01337	19/64"	3-1/16"	4-3/8"	Straight	
01338	01339	5/16"	3-3/16"	4-1/2"	Straight	
	01341	21/64"	3-5/16"	4-5/8"	Straight	
	01343	11/32"	3-1/2"	4-13/16"	Straight	
	01345	23/64"	3-9/16"	4-15/16"	Straight	
01346	01347	3/8"	3-11/16"	5-1/16"	Straight	
	01349	25/64"	3-13/16"	5-3/16"	Straight	
	01351	13/32"	3-15/16"	5-5/16"	Straight	
	01353	27/64"	4"	5-1/2"	Straight	
01354	01355	7/16"	4-1/8"	5-5/8"	Straight	
	01357	29/64"	4-1/4"	5-3/4"	Straight	
	01359	15/32"	4-7/16"	5-7/8"	Straight	
	01361	31/64"	4-1/2"	5-15/16"	Straight	
01362	01363	1/2"	4-9/16"	6-1/16"	Straight	

Sets	ITEM NUMBER	NO. OF PIECES	DESCRIPTION
	01304	14	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 7/32", 1/4", 9/32", 5/16", 3/8"
	01305	29	1/16" to 1/2" by 1/64"

For Abrasive Construction Materials


Never needs to be sharpened!

Tungsten carbide particles are self-sharpening, so when a particle chips, a new surface is created in its place

- 2-1/4" cutting depth
- 3/8" shank
- Long cutting life
- Extremely resistant to heat and abrasion
- Cuts clean holes smoothly in materials without snagging
- Designed to be used with any variable speed hand drill
- Available in individual sizes and sets
- Quality professionals demand with the ease homeowners want
- Hole saws with arbor and pilot bit included (p7)
- Hole saws, pilot bits, mandrels sold separately (p8)

For use on


- Concrete Block
- Brick
- Wood
- PVC
- Ceramic Tile
- Plexiglass
- Cultured Marble
- Cement Board
- Drywall
- Fiberglass
- Plastic




3/8"
Shank

Please be advised that the ARTU Hole Saws are not recommended for use on metal


THE SAME HOLE SAW FOR EVERY JOB




Concrete Block




Ceramic Tile & Marble




Brick



PVC



Woods & Plastics




Cement Board

ARTU USA TUNGSTEN CARBIDE GRIT HOLE SAWS



02801 TC Grit Hole Saw Display
10 pieces - 21"W x 22"H x 4.5"D

Hole saws on this page include arbor and pilot bit



TC Grit Hole Saw Displays

ITEM NUMBER	DESCRIPTION	02800 QTY	02801 QTY
02810	1-1/4" TC Grit Hole Saw with Arbor & Pilot Bit	2	1
02820	1-3/8" TC Grit Hole Saw with Arbor & Pilot Bit	3	1
02830	1-3/4" TC Grit Hole Saw with Arbor & Pilot Bit	2	1
02840	2-1/8" TC Grit Hole Saw with Arbor & Pilot Bit	2	1
02850	2-1/2" TC Grit Hole Saw with Arbor & Pilot Bit	2	1
02860	3-1/4" TC Grit Hole Saw with Arbor & Pilot Bit	2	1
02870	4" TC Grit Hole Saw with Arbor & Pilot Bit	3	1
02885	Replacement Arbor & Pilot Bit	3	2
02890	6-Pc. Set 1-1/4", 1-3/4", 2-1/8", 2-1/2", Arbor & Pilot Bit	2	1

Clamshell	ITEM NUMBER	DESCRIPTION
	02805	1" TC Grit Hole Saw with Arbor & Pilot Bit
	02810	1-1/4" TC Grit Hole Saw with Arbor & Pilot Bit
	02820	1-3/8" TC Grit Hole Saw with Arbor & Pilot Bit
	02830	1-3/4" TC Grit Hole Saw with Arbor & Pilot Bit
	02840	2-1/8" TC Grit Hole Saw with Arbor & Pilot Bit
	02850	2-1/2" TC Grit Hole Saw with Arbor & Pilot Bit
	02860	3-1/4" TC Grit Hole Saw with Arbor & Pilot Bit
	02870*	4" TC Grit Hole Saw with Arbor & Pilot Bit
	02885	Replacement Arbor & Pilot Bit
02890	6-Pc. Set 1-1/4", 1-3/4", 2-1/8", 2-1/2", Arbor & Pilot Bit	

* The ARTU 4" Hole Saw requires a 1/2" heavy-duty drill motor for usage



HOLE SAWS

TUNGSTEN CARBIDE GRIT

Hole saws and accessories on this page are available in individual pieces and sets



Hole Saws	ITEM NO. CARDED	ITEM NO. BULK	DESCRIPTION
	02905	02904	1-1/4" TC Grit Hole Saw
	02907	02906	1-3/4" TC Grit Hole Saw
	02910	02909	2-1/8" TC Grit Hole Saw
	02915	02914	2-5/8" TC Grit Hole Saw
	02920	02919	2-7/8" TC Grit Hole Saw
	02925	02924	3-1/4" TC Grit Hole Saw
	02929*	02928*	4" TC Grit Hole Saw

Pilots & Mandrels	ITEM NO. CARDED	ITEM NO. BULK	DESCRIPTION
	02934	02933	Pilot Bit - Pointed Tip
	02953	02952	Pilot Bit - Flat Tip
	02951	02950	Small Mandrel (1-1/4" - 3-1/4")
	02957	02956	Large Mandrel (1-1/4" - 4")

Sets	ITEM NO.	DESCRIPTION
	02932*	3-Pc. Set 4", Large Mandrel & Pilot Bit
	02954	6-Pc. Set 1-1/4", 2-1/8", 2-5/8", 2-7/8", Small Mandrel & Pilot Bit
	02961	8-Pc. Set 1-1/4", 2-1/8", 2-5/8", 2-7/8", 3-1/4", Small Mandrel, Pilot Bit & Storage Case
	02955	9-Pc. Set 1-1/4", 2-1/8", 2-5/8", 2-7/8", 3-1/4", Small Mandrel, Pilot Bit, TC Grit File & Storage Case

*The ARTU 4" Hole Saw requires a 1/2" heavy-duty drill motor for usage

HOLE SAWS

DIAMOND GRIT

For best results, cut holes at 400 to 600 RPMs using a liquid coolant



Diamond 1-3/8" Hole Saw Carded #02964

- For use on all types of porcelain tile up to a scratch hardness of 8
- Unique wave design allows easier hole entrance and smoother cutting
- Can be used on granite and marble
- The 3/16" PORC+ bit (p4) provides a great pilot hole for the Diamond Hole Saw and is included

For Abrasive Construction Materials

ARTU blades, files and grout rakes are edged with particles of tungsten carbide ~ with no teeth to dull or break, these tools cut cleaner through a wide variety of materials


- They will cut and file on both the forward and backward stroke
- Their strong, flexible back makes them virtually unbreakable
- Cut and file tough materials that others won't even scratch
- Outlasts conventional blades and files



Never needs to be sharpened!


For use on

- Brick
- Cast Metal
- Cement Board
- Ceramic Tile
- Composites
- Concrete Block
- Fiberglass
- Flagstone/Slate
- Hardwood
- Laminates
- Marble
- Plaster
- Plywood
- PVC
- Reinforced Cement




Please be advised that ARTU Saw Blades are not recommended to be used on metal, except cast iron.


THE SAME BLADE FOR EVERY JOB




Concrete Block




Ceramic Tile & Marble




Brick



Cast Iron Pipe



Woods & Plastics



Cement Board

JIGSAW - RECIPROCATING - ROD SAW - HACKSAW - GROUT RAKE

Power Tool Blades

Jigsaw	ITEM NO. CARDED	ITEM NO. BULK	DESCRIPTION	SHANK	GRIT
	01652	01651	2-3/4" TC Grit Jigsaw Blade	U-Shank	Medium
	01661	01660	3-5/8" TC Grit Jigsaw Blade	U-Shank	Medium
	01637	01636	3" TC Grit Jigsaw Blade	T-Shank	Medium
	01666	01665	4" TC Grit Jigsaw Blade	T-Shank	Medium

Reciprocating	ITEM NO. CARDED	ITEM NO. BULK	DESCRIPTION	GRIT
	01800		3-Pc. Recip Saw Blade Set (6, 9, 12)	Medium
	01806	01805	4" TC Grit Recip Saw Blade	Medium
	01810	01809	6" TC Grit Recip Saw Blade	Medium
	01811		6" TC Grit Recip Saw Blade - 3 Pk	Medium
	01814	01813	8" TC Grit Recip Saw Blade	Medium
	01818	01817	9" TC Grit Recip Saw Blade	Medium
	01819	01821	9" TC Grit Recip Saw Blade - 3 Pk	Medium
01822	01821	12" TC Grit Recip Saw Blade	Medium	



Hand Tool Blades

Hack- Rod Saw	ITEM NO. CARDED	ITEM NO. BULK	DESCRIPTION
	01720	01715	6" TC Grit Rod Saw Blade
	01721	01716	6" TC Grit Rod Saw Blade w/Pin
	01740	01739	12" TC Grit Rod Saw Blade
	01750	01749	10" TC Grit Hacksaw Blade
	01760	01759	12" TC Grit Hacksaw Blade

Grout Rake	ITEM NO. CARDED	ITEM NO. BULK	DESCRIPTION
	01681	01680	Pro Grout Rake w/2 Blades
	01684	01683	2 Pro Grout Rake Blades
	01695	01690	DIY Grout Rake w/2 Blades
01698	01697	2 DIY Grout Rake Blades	



Power Tool Blade Displays

ITEM NUMBER	DESCRIPTION	01830 QTY	01838 QTY
01652	2-3/4" TC Grit Jigsaw Blade - U Shank	12	4
01661	3-5/8" TC Grit Jigsaw Blade - U Shank	6	4
01637	3" TC Grit Jigsaw Blade - T Shank	12	4
01666	4" TC Grit Jigsaw Blade - T Shank	6	4
01800	3-Pc. Recip Saw Blade Set (6, 9, 12)	6	4
01806	4" TC Grit Recip Saw Blade	12	4
01810	6" TC Grit Recip Saw Blade	12	4
01814	8" TC Grit Recip Saw Blade	6	4
01818	9" TC Grit Recip Saw Blade	9	4
01822	12" TC Grit Recip Saw Blade	6	4

01838 Power Tool Blade Display
40 pieces - 16"W x 20"H x 1"D



MISCELLANEOUS TOOLS

MISC

Spline Shanks

For use with spline drive rotary hammers



Spline Shanks

ITEM NUMBER	CUTTING EDGES	DIAMETER	FLUTE LENGTH	OVERALL LENGTH
02020	2	1/2"	8"	13"
02026	2	1/2"	13"	18"
02027	4	5/8"	13"	18"
02029	4	1"	13"	18"
02030	4	1-1/4"	13"	18"
02031	4	5/8"	18"	23"
02041	4	3/4"	18"	23"
02051	4	1"	18"	23"
02061	4	1-1/4"	18"	23"

Tungsten Carbide Grit Hand Files

Hand File	ITEM NO. CARDED	ITEM NO. BULK	DESCRIPTION	LENGTH
	02940	02939	TC Grit File - Round, Fine	6"
	02942	02941	TC Grit File - Flat, Fine	6"
	02944	02943	TC Grit File - 1/2 Round, Fine	6"
	02946	02945	TC Grit File - Square, Fine	6"
	02949	02948	TC Grit File - 1/2 Round, Coarse	6"
	02959	02958	TC Grit File - Flat, Coarse	8"



02958




Nibbler Cutting Tool

The ARTU Nibbler drill attachment can be powered by any drill motor at 1500-3000 RPMs

Nibbler	ITEM NUMBER	DESCRIPTION
	01575	Nibbler Cutting Tool
	01580	Replacement Die for Nibbler
	01585	Replacement Punch for Nibbler

- Cuts steel, brass, copper, aluminum, plastics, fiberglass
- Cuts corrugated, round or flat stock
- Cuts any shape to 1/2" radius
- Cutting head adjusts 360 degrees



Miscellaneous Tools

Misc Tools	ITEM NUMBER	DESCRIPTION
	01400	Hobby Plane w/1 Pack of Blades
	01401	Hobby Plane Blades (qty 5)
	01551	Grinding Wheel
	01560	Drill Holder
	01561	Screws for Drill Holder
	01675	PRO Coping Saw w/6" Rod Saw Blade



01401



01400



01675

Sales Terms

The below mentioned terms apply to all payments to ARTU-USA, unless other terms have been accepted in writing by ARTU-USA. Term discounts should not be taken off freight charges.

Net 30 from invoice date to firms with approved credit. We reserve the right to charge 1.5% interest per month on past due balances. New orders will not be shipped while there is an open invoice 10 days past due date, based on stated credit terms. Prices and policies are subject to change with a 30 day prior notice. All orders will be invoiced at prices in effect at the time of the order.

Credit

Customers that have not established credit with our company should submit a credit application and allow a sufficient period of time to verify credit references. A credit application is available on our website, www.artu.com, or you may request one be sent to you by fax or email. If orders are needed immediately you may choose to pay by credit card (5% processing fee).

Billing

Invoices are dated effective upon the shipping date from ARTU-USA. There is a surcharge for orders under \$50.

Cancellation of Orders

A charge may be made for work or costs already incurred by the factory in acting upon the original order. There will be a 15% restocking fee on all shipped cancelled orders, plus incurred freight. Once an order has shipped, the products may be returned for credit in accordance with ARTU-USA credit return policy. The buyer will be responsible for paying the freight charges to return the items.

Credit Return Policy

No merchandise may be returned without a Return Authorization from ARTU-USA's Sales Department. ARTU-USA reserves the right to scrap any unauthorized returns on a non-credit basis. Each claim must include a copy of original invoice indicating quantity of each item to be returned. Authorization codes can be obtained by calling: 1-800-FOR-ARTU (1-800-367-2788).

The following further conditions apply:

- A. Products must have been purchased within six months from credit return date.
- B. Merchandise must be in original factory sealed cartons or packaging and be in a perfect salable condition.
- C. Discontinued items may not be returned for credit or exchange at anytime.
- D. There will be a 15% restocking fee on all shipped orders plus incurred freight.
- E. Any product requiring repacking is subject to an additional 15% charge against the credit return.

Back Orders

Products not immediately available for shipment will be back ordered and shipped as soon as available, unless we are advised by the customer to cancel back order. Shipping and handling will be charged on the initial invoice, if applicable, with back orders shipped prepaid FOB destination.

Freight Policy

All merchandise shipped within the contiguous United States will be FOB factory. Orders that meet established requirements will be freight prepaid. There will be a handling charge for orders that do not meet the freight prepaid requirements as well as a surcharge for shipping to a residence. Back orders will be shipped prepaid.

Literature

Promotional materials are available upon request. The customer agrees to protect and abide by all registered trademarks of ARTU-USA.

Claims

Claims for shortages must be presented within five working days from receipt of shipment. Freight damage claims and freight shortages should be filed directly with the carrier within seven days of receipt of shipment. No liability will be accepted for damages directly or indirectly caused from the use of our products or from any other cause or if items were altered from original form. Our liability shall be limited to the repair and/or replacement of our products, at our option if found to be defective.

Limited Warranty

ARTU-USA warrants to replace at no charge any defective products proved to have failed due to faulty materials or workmanship. This warranty does not cover abuse, normal wear, or careless handling and is void if the product has been altered in any way. No other warranty is expressed or implied.

This statement of policy is in lieu of any other policy expressed or implied, and no representative or person is authorized to assume for us any other liability or policy without our written consent. Stenographic and clerical errors are subject to correction.



330 Fields Dr., Aberdeen NC 28315
P (910) 944-1883 • F (910) 944-1884

© 2017 ARTU-USA. All rights reserved. 285-2359-34



TF (800) 367-2788	F (910) 944-1884
P (910) 944-1883	E sales@artu.com

330 Fields Drive • Aberdeen, NC 28315

www.artu.com