

Lincoln[®] PRODUCTS
GARDEN REPAIR
SECTION 7





Sillcock Valve Key

For garden valves and hose bibbs with removable handles.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
102608▲	6	144	5/16"	054374006076



Tee Handle

Tee handle for garden valves and hose bibbs.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
102700▲	6	144	12 BROACH	054374006304
102702▲	6	144	16 BROACH	054374006328
102701▲	6	144	SQUARE HOLE	054374006311



Wheel Handle

Fits most valve stems.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
102704▲	6	144	12 BROACH	054374006335
102717▲	6	72	16 BROACH	054374006403
102705▲	6	144	SQUARE HOLE	054374006342

Garden Valve Washers



Zurn® Wilkins Regulator Union Washers

Individually bagged and bar coded.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
122777▲	12	144	3/4"	054374113187
122778	12	144	1"	054374113194

Union Washers

Bagged and bar coded. 3/32" thick. 2 per bag.

STOCK#	PACK	CASE	TRADE#	O.D.	I.D.	THICK	APPLICATION	UPC#
128178	12	144	W-472	15/16"	5/8"	3/32"	FOR 3/8" UNION	054374034925
128179	12	144	W-473	1-3/16"	3/4"	3/32"	FOR 1/2" UNION	054374349258
128180	12	144	W-474	1-3/8"	15/16"	3/32"	FOR 3/4" UNION	054374492589
128181	12	144	W-475	1-1/2"	1"	3/32"	FOR 3/4" UNION	054374925896
128182	12	144	W-476	1-5/8"	1-1/8"	3/32"	FOR 1" UNION	054374258963
128183	12	144	W-477	2-1/8"	1-1/2"	3/32"	FOR 1-1/4" UNION	054374589630
128184	12	144	W-478	2-7/16"	1-11/16"	3/32"	FOR 1-1/2" UNION	054374896301
128185	12	144	W-479	2-13/16"	2-3/16"	3/32"	FOR 2" UNION	054374963010

See next page
for Actual
Size Union
Washers Chart



Garden Valve Washers

Bagged and bar coded. 2 per bag.

STOCK#	PACK	CASE	TRADE#	DESCRIPTION	UPC#
128515	12	144	EW-220	1/2" & 3/4" LEATHER	054374679614
128516	12	144	EW-221	1" LEATHER	054374796144
128517	12	144	EW-220AS	15/16" RUBBER	054374518883
128518	12	144	EW-220S	1" RUBBER	054374614431

Sprinkler Valve Washer

Bagged and bar coded. 2 per bag.

STOCK#	PACK	CASE	TRADE#	DESCRIPTION	UPC#
128695▲	12	144	EW-60	1" 7/32" 1/4"	054374443345

Shown
Actual
Size

Garden Valve Washers




W-472

128178




W-473

128179




W-474

128180




W-475

128181



W-476


128182



W-477


128183

**Shown
Actual
Size**



W-478

128184



W-479

128185

Orbit® Easy Set Logic Timers

The Orbit® indoor / outdoor timers come in a weatherproof cabinets with an internal transformer. Easy-Set Logic provides for headache free programming. With two independent programs and eight start times. Ideal for drip irrigation.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316585	1	3	4 STATION	57894	046878578944
316586	1	3	6 STATION	57896	046878578968
316587	1	3	9 STATION	57899	046878578999
316588	1	3	12 STATION	57900	046878579002

Easy-Dial™ Indoor Timers

2 separate programs provide flexible watering. Battery back-up relieves watering stress and preserves programming in the case of a power outage. Uses easy set logic programming Can be set quickly Includes an auto reset circuit breaker Large easy to read LCD screen and dial.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316592	1	6	4 STATION	57894	046878575943
316593	1	6	6 STATION	57896	046878575967

B-Hyve Smart Watering Built-in Wifi Irrigation Timer

The Orbit B-Hyve wi-fi sprinkler timer combines the easiest-to-program timers on the market with the remote capabilities of wi-fi. Users can control the timer with their android or iOS app, from their computer or at the timer. The B-Hyve wi-fi controller is available in 6 or 12 stations. It also can be set up to adjust watering based on local weather to avoid water waste and deliver the right amount of water to your plants.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316570	1	3	6 STATION	57946	046878579460
316571	1	3	12 STATION	57950	046878579507

B-Hyve Smart Wi-Fi Indoor Timers

Simple, sleek, and smart, the Orbit B-hyve Smart Wi-Fi Indoor Sprinkler Timer allows users to control their watering with their Android or iOS app from anywhere in the world. A perfect timer for new installations or for replacement applications, the Orbit B-hyve Smart Wi-Fi Indoor Sprinkler Timer is available in 4 and 8-station models to cover most residential sprinkler systems. It also can be set up to adjust watering based on local weather to avoid water waste and deliver the right amount of water to your plants.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316401	1	3	4 STATION	57915	046878579156
316402	1	3	8 STATION	57925	046878579255

Outdoor Timer Cabinet

The outdoor timer cabinet houses an indoor timer to protect it from harsh weather conditions. It works with any major brand of sprinkler timers and is made of tough, weather and UV-resistant ABS resin. The keyed lock prevents tampering and the GFI outlet reduces risk of shock.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316700	1	3	GREY	57095	046878570955

Rain Bird® Simple Set Indoor Timer



Controls up to 6 valves, Simple zone-by-zone setting allows you to customize watering schedules for each area of the yard, No complex programming – just turn the dial to a zone, then choose start time, watering duration and days of week. Each zone can be set independently. One-touch seasonal adjustments allow you to increase watering in hot, dry months and reduce it in rainy periods. Built-in trouble shooting of valves and wires. Ideal for yards with drip irrigation.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331400	1	3	6 STATION	SST600I	C50601 077985004651

Irritrol® Rain Dial® Sprinkler Timers



Powerful, Customizable an Professional Sprinkler Timer

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
317500	1	6	6 STATION INDOOR TIMER	RD600-INT-R	090258051770
317501	1	6	9 STATION INDOOR TIMER	RD900-INT-R	090258051817
317502	1	6	6 STATION OUTDOOR TIMER	RD600-EXT-R	090258051756
317503	1	6	9 STATION OUTDOOR TIMER	RD900-EXT-R	090258051794

Kwikdial™ Sprinkler Timers



KwikDial® offers a unique combination of sophisticated features and simple operation. Excellent scheduling flexibility is provided by its automatic, semi-automatic and manual operations, a wide range of watering intervals, and the ability to make percentage changes to watering duration for seasonal adjustments. Peace of mind is ensured by the controller's electrical surge protection, a self-diagnostic, electronic circuit breaker and built-in memory that maintains time, date and programming information for 24 hours in the absence of AC power. Now, when automatically adjusted by Irritrol's new, optional CLIMATE LOGIC® Weather Sensing System, the KwikDial™ becomes a smart, climate-based controller.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
317505	1	6	6 STATION INDOOR TIMER	KD6-INT	090258040798
317506	1	6	9 STATION INDOOR TIMER	KD9-INT	090258040811
317507	1	6	6 STATION OUTDOOR TIMER	KD6-EXT	090258040804
317508	1	6	9 STATION OUTDOOR TIMER	KD9-EXT	090258040828

Climate Logic® Module



The system consists of three components—a wireless transmitting weather sensor for installation outdoors, a receiver module to attach to the Irritrol controller, and an SD card with the 10-year, local historical weather information—the system monitors weather data, transmits it to the module, then alters the controller's program to "follow the weather". As for compatibility, the Climate Logic Weather Sensing System works with the Rain Dial®-R, Total Control®-R, KwikDial™ and the new MC-E controllers (blue model).

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
317510	1	10	SENSOR/RECEIVER COMBO	CL-100-WIRELESS	09025805472



Orbit® Manual Anti-Siphon Valve

This female threaded valve can be used for manual watering. It is designed to prevent contaminants from entering the water supply. It is made of durable plastic and comes with a ratchet handle to prevent over tightening. Easy on/off.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
327815	1	6	3/4" PLASTIC	51022P	046878510227



Anti-Siphon Valve with Jar Top

3/4" and 1" Female NPT anti-siphon valve with jar top design allows for easy maintenance and repair. Internal and external bleed with pressure rating of 15-150 psi. Footprint compatible with Lawn Genie® RJ711.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316620	1	6	3/4" JAR TOP	57626	046878576261
316619	1	6	1" JAR TOP	57461	046878574618



Anti-Siphon Valve with Flow Control

3/4" Female NPT anti-siphon valve with flow control. Internal bleed with on-off collar. Pressure rating of 15-150 psi.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316622	1	6	3/4" FEMALE	57623	046878576230



Electric Actuators

The Automatic Converter Valve converts manual control valves to automatic and include flow-control adjustments and manual bleed screws. Orbit® converters work with major brand brass and plastic manual valves.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316625▲	1	6	3/4" AUTOMATIC ACTUATOR	57029P	046878570290
316626▲	1	6	1" AUTOMATIC ACTUATOR 57030P		046878570306



Brass Quick Coupler Key and Valve

This quick coupler irrigation valve has a 3/4" FNPT connection and works with 3/4" irrigation pipes of brass durably built to provide many years of dependable lawn watering. This coupler valve features a metal lug cover for protection is ideal for use with many different yard watering systems.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331032▲	1	6	3/4" BRASS COUPLER VALVE	51029	046878510296
331034▲	1	6	3/4" FIP X 1/2" FIP QUICK COUPLER KEY	51031	046878510319

DIG® Single Station Battery Operated Controller With Anti-Siphon Valve

The RBC8000 outfitted with the latest and most efficient electronic management technology, the RBC 8000 can operate up to three years on two AA alkaline batteries. The RBC8000 features a large, easy-to-read LCD screen and simple, icon-based programming with weekly or cyclical programs. The timer's 3/4 in. heavy duty, professional grade anti siphon valve includes flow control up to four start times a day, and external manual bleed for smooth opening and closing. Completely waterproof and able to operate in harsh environments.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
317408	1	4	TIMER & 3/4" ANTI-SIPHON VALVE	RBC8000	013158332527

DIG® (Continued) Single Station Solar Powered Controller With 3/4" Actuator



The ECO 1™ MVA is an advanced single station ambient light (solar) powered irrigation controller mounted on a 3/4" actuator and is used to automate a 3/4" or 1" manual anti-siphon valve. Power uses renewable energy via a patented time-tested, internal photovoltaic module and microelectronic energy management system that is fueled by ambient light (solar). This provides power to the controller through the day anytime, anywhere and in any weather. This has up to five start times a day, one minute to six hours run times. Rain delay with auto restart. Ability to set monthly and daily restrictions.

STOCK#	PACK	CASE	DESCRIPTION	MODEL#	MFG#	UPC#
317416	1	6	ADAPTS TO 3/4" AND 1" VALVES	ECO1MVA		013158792024

Single Station Solar Controller With 3/4" Anti-Siphon Valve



The ECO1™ ASV ambient light (solar) powered irrigation controller mounted on a 3/4" anti-siphon valve and can be used with drip irrigation or sprinkler systems. The controller's power uses renewable energy via a patented time-tested, internal photovoltaic module and microelectronic energy management system that is fueled by ambient light (solar). This provides power to the controller through the day anytime, anywhere and in any weather. This has up to five start times a day, one minute to six hours run times. Rain delay with auto restart. Ability to set monthly and daily restrictions.

STOCK#	PACK	CASE	DESCRIPTION	MODEL#	MFG#	UPC#
317418	1	6	3/4" FIP LESS UNION	ECO1ASV.075		013158792017

Rain Bird® Electric Anti-Siphon Valves



Heavy-Duty construction with Stainless steel screws. External and internal bleed. Reverse-flow feature for added reliability. Flow control models regulates the flow of water to sprinklers to avoid misting. DAS valve is same as the ASVF valve on commercial side.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331320	1	5	3/4"	DASASVF075	077985606107
331322	1	5	1"	DASASVF100	077985607104

Electric In-Line Valves



Heavy duty construction with stainless steel screws. External bleed to manually flush system. Operate manually or automatically. Used in conjunction with a back flow preventer. CP Valve is same as DV valve on commercial side.

STOCK#	PACK	CASE	DESCRIPTION	MODEL#	UPC#
331335	1	12	3/4" FPT	CP075	077985600006
331336	1	12	1" FPT	CP0100	077985610005

Champion® Anti-Siphon Valves



Yellow brass construction, import valve. Atmospheric vacuum breaker prevents the back flow of irrigation system water into the household supply. Full size waterway for low pressure 25 to 150 P.S.I.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
310950▲	1	15	3/4" ANTI-SIPHON – LESS UNION	466P/075Y	013789305754
310952▲	1	12	3/4" ANTI-SIPHON – WITH UNION	466-075Y	013789304757
310956▲	1	10	1" ANTI-SIPHON – WITH UNION	466-100Y	013789304108



Champion® (Continued)

Electric Actuators

Easily converts manual valves to automatic operation. Flow adjustment screw.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
313915▲	1	12	3/4" COMPACT FOR BRASS VALVES	AB-075-B	013789200752
313916▲	1		3/4" CLASSIC ACTUATOR	CL-075	054374497775
313918▲	1		1" CLASSIC ACTUATOR	CL-100	054374977758

Lawn Genie®

Manual Anti-Siphon Valve

Jar Top Manual Anti-Siphon Valve Made of corrosion-resistant PVC and code approved up to 150 psi. Built-in atmospheric vacuum breaker protects household water supply from possible contamination; manually activates zone sprinklers with a simple twist of a handle. Converts easily to automatic with a Lawn Genie automatic valve adapter. Fits 3/4" pipe. Threaded.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
313936▲	1	6	3/4" MANUAL ANTI-SIPHON VALVE	L4034	022381040345

Electric Anti-Siphon Valves

Electric anti-siphon valves. Made of corrosion-resistant PVC and code approved up to 150 P.S.I. Gear drive flow control, double beaded diaphragm prevents leaks, and threaded bonnet for fast and easy servicing. Manual external bleed allows user to flush debris from the system. Flow control allows for precise adjustment after installation.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
313938▲	1	12	3/4" AUTOMATIC ANTI-SIPHON VALVE	L7034	022381070342
313939▲	1	12	1" AUTOMATIC ANTI-SIPHON VALVE	L7010	022381070106

Electric Actuator

The Lawn Genie 3/4" Valve Adapter converts manual brass sprinkler valves to automatic operation by a sprinkler timer. The L1034 features manual flow control which makes it possible to fine-tune the amount of water pressure going to the zone reducing misting and fogging at the sprinkler and saving water.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
313940▲	1	6	3/4" ACTUATOR FOR BRASS VALVES	L1034	022381010348

Automatic Anti-Siphon Valve

The RJ711 valve is a 3/4" female threaded anti-siphon valve with flow control. Built-in atmospheric back flow preventer. Flow control allows for precise adjustment after installation. Manual external bleed allows user to flush debris from the system. Double beaded diaphragm and self-aligning bonnet for easy servicing.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
342030▲	1	12	3/4"	RJ711	022381540005

Superior®

Automatic Brass Actuators

Easily converts manual valves to automatic operation. Compact design. Flow adjustment screw. Operates on pressure up to 200 psi. Self cleaning, dirt free, clog-free design.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
318017▲	1	6	3/4" AUTOMATIC ACTUATOR	800075CH00	054374118519
318020▲	1	6	1" AUTOMATIC ACTUATOR	800100CH00	054374118526

Sprinkler Valves and Pop-Up Sprinklers

Irritrol®

Automatic Anti-Siphon Valves

The Irritrol® anti-siphon 2700 Series valves offer optimum performance, reliability and ease-of-use for a wide variety of residential applications. Featuring anti-siphon capability, this family of plastic valves also features flow control for precise flow adjustment, manual shutoff and a built-in atmospheric vacuum breaker to eliminate back siphonage. Available in electric and manual models, these valves also feature a flow range from .25 to 30 GPM and a pressure range from 10 to 150 psi.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
317550	1	20	3/4"	2711-APR	090258044239
317551	1	20	1"	2713-APR	090258044253

In-Line Automatic Globe Valves

It has a flow rate of .25 - 30 GPM. It has a pressure rating of 10 - 150 PSI. This valve comes with flow control.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
317560	1	20	1" SLIP CONNECTION	2400SF	090258044031
317561	1	20	1" THREADED CONNECTION	2400TF	090258044055

Pop-Up Sprinklers

Orbit®

300 Series - 2"

2 in. spring-loaded pop-up sprinkler head, with its standard plastic cap and long lasting, durable construction, offers convenience, ease and value. For medium size yards - Spaced 10-ft to 15-ft apart. Replaces all major brands.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316658	1	35	QUARTER PATTERN	54324	046878543249
316659	1	35	HALF PATTERN	54325	046878543256
316661	1	35	FULL PATTERN	54326	046878543263

300 Series - 4"

4 in. spring-loaded pop-up sprinkler head, with its standard plastic cap and long lasting, durable construction, offers convenience, ease and value. For medium size yards - Spaced 10-ft to 15-ft apart. Replaces all major brands.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316665	1	32	QUARTER PATTERN	54344	046878543447
316666	1	32	HALF PATTERN	54345	046878543454
316667	1	32	FULL PATTERN	54346	046878543461

400 Series - 4"

4" Adjustable Pop-Up Spray. Adjustable, short distance spray heads to conform to special spacing needs. Professional grade construction with solid top cover. Adjustable from 25 to 360 degrees. 1/2" Inlet.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
312208	1	15	4-FT	54580	046878545809
312209	1	25	8-FT	54581	046878545816
312210	1	25	12-FT	54583	046878545830

Orbit® (Continued)

Twin Spray™ Sprinklers

Spray Distance 10-15 ft. Solid Brass 12-ft. Nozzle with flow adjustment. Twin Spray brass nozzle combines full spray with under spray for even distribution of water. Water Saver. 1/2" Inlet.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316636▲	1	50	2" SPRING POP-UP-QUARTER	54241	046878542419
316637▲	1	50	2" SPRING POP-UP-HALF	54242	046878542426
316638▲	1	50	2" SPRING POP-UP-FULL	54243	046878542433
316640▲	1	35	4" SPRING POP-UP-FULL	54223	046878542235
316641	1	35	4" SPRING POP-UP-HALF	54222	046878542228
316642	1	35	4" SPRING POP-UP-QUARTER	54221	046878542211

Spring-Loaded Pop-Up Sprinklers – Adj. Nozzle

For medium size yards and areas with shrubs - Spaced 10-15-ft. apart. Adjustable Pattern Spray 25° to 360°. Plastic nozzle with flow adjustment. Heavy-Duty stainless steel spring assures complete sprinkler retraction. Side inlet.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316668	1	15	6" SPRING POP-UP	54100	046878541009
316669	1	15	12" SPRING POP-UP	54101	046878541016

Flush Plastic Sprinkler Head With Plastic Nozzle

Plastic sprinkler head mounts flush with the ground. You can easily adjust the spray distance from 10-ft. to 15-ft. using the brass flow adjustment screw.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316672▲	1	25	FULL	54005D	046875400576
316673	1	25	HALF	54006D	046878540064
316674	1	25	QUARTER	54007D	046878540071

Hard Top® Spring Loaded Pop-Up Sprinkler

Ideal for sprinklers bordering sidewalks, driveways or high traffic areas. The Hard Top® protects the sprinkler where frequent contact with tires and lawn equipment are common. The sprinkler head sprays a 10-ft. to 15-ft. radius. Easily adjustable from 25 to 360 degrees



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316683	1	25	2" WITH ADJUSTABLE NOZZLE	54115	046878541153
316686	1	35	4" WITH ADJUSTABLE NOZZLE	54118	046878541184

Brass Pop-Up Sprinkler

Ideal for smaller-sized yards with shallow irrigation system. 1-3/4" pop-up height. Brass pop-up with brass insert nozzle. Nozzle has an adjustable-flow screw and sprays a distance of 10-ft. to 15-ft. radius.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316750▲	1	25	QUART	54072	046878540729
316752▲	1	25	HALF	54071	046878540712
316758▲	1	25	FULL	54070	046878540705

Plastic Pop-Up Sprinkler with Brass Nozzle

Ideal for smaller-sized yards with shallow irrigation system. With 1-3/4" pop-up height. The brass nozzle has an adjustable-flow screw and sprays a distance of 10-ft. to 15-ft. radius.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316760▲	1	50	QUART	54029	046878540293
316762▲	1	50	HALF	54028	046878540286
316768▲	1	50	FULL	54027	046878540279

Toro® 570 Pro Series - 3"



Ideal for medium sized lawns. This pop-up sprinkler head features a 1/2 in. female NPT inlet. Operates at pressures as low as 15 psi. Spray Distance: 12 Ft. to 15 Ft. Includes Matched Participation Nozzle for uniform water distribution. Ratcheting riser and adjustment screw allows for fine tuning of pattern placement and radius after installation.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
325034▲	1	15	QUARTER	53815	021038538150
325035▲	1	15	HALF	53816	021038538167
325036▲	1	15	FULL	53817	021038538174

570 Pro Series - Body Only



570 Series body only is compatible with Toro 570 fixed-spray and specialty-patterned nozzles (sold separately). The sprinkler can cover an area of up to 15 sq. ft. Ideal for small lawn and shrub areas.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
326005▲	1	15	2" BODY ONLY	53819	021038538198
326007▲	1	15	3" BODY ONLY	53820	021038538204
326008▲	1	15	4" BODY ONLY	53821	021038538211
326010▲	1	12	6" BODY ONLY	53822	021038538228

Rain Bird®



1800® Series - 4" Dual Spray

Spray distance from 8-ft. to 15-ft. Pressure-activated co-molded wiper seal prevents leakage and clogging. Reliable, low-pressure operation. Installed Dual Spray Nozzles allows equal amount of watering. 1/2" Inlet.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331821	1	25	QUARTER	1804QDS	077985020415
331822	1	25	HALF	1804HDS	077985020392
331823	1	25	FULL	1804FDS	077985020385

Spray head sprinkler with High-Efficiency Variable Arc Nozzle (0-360°). It is up to 40% more efficient than other adjustable nozzles.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331824	1	18	Variable Arc	1804HEVN15	077985037857

1800® Series - Body Only



Pressure-activated co-molded wiper seal prevents leakage and clogging. Heavy-duty stainless steel spring assures continuous flush retraction. Reliable, low-pressure operation. Spray Nozzle not included. 1/2" Inlet. Exposed surface diameter: 2-1/4".

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331548	1	36	2" POP-UP HEIGHT	1802LN	077985186203
331520	1	36	3" POP-UP HEIGHT	1803LN	077985186302
331547	1	36	4" POP-UP HEIGHT	1804LN	077985186401

Sure-Pop® 600 Series - 4"



Spray distance: 11-ft. to 15-ft. Top adjustment screw allows reduction of watering spray up to 25%. Reliable, low-pressure operation. Installed MRP Nozzles allows equal amount of watering. 1/2" Inlet.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331642	1	27	QUARTER	SP40QS	077985193027
331644	1	27	HALF	SP40HS	077985193010
331648	1	27	FULL	SP40FS	077985193003
331649	1	27	ADJUSTABLE ARC	SP40APS	077985295103

Pop-Up Sprinklers and Gear Driven Rotors



Rain Bird® (Continued) Sure-Pop® 600 Series - 2-1/2"

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331662	1	24	QUARTER	SP25QS	077985190125
331664	1	24	HALF	SP25HS	077985190118
331668	1	24	FULL	SP25FS	077985190101
331669	1	24	ADJUSTABLE ARC	SP25APS	077985192006

With adjustable 3-ft. x 20-ft. or 4-ft x 30-ft spray distance.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331670	1	12	CENTER STRIP	SP25CSTS	077985190132

Gear Drive Rotors



Orbit® Voyager II Gear Drive Rotor

Ideal for watering medium to large areas; with coverage from 25-ft. to 52-ft. radius in a part to full circle spray pattern. Voyager gear drive rotor ensures even and complete water coverage as well as quiet spray. Simple adjustments on the top of the head allow for full or part circle watering; adjustable from 40 to 360 degrees. This head will pop-up 4" and has a removable filter to resist clogging.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316631	1	12	VOYAGER II PRO GEAR DRIVE	55662	046878556621



Saturn III Pop Up Gear Drive Rotor

Ideal for medium area coverage with easy-to-adjust coverage radius of 15 ft. to 25 ft. and from 40-360 degrees. Saturn Drive Rotor ensures even and complete water coverage as well as a quiet spray. The large removable filter resists clogging and is simple to clean. Has a 4" pop-up height and uses a 1/2" FNPT connection.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316632	1	24	SATURN III GEAR DRIVE	55069	046878550698



Titan Shrub Gear Drive Sprinkler

Ideal watering solution for areas with tall plant growth. This above ground gear drive can be attached to a sprinkler riser to water above the shrub or flower line. Use a flat head screwdriver to adjust the smooth rotating spray. With a variable spray area of from 15 ft. to 30 ft., and spray radius of from 40 to 360 degrees.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316689	1	12	ADJUSTABLE PATTERN	55045	046878550452



Irritrol® 430R Einlass Gear Driven Rotor

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
325055	1	25	1/2" INLET W/4" POP-UP	430R	090258049579



Rain Bird® 12SA Rotary Sprinklers

Mini rotor sprinkler for small and medium size yards. Ideal for "creeping" grasses, sandy soil and other harsh surroundings. Multiple rotating streams distribute water uniform. Can be installed in the same zone as large rotors. 4" Pop-up height.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
330606	1	20	FULL	12SA-F	077985007676
330607	1	20	HALF	12SA-H	077985007652
330608	1	20	QUARTER	12SA-Q	077985007669

Gear Drive Rotors and Impact Sprinklers

Rain Bird® (Continued)

22SA Rotary Sprinklers

Ideal for "creeping" grasses, sandy soil and other harsh surroundings. Multiple rotating streams distribute water uniform. Can be installed in the same zone as large rotors. 4" Pop-up height.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
330600	1	20	QUARTER	22SA-Q	077985004798
330602	1	20	HALF	22SA-H	077985004781
330604	1	20	FULL	22SA-F	077985004774
331549	1	20	ADJUSTABLE	22SA-RVAN	077985033439

32SA Simple Gear Drive Rotor Sprinkler

Reversing full and part circle rotation from 40° to 360° arc adjustment. Dual action, positive stop wiper seal protects internals from debris and assures positive pop-up and retraction. 1/2" inlet gear drive rotor. 4" Pop-up height.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
330710	1	24	ADJUSTABLE	32SA	077985000417

42SA Gear Drive Rotor Sprinkler

Reversing full and part circle rotation from 40° to 360° arc adjustment. Heavy-duty stainless steel retract spring assures positive pop-down. 3/4" inlet gear drive rotor. 4" Pop-up height.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
330711	1	28	ADJUSTABLE	42SA	077985000936

Impact Sprinklers

Orbit® Super Jet Pop-Up Impact Sprinkler

Area Coverage up to 40-ft. Diameter - full or part circle, Replaces most impact and gear stream heads, 3" pop-up height, flow-thru design- for superior dirty water performance, multiple inlets - 1/2" threaded side or bottom inlet.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316634	1	12	3" SUPER JET IMPACT POP-UP	55100	046878551008

Satellite Plastic Pop-Up Impact Sprinkler

Covers up to 80-ft. in diameter and can be adjusted from a partial to full circle. It is easy to install and works with all pop-up or gear drive sprinklers. It works with both low and high pressure systems. 1/2" threaded side inlet and 1/2" or 3/4" bottom inlet.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316635	1	9	2-1/2" PLASTIC IMPULSE POP-UP	55025	046878550254

Plastic Jet Impact Sprinkler Head

The Plastic Orbit® Jet Sprinkler Head covers areas from 20-ft. to 40-ft. radius in a partial to full circle. It is made of durable plastic with a brass-weighted anti-backsplash arm for smooth rotation. 1/2" male thread inlet.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316577	1	15	1/2" MIP	55024	046878550247

Plastic Impact Sprinkler Head

This durable impact sprinkler is ideal for watering lawns, flower beds and vegetable gardens. Fully adjustable spray pattern (from 25 to 360 degrees) and spray distance 20-ft. to 40-ft.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316710	1	24	1/2" MIP - BULK	58007N	046878580060

Impact Sprinklers and Spray Nozzles



Orbit® (Continued) Zinc Impact Sprinkler Head

The 1/2" Impact Sprinkler Head is constructed of zinc designed to water up to an 80-ft. diameter. Fully adjustable spray nozzle can be modified from a partial to full circle.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316711▲	1	24	1/2" MIP	58001N	046878580015



Rain Bird® LG-3 Impact Rotor Cannister Sprinkler

Spray Distance: 20-ft. to 41-ft. 3" pop-up. Patented, pressure-activated wiper seal assures reliable pop-up and retraction. Diffuser screw water into smaller droplets for uniform watering. 360° Full Circle or 20°-340° Part Circle. 1/2" Inlet at side or bottom.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
330712	1	12	MINI-PAW	LG-3	077985451004



Brass Impact Sprinkler Head

Spray Distance: Up to 50-ft. apart - high gallonage output. Adjustable deflector flap adjusts stream length from 20-ft. to 41-ft. radius. Diffuser screw breaks water into smaller water droplets for uniform watering. 1/2" male pipe thread connection.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
330255▲	1	7	BRASS IMPACT WITH DEFLECTOR	25PJDAC	077985318000



Plastic Impact Sprinkler Heads Plus Nozzles

High impact, heavy-duty polymer provides years of reliable watering use. Full circle (360 degree) or part circle (20 to 340 degree) coverage, with infinite pattern adjustment. 1/2" MPT connection. Spacing from 24 to 45 ft. Includes various nozzles to adjust to different sections of yard.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331521	1	7	PLASTIC IMPACT HEAD	P5R-PLUS	077985007591

Spray Nozzles



Orbit® Twin Spray™ Brass Nozzles

Adjustable flow and spray distance of 15 ft. Twin Spray nozzle for close-in water, minimizing brown pots around the head for uniform coverage. Cuts watering times, saves water and money. Great for windy areas. Water Saver.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316643	1	50	FULL	53247L	046878532472
316644	1	50	HALF	53227L	046878532274
316645	1	50	QUARTER	53217L	046878532175



Adjustable Plastic Nozzles

For use with male stem spring-loaded sprinklers or shrub heads, Fully adjustable arc from 25 degrees to 360 degrees, Basket filters included.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316647	1	35	4-FT RADIUS	53580	046878535800
316648	1	35	8-FT RADIUS	53581	046878535817
316649	1	35	12-FT RADIUS	53582	046878535831
316729	1	12	15-FT RADIUS	53584	046878535848
316731▲	1	12	18-FT RADIUS	53585	046878535855

Orbit® (Continued) Adjustable Male Threaded Sprinkler Nozzles – With Screen

Adjustable Sprinkler Nozzle features an adjustable arc ranging from 25° to 360°. This nozzle is for use with female stem spring-loaded sprinklers and shrub heads.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316733	1	15	4-FT RADIUS	53529	046878535299
316734	1	15	8-FT RADIUS	53532	046878535329
316735	1	15	12-FT RADIUS	53533	046878535336
316736	1	15	15-FT RADIUS	53534	046878535343

Toro® Variable Arc Nozzles

Toro Variable Arc Nozzles (TVAN) are designed to deliver excellent irrigation efficiency with maximum versatility. Fits any Toro 570Z Series pop-up body or shrub adapter (both sold separately) and is color-coded for easy radius identification. Adjustable watering pattern from 0°-360° to customize the exact coverage needed for each specific location. 2 pack.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
326036▲	2	10	8-FT RADIUS	53736	021038537368
326037▲	2	10	10-FT RADIUS	53735	021038537351
326038▲	2	10	12-FT RADIUS	53734	021038537344
326039▲	1	10	15-FT RADIUS	53730	021038537306

MPR Plus Spray Nozzles

The MPR Plus nozzle installs easily onto any Toro 570, 570Z or shrub body. Color-coded nozzle for easy identification of nozzle radius. Adjustment screw allows up to 25% reduction in radius and complete shut off. MPR nozzle ensures all nozzles apply water at the same rate. Pressure compensating disc allows even watering for all pressures, no misting or fogging.



12-Ft. - Brown

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
326043▲	1	20	QUARTER	53862	021038538624
326044▲	1	20	HALF	53863	021038538631
326052▲	1	20	FULL	53864	021038538648



15-Ft. - Black

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
326049▲	1	20	QUARTER	53865	021038538655
326050▲	1	20	HALF	53866	021038538662
326051▲	1	20	FULL	53867	021038538679



8-Ft. - Green

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
326056▲	1	20	QUARTER	53859	021038538594
326057▲	1	20	HALF	53860	021038538600
326058▲	1	20	FULL	53861	021038538617



5-Ft. - Red

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
326059▲	1	20	QUARTER	53856	021038538563
326066▲	1	20	HALF	53857	021038538570
326067▲	1	20	FULL	53858	021038538587



Special Patterns - Orange

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#	
326068▲	1	20	SIDE STRIP	9-FT TO 18-FT RADIUS	53870	021038538709
326069▲	1	20	CENTER STRIP	4-FT TO 30-FT RADIUS	53871	021038538716
326070▲	1	20	END STRIP	4-FT TO 15-FT RADIUS	53872	021038538723
326071▲	1	20	SIDE STRIP	4-FT TO 30-FT RADIUS	53873	021038538730

Irritrol® Pro-VAN Nozzles

Featuring an exclusive "Smart Grip" head design that requires no tools, Irritrol® Pro-VAN nozzles provide the industry's easiest 0° to 360° arc adjustment—even when wet—while ensuring precision adjustment for pinpoint coverage. No more dry spots on the lawn. No more wasted water on sidewalks or driveways. Pro-VANs are available in five radii, from 8' to 17', and each allows for up to a 25% radius reduction for even further fine tuning. Plus, because each nozzle is compatible with all Irritrol spray heads, as well as any male-threaded riser in the industry, nozzle inventory can be dramatically reduced. Additional features include a visible left-stop arrow at the top of the nozzle to ensure setting accuracy and color-coding for easy radius identification.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
325050	1	25	8' VARIABLE ARC PATTERN	PRO-VAN8	090258045397
325051	1	25	10' VARIABLE ARC PATTERN	PRO-VAN10	090258045359
325052	1	25	12' VARIABLE ARC PATTERN	PRO-VAN12	090258045366
325053	1	25	15' VARIABLE ARC PATTERN	PRO-VAN15	090258045373

Rain Bird® MPR Nozzle Series

MPR Nozzles simplify the design process by allowing sprinklers with various arcs and radii to be mixed on the same zone while maintaining even water distribution rates. They fit all Rain Bird spray heads and shrub adapters and are compatible with Orbit® and Hunter® pop-ups. MPR Spray nozzles are color-coded on the top to enhance your productivity.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331800	1	25	QUARTER 8 FT RADIUS	8QC1	077985131678
331801	1	25	HALF 8 FT RADIUS	8HC1	077985131661
331802	1	25	FULL 8 FT RADIUS	8FC	077985131654
331810	1	25	QUARTER 15 FT RADIUS	15QC1	077985471255
331811	1	25	HALF 15 FT RADIUS	15HC1	077985471231
331812	1	25	FULL 15 FT RADIUS	15FC	077985471200
331535	1	25	SIDE STRIP 4 FT-30 FT RADIUS	15SSTC1	077985471286
331536	1	25	CENTER STRIP 4 FT-30 FT RADIUS	15CSTC	077985471262
331537	1	25	END STRIP 4 FT-30 FT RADIUS	15ESTC1	077985471279

Dual Spray MPR Nozzles

Replacement nozzle, 9-ft. to 12ft. dual spray nozzles for superior close in coverage, saves water & eliminates brown spots, compatible with all Rain Bird® pop up spray head sprinklers. For use with 1800, SP40, SP25 and A17 series spray heads.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331830	1	25	QUARTER	12DSQ	077985000875
331831	1	25	HALF	12DSH	077985000868
331832	1	25	FULL	12DSF	077985000851

AP Adjustable Pattern Nozzles

AP Nozzles can be adjusted to the exact pattern of your lawn, ensuring your landscape will be precisely watered, so you don't need to worry about it. They are ideal for odd shaped corners and smaller grassy areas around sidewalks and driveways; they can also be used for watering flowerbeds or shrubs. For use with 1800, SP40, SP25 and A17 series spray heads. Adjustable watering pattern from 0°-330° to customize the exact coverage needed for each specific location.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331699	1	25	VARIABLE ARC 15-FT RADIUS	15AP	077985471194
331546	1	25	VARIABLE ARC 12-FT RADIUS	12AP	077985131548
331820	1	25	VARIABLE ARC 18-FT RADIUS	18AP	077985000813

Spray and Shrub Nozzles

Rain Bird® (Continued)

High Efficiency Variable Arc Nozzles

Patent pending Flow Control Technology delivers superior close-in watering and uniform coverage across the entire spray pattern. 0 to 360-degree adjustment.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331678	1	25	6 FT - 8 FT RADIUS	HE-VAN-08	779850372604
331677	1	25	8 FT - 10 FT RADIUS	HE-VAN-10	779850372390
331676	1	25	10 FT - 12 FT RADIUS	HE-VAN-12	779850372468
331675	1	25	12 FT - 15 FT RADIUS	HE-VAN-15	779850372536

Rotary Nozzles

Rotary Nozzles provide unsurpassed design flexibility and highly efficient water distribution from 13 to 18 feet. Rain Bird® Rotary Nozzles help reduce water waste and make it easier to design systems. Fewer zones, faster installs. Efficient water distribution. Ultimate retrofit solution.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331543	1	25	FULL	18RNF	077985007836
331544	1	25	HALF	18RNH	077985007829
331545	1	25	QUARTER	18RNO	077985007843

Shrub Nozzles

Orbit®

Plastic Shrub Nozzles

Spray Distance: 10 ft. to 15 ft. Plastic shrub nozzle. Adjustable flow and distance. 1/2" FNPT Inlet.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316690	1	50	QUARTER	54011D	046878540118
316692	1	50	HALF	54010D	046878540101
316694	1	50	FULL	54009D	046878540095
316698	1	25	CENTER STRIP	54013D	046878540132
316450	1	50	SIDE STRIP	94278	046878942783

Plastic Adjustable Shrub Nozzle

Use to water flower and shrub beds. Has an easy to adjust spray pattern, between 25 and 360 degrees and an adapter to fit on 1/2" male threaded risers. Included is a filter that prevents debris from clogging nozzle.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316737	1	25	4-FT RADIUS	54023	046878540231
316738	1	25	8-FT RADIUS	54022	046878540224
316739	1	25	12-FT RADIUS	54021	046878540217
316699	1	50	15-FT RADIUS	54020	046878540200

Adjustable Height Shrub Riser

The height on this riser can be adjusted from 16" to 30" as plants and shrubs grow. The nozzle adjusts to spray in a part to full circle and includes a water-flow adjustment screw.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316445	1	12	16"-30" WITH ADJUSTABLE NOZZLE	37330	046878373303

Plastic Shrub Adapter

Plastic shrub adaptor connects any male threaded nozzles to a 1/2 In. male threaded riser.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316740	1	20	1/2" MIP ADAPTER 2 PACK	54492	046878544925

Orbit® (Continued) Mushroom Bubbler



Ideal for watering small areas of flowers and shrubs with gentle streams of water. Full pattern mushroom bubbler with filter. Adjust from light trickle to full flow. Adjusts from 1 gpm to 6 gpm. Operating pressure is 10-60 psi. 1/2" female-threaded inlet.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316800	1	50	FULL - PLASTIC	54042	046878540422

Multi-Stream Bubbler



Ideal for watering small areas of flowers, shrubs, and trees. Flow adjusts from light trickle to full flow. 1/2" female threaded.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316801	1	25	FULL - 12 JETS	54150	046878541504
316802	1	25	HALF - 7 JETS	54151	046878541511

Toro® 570Z Pro Series - Plastic Shrub Nozzle

Spray Distance: 12-ft. - 15-ft. (F/H/O). Up to 4-ft. x 30-ft. (Strip Pattern). Matched Precipitation Rate (MPR) nozzle. Pre-installed nozzle is easily replaced with any Toro nozzle. 1/2" FNPT Inlet



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
325009▲	1	50	VARIABLE ARC	15-FT RADIUS	53731 021038537313
325010▲	1	50	QUARTER	15-FT RADIUS	53113 021038531137
325011▲	1	50	HALF	15-FT RADIUS	53114 021038531144
325012▲	1	25	FULL	15-FT RADIUS	53115 021038531151
325015▲	1	50	CENTER STRIP	4-FT TO 30-FT RADIUS	53122 021038531229
325016▲	1	50	END STRIP	4-FT TO 15-FT RADIUS	53123 021038531236
325018▲	1	50	SIDE STRIP	4-FT TO 30-FT RADIUS	53124 021038531243

570 Series Shrub Spray - Body Only



Shrub adapter for female thread nozzle. Perfect for small shrubs or beds in non-traffic areas. Installs onto 1/2" NPT riser.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
326000▲	1	50	SHRUB BODY ONLY	53299	021038532998

Flood Bubbler



Full circle pattern for slow, deep watering around trees, shrubs, and vegetable gardens. It is fully adjustable from off to 2 GPM and a 0 to 2 ft. radius. The Toro flood bubbler can be mounted on a 1/2" NPT riser for non-traffic areas

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
325005▲	1	50	FULL	53692	021038536927

Rain Bird® Adjustable Shrub Nozzle



Adjustment screw regulates distance of throw for spacing from 8 to 15 feet apart. Mounts above ground on a riser tall enough to clear shrubs and tall plantings. 1/2" female pipe connection. Adjustable watering pattern from 0°-300° to customize the exact coverage needed for each specific location.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331539▲	1	25	VARIABLE ARC 8-FT TO 15-FT RADIUS A17AP	A16911	077985171506

Marlex Elbows and PVC Lock Fittings



NDS®

Marlex Elbows

Used to make swing joints to protect sprinklers and piping from damage.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
119520	10		1/2" MALE X FEMALE	10 PER BAG	054374064229

PVC Lock Fittings

Orbit®

PVC-Lock is an easy-to-use fitting that will save you time and eliminates the need for messy (and toxic) Primer and Glue. The PVC-Lock fitting easily pushes on standard PVC pipe, where it locks in place and is ready to use; no glues, primer, clamps, tools or drying time required.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
322522	1	30	1/2" COUPLING	33776	046878337763
327527	1	30	3/4" COUPLING	34776	046878347762
327534	1	25	1" COUPLING	35676	046878356764
327541	1	20	3/4" X 1/2" REDUCING COUPLING	34779	046878347793
327536	1	20	1" X 3/4" REDUCING COUPLING	35677	046878356771
327540	1	25	3/4" X 3/4" MPT MALE ADAPTER	34778	046878347786
327519	1	25	1/2" ELBOW	33774	046878337749
327524	1	25	3/4" ELBOW	34774	046878347748
327531	1	15	1" ELBOW	35673	046878356733
327532	1	20	1/2" X 1/2" FPT ELBOW	33775	046878337756
327529	1	20	3/4" X 1/2" FPT ELBOW	34775	046878347755
327525	1	15	3/4" TEE	34770	046878347700
327538	1	20	1/2" TEE	33770	046878377707
327543	1	10	1" TEE	35672	046878356726
327520	1	20	1/2" X 1/2" FPT TEE	33772	046878337725
327528	1	20	3/4" X 3/4" FPT TEE	34772	046878347724
327535	1	15	1" X 1" X 1/2" FPT TEE	34774	046878356719
327521	1	20	1/2" CAP	33780	046878337800
327526	1	20	3/4" CAP	34780	046878347809
327533	1	20	1" CAP	35680	046878356801

Easily repair PVC pipe with connections at misaligned or odd angles with Orbit's PVC-Lock Flexible Push-On Coupling.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
327523	1	12	1/2" FLEXIBLE COUPLING	33784	046878337848
327530	1	12	3/4" FLEXIBLE COUPLING	34784	046878347847
327537	1	9	1" FLEXIBLE COUPLING	35679	046878356795

Slide Repair Fittings eliminate the need for multiple couplings for inline PVC repairs. Adjusting up to 3 inches, they work on most repairs..



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
327539	1	10	1/2" SLIDE REPAIR FITTING	33783	046878337831
327542	1	10	3/4" SLIDE REPAIR FITTING	34783	046878347830
327545	1	10	1" SLIDE REPAIR FITTING	35674	046878356740

Sprinkler Accessories & Valve Repair Parts



Orbit® (Continued)

PVC- Lock Removal Tool

This tool is designed to easily remove recently installed PVC-Lock fittings. Works on 1" and 3/4" PVC-Lock fittings.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
305011	1	10	PVC-LOCK REMOVAL TOOL SET	35809	046878358096

PVC Hose to Pipe Fittings



Orbit® Hose to Pipe Fittings

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
327560	1	25	3/4" FHT X SLIP ADAPTER	53360	046878533608
327561	1	25	3/4" MHT X SLIP ADAPTER	53361	046878533615
327563	1	15	3/4" SWIVEL FHT X FNPT ADAPTER	53363	046878533639
327564	1	15	3/4" SWIVEL FHT X MIP ADAPTER	53364	046878533646
327565	1	15	3/4" X 1/2" SWIVEL FHT X MIP ADAPTER	53365	046878533653

Valve Repair Parts



Champion® Rebuild Kits

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
313962▲	1	12	3/4" MANUAL ANTI-SIPHON REPAIR KIT	RK-30C	013789910316
313954▲	1		3/4" ANTI-SIPHON FLOAT KIT	RK-4C	013789910149
313955▲	1		1" ANTI-SIPHON FLOAT KIT	RC-5C	013789910156
313959▲	1	12	REPAIRS 3/4" AND 1" VALVES AND ACTUATORS	RK-17C	013789101707
313960▲	1	12	SOLENOID REPLACEMENT UNIT	RK-28C	013789910286

Stem repair kits for Champion® and other brands of brass sprinkler valves. Includes packing nut washer, fibre bonnet gasket and rubber seat washer.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
102806▲	6	144	FOR 3/4" VALVE STEMS	CARDED	054374006656
102810	6	144	FOR 1" VALVE STEMS	CARDED	054374006687

Lawn Genie® Replacement Solenoid

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
313976▲	1	12	FOR LAWN GENIE, RICHDEL AND RAINJET	L10000	022381100001

Fits all automatic Lawn Genie®, Rainjet®, Richdel® and Orbit® new style valves and adapters.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
102855	6	96	SOLENOID	CARDED	054374006960

Sprinkler Valve Repair Parts

SECTION 7 • PAGE 20



Rain Bird® Diaphragm Kit

Repair Kit for all 075/100-CP/075/100-CPF and DAS Valves. Kit includes a new black rubber diaphragm assembly with preinstalled diaphragm filter, 1 new solenoid filter, 6 screws, and a spare diaphragm spring.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331410	1	5	DIAPHRAGM KIT	DRKCP/CPF	077985604004



Solenoid Repair Kit

Solenoid Repair Kit for APAS/ASVF/ECV/CP/CPF valves. This solenoid is to replace the updated version solenoid that is a hexagon shape with smooth edges.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
333003	1	5	SOLENOID-HEXAGON PATTERN	SRKCP/CPF	077985999308



Filtered Drain Valve - 1/2" MPT Connection

Unique two-stage screening process prevents grit from siphoning back into pipes. Protects against freezing by automatically draining pipes when water is turned off. 1/2" MPT connection.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
333014	1	25	FILTERED DRAIN VALVE	16AFDVC1	077985403508




Superior®

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
318045	1		SOLENOID COIL	16008	054374155903
318050	1		3/4"-1" SOLENOID	16200-A	054374135622
318055	1		3/4" REPAIR KIT	17301	054374155644

Fits Superior® automatic valves and adapters.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
102897▲	6	144	BLEED SCREW	CARDED	054374137619
318060▲	1		BLEED SCREW15013-EN		



Toro® Diaphragm

Designed to help provide easy, do-it-yourself replacement for various Lawn Genie and RainJet valves, the In-Line Valve Diaphragm is made of reinforced materials. Compatible with RainJet valve models 204, 710A, 711A, 712A, RJ711 and RJ713.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
327590▲	1	5	DIAPHRAGM	L13000	022381130008

Accessories



Orbit® Sprinkler Timer Wire

High grade sprinkler valve control wire is constructed with PVC jacket for convenient direct burial. Each wire will adequately handle one solenoid valve up to a maximum of 800 Ft.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
312982▲	1	12	18 AWG 5-STRAND 50-FT	57094	046878570948
312983▲	1	6	18 AWG 5-STRAND WIRE 100-FT	57093	046878570931
312987▲	1	12	18 AWG 7-STRAND WIRE 50-FT	57092	046878570924
312988▲	1	6	18 AWG 7-STRAND 100-FT	57088	046878570887



Orbit® (Continued)

Timer Fuse

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316614	1	12	F.75 AMP TIMER FUSE - 2 PACK	57003	046878570030



Sprinkler Wire Grease Cap Kit

Grease caps seal and protect low-voltage wire connections between the solenoid and timer. Grease cap kit includes: (4) grease caps, (4) fork connectors, and (4) wire nuts.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316725	1	12	GREASE CAP KIT 4 SETS	57002	046878570023



Cobra Flexible Pipe Risers

Multi-Flex® tubing riser allows bending but resists breaking, making it a great option for placing sprinkler heads in hard-to-reach and out-of-the-way areas.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316403	1	25	1/2" X 6"	37326	046878373266
316407	1	25	1/2" X 12"	37320	046878373204
316409	1	25	1/2" X 18"	37321	046878373211



Flex Riser Fittings

Spiral barbs hand-fasten to the pipe eliminating the need for glue and clamps. For use with riser flex pipe. Made of molded high-impact plastic. For outdoor use with cold water only.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
327515	1	50	1/2" MIP X BARB ELBOW	37159	046878371590
327516	1	50	3/4" MIP X BARB ELBOW	37162	046878943605
327517	1	50	1/2" MIP X BARB ADAPTER	37160	046878943432



Flexible Riser Pipe

Riser Flex Pipe comes in many sizes to add versatility to your sprinkler system. The pipe is durable as the flexible plastic is less likely to break on impact and the spiral barbs on the fittings (sold separately) fasten to the riser flex pipe eliminating the need for glue and clamps.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316420	1	24	1/2" X 24"	37151	046878371514
316425	1		1/2" X 10-FT	37153F	046878371538



Flexible PVC Pipe

The Orbit® 37345 1/2" X 24" Flex PVC Pipe is ideal for repairs for routing pipe in hard-to-reach areas, has fewer fittings required, and fewer joints to glue to install a working sprinkler system.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316435	1	25	1/2" X 24"	37345	046878373457



Action®

Sprinkler Manifold Parts

Extra heavy-duty manifold systems that are easy to assemble/repair new or existing systems. No hassle, no leaking, worry free sprinkling system operation.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
317600	1	50	1" CAP	18000	054374130078
317605	1	25	1" SINGLE MANIFOLD W/BUTTRESS THREAD	18001	054374300785
317610	1	25	1" DOUBLE MANIFOLD W/BUTTRESS THREAD	18002	054374078523
317615	1	10	1" TRIPLE MANIFOLD W/BUTTRESS THREAD	18003	054374007851
317620	1	10	1" QUAD MANIFOLD W/BUTTRESS THREAD	18004	054374785230

SECTION 7 • PAGE 22

Action® (Continued)

Sprinkler Manifold Parts (Continued)



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
317625	1	50	1" MIPT X 1" FEM BUTTRESS	18010	054374453610
317630	1	50	1" MIPT X 1" MALE BUTTRESS	18011	054374536108
317635	1	50	1" SPG X 3/4" SLIP X FEM BUTTRESS NUT	18013	054374852307
317636	1	50	1-1/4" SPG X 1" SLIP X FEM BUTTRSS NUT	18012	054374523078
317640	1	50	1" FIPT X 1" FEMALE BUTTRESS NUT	18016	054374230785
317645	1	50	1" FEMALE BUTTRESS NUT X 1" FEMALE BUTTRESS NUT	18120	054374307852

Flexible Nipples NDS®



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
420079	1	100	1/2" X 6" TRIPLE SWING ASSEMBLY	TSE-0500-6	011651430016

Orbit®



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
420092	1	500	1/2" X 6" FLEX NIPPLE-MALE X FEMALE	FVN-0500-6F	011613165017
420096	1	500	1/2" X 6" FLEX NIPPLE-MALE X MALE	FVN-0500-6	011651316402

Valve Box Cover

An attractive alternative to the standard valve box. It is made with weather resistant materials designed to protect valves from damage due to sunlight and weather.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
329981	1		ROCK VALVE BOX COVER-SAND	53017	046878530171

Frost King® Faucet Protectors/Covers

Protects from freezing wind and chill.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
319020	1	24	FOAM OVAL FAUCET COVER - GREY	FC1	077578018157
319021	1	16	HARD PLASTIC AND FOAM	FC2	077578018140
319022	1	60	INSULATED SOCK FAUCET COVER	FC3-12	

Dura® Sprinkler Valve Boxes




STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
319006	1		6" ROUND-GREEN	61	049081801588
319092	1		6" ROUND-TAN	62	049081801625
319093	1		10" ROUND-TAN	102	049081802004
319090	1		15" X 21" X 12" JUMBO BLK BODY GREEN LID	150	049081803278
319091	1		15" X 21" X 12" JUMBO TAN BODY & LID	152	049081803414
319100	1		12" X 17" X 6" GREEN BODY & LID	121-6	049081802622
319101	1		12" X 17" X 6" TAN BODY & LID	122-6	049081802691
319200	1		12" X 17" X 12" BLACK BODY GREEN LID	120	049081802196
319201	1		12" X 17" X 12" TAN BODY & LID	122	049081802332

Sprinkler Accessories and Sprinkler Tools



NDS® Sprinkler Valve Boxes

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
319012	1	180	10" ROUND BLACK BODY GREEN LID	111BC	052063101187



Vinyl Marking Flags

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
326844	100	1000	RED		054374991471
326846	100	1000	BLUE		054374914715
326847	100	1000	GREEN		054374147441
326848	100	1000	WHITE		054374474417
326849	100	1000	YELLOW		054374744176

Sprinkler Tools



Champion® Sprinkler Control Valve Key

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
310236▲	1	25	6" SPRINKLER CONTROL VALVE KEY	30-6	013789902069



Orbit® Sprinkler Head Adjustment Key

The Sprinkler Head Wrench installs and removes insert nozzles from pop-up sprinkler heads.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
305041	1	10	ALUMINUM SPRINKLER HEAD WRENCH	53027	046878530270



16-in-1 Sprinkler Adjusting Tool

This versatile Orbit 16-in-1 Sprinkler Adjustment Tool allows you to keep a variety of sprinkler tools on hand in one convenient package. Adjust, repair or clean sprinkler heads with this tool that features 5 screwdriver bits, 2 gear drive tools, 3 different-sized stem pullers and a comfort handle for a secure grip.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
310247	1	6	16-IN-1 SPRINKLER TOOL	26099D	046878260993



Steel Sprinkler Control Valve Key

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
305009	1	10	30" LONG	53033	046878530331



Walkway Tunnel Kit

The Walkway Tunnel Kit helps you install sprinkler systems that need to go under driveways and walkways. The jet-stream nozzle connects to a hose and clears dirt from under the walkway and allows you to put sprinkler pipes in easily. For 3/4" or 1" PVC pipe.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
305010	1	6	WALKWAY TUNNEL KIT	53333N	046878533332



Sprinkler Tool Set

This tool set is perfect for maintenance and installation of your underground sprinkler system. The kit includes (1) plastic nipple extractor handle, (1) 1/2" and (1) 3/4" nipple extractor heads, (1) 1/2" to 1" PVC cutting tool, (1) sprinkler head adjustment screwdriver, and (1) roll of pipe thread seal tape.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
310246▲	1	6	SPRINKLER TOOL SET	26098	046878260986

Sprinkler Tools and Drip Irrigation

Orbit® (Continued)

Poly Pipe Ergo Cutter

Ergonomic grip for comfortable use and includes a spring handle and lock which reduces strain on your hand.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
316440	1	12	1-1/4" ERGONOMIC POLY PIPE CUTTER	26120	046878261204

Spray Head Pull Up Tool

Use the spray head pull-up tool to replace and install nozzles. Pulls up spray head sprinklers with or without installed nozzle. Use the teeth to pull up the nozzle or stem and then clamp the tool to the stem to hold the stem up while installing a new nozzle or performing maintenance.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
310250 [▲]	1	6	PULL UP TOOL	26030	046878260306

Rain Bird®

Pop-Up Impact Sprinkler Wrench & Lifting Tool

Easily clean or replace Rain Bird impact sprinkler head internal assemblies without digging. This tool was designed for use with LG-3/Mini-Paw and AG-5/Maxi-Paw sprinklers. Lift the cap using the flat tipped handle. Unscrew and lift the sprinkler mechanism using the lower hex wrench



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331531	1	4	IMPACT POP-UP WRENCH	420644TLWR	077985418663

Drip Irrigation Accessories

DIG®

Back-Flow Preventer

3/4" FHT Inlet. 3/4" MHT Outlet. For faucet installation only; Do not install on main line. Operating pressure up to 100 psi. and flow rate up to 8 gpm. Back-flow Preventer to help prevent irrigation water from entering the main water supply.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315422	1	24	3/4" FHT X MHT BULK	D45	013158004455

Preset Pressure Regulator

Hose and pipe thread preset pressure regulators are used to reduce and regulate the incoming pressure of the household's water entering a drip irrigation or micro sprinkler system to preset pressure of 25 PSI. Operating pressure up to 100 psi and flow rate up to 10 gpm.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315423	1	24	3/4" FHT X MHT - BLACK BULK	D46	013158460008
315424	1	24	3/4" FHT X MPT - GREY BULK	D46P	013158469995

Filter Pressure Regulator

DIG's D54 two-in-one Filter/Pressure Regulator assembly combines a 155 mesh stainless steel filter with a 25 PSI pressure regulator. Operating pressure up to 120 psi and flow rate up to 6 gpm.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315427	1	3	3/4" FHT X MHT BULK	D54	013158585756

3/4" Hose Thread Screen Filter

Heavy duty filters with 155 mesh screen elements, used to protect drip irrigation systems in residential and commercial installations. Operating pressure up to 100 psi and flow rate up to 13 gpm.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315429	1	3	3/4" FHT X 3/4" MHT BULK	D57A	01315829001

Drip Irrigation Tubing

DIG®

1/4" Vinyl Micro-Tubing - Coil

Micro tubing is used in a wide range of drip irrigation applications, including as feeder lines from the 1/2 in. drip tubing to extend drip emitters or micro sprinklers to the plants, as extensions from the 4, 6, and 12-outlet drip manifolds, or as the supply line for a complete 1/4 in. drip system.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315494	1	18	1/4" X 50-FT BLACK	B38	013158380009
315495	1	12	1/4" X 100-FT BLACK	B38100B	013158389989
315496	1	12	1/4" X 100-FT BROWN	B38100	013158389996

1/2" Polyethylene Tubing - Roll

DIG's high quality 1/2" Drip Tubing with 600 ID x .700 OD is available in lengths of 50', 100', 200', 500' and 1000' and our .710 OD is available in lengths of 100' and 500'. The tubing, commonly referred to as poly tubing, blank tubing, or drip tubing, is used as the primary main lateral or the supply line into which micro tubing, drip emitters, drip line or micro sprinklers are connected to deliver water to the plant area.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315211	1	72	1/2" X 2-FT POLY TUBING - .700" OD	B30-2	013158377795
315485	1	5	1/2" X 50-FT POLY TUBING	B35	013158350002
315486	1	5	1/2" X 100-FT POLY TUBING	B36	013158360001
315489	1	4	1/2" X 200-FT POLY TUBING	B39	013158390008
315490	1	2	1/2" X 500-FT POLY TUBING	B37	013158377771

1/2" Pressure Compensating Drip Line with Emitters - Coil

DIG's Earth-line Brown PC™ Drip Line has 1-GPH pressure compensating (PC) drip emitters built into the interior wall of the tubing every 18". Operating pressure rate 10-48 psi. and flow rate of 1 gph.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315488	1	5	1/2" X 100-FT	B18100	013158995395

1/4" Porous Soaker Hose - Coil

To water flowerbeds, potted plants, containers and vegetable gardens along a line. Constructed of UV-resistant materials, this hose has a flow rate of 17 GPH per 50 ft. (0.4 GPH per ft.) Ideal for saturation of row plantings.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315214	1	12	1/4" X 50-FT	PSH50	013158290117

1/4" Tube with Emitters - Coil

1/4" Polyethylene tubing with .5 GPH emitters, Brown. Emitters are at 6" intervals and can be used up to 33' of length. For use in garden beds and around shrubs. Operating Pressure: 25 PSI



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315213	1	25	1/4" X 100-FT	SHB106	013158522263

1/4" Drip Hose - Coil

With Pre-Inserted inline Drip Emitters Every 12", Extruded Micro Tubing With Flow Labyrinth Inline Emitters Molded Into The Inside Wall Of The Micro Tubing, Built With A Large Filter Along The Cross Section Of The Dripper To Ensure That Particles On The Bottom Of The Micro Tubing Do Not Enter The Labyrinth, Trouble Free Operation, Long Life, Designed For Short Runs & For Saturation Coverage Along The Line, Can Be Extended From 1/2" Poly Tubing, 6 Outlet Adjustable Head Or The Maverick 12 Outlet Drip Head.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315498	1	10	1/4" X 50' W/EMITTERS EVERY 12" BLACK	SH50	013158522225

Drip Irrigation Tubing and Micro Sprayers



Rain Bird®

Sub-Surface Drip Emitter Tubing - Coil

For low volume above ground and subsurface applications; ideal for organic gardening - no harsh chemicals needed to protect emitters from root intrusion. The tubing has 0.9 GPH emitters spaced every 18" and can be used for both above ground and underground installation.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
332300	1	8	1/2" X 50-FT COIL	SSF70-50S	077985038274

Micro Sprayers

DIG®

Adjustable Jet Sprays

DIG's 300 series Adjustable Micro Sprayers are available with three different patterns that include full, half, and quarter circle and with adjustable flow feature of 0 to 26.1 GPH at 25 PSI. Each kit includes a 13" spike, 12" riser and Misting Head.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315590	1	15	QUARTER UP TO 10-FT RADIUS	309-1B	013158870036
315595	2	24	QUARTER UP TO 10-FT RADIUS 2-PACK	309	013158995166
315591	1	15	HALF UP TO 9-FT RADIUS	308-1B	013158870043
315594	2	24	HALF UP TO 9-FT RADIUS 2-PACK	308	013158995173
315592	1	15	FULL UP TO 21-FT RADIUS	300-1B	013158870029
315593	2	24	FULL UP TO 21-FT RADIUS 2-PACK	300	013158995197

Jet Sprays

Recommended for flower beds, ground covers, shrubs or for areas where low flow overhead irrigation is desired. Spray jet on threaded barb with a flow rate of 13.4 gph at 25 psi.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315630	10	24	QUARTER UP TO 8.5-FT RADIUS BLUE/BLACK 10-PACK	110B	013158999973
315631	10	24	HALF UP TO 6.9-FT RADIUS BLUE/BLUE 10-PACK	111B	013158999966
315632	10	24	FULL UP TO 18.4-FT RADIUS BLUE/RED 10-PACK	112B	013158999959

Jet sprays completely assembled with a 13" stake and 24" x 1/4" micro tubing with a 1/4" barb for installation flexibility.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315690	1	15	QUARTER UP TO 8.5-FT RADIUS BLUE/BLACK	110-1B	013158650003
315691	1	15	HALF UP TO 6.9-FT RADIUS BLUE/BLU	111-1B	013158650010
315692	1	15	FULL UP TO 18.4-FT RADIUS BLUE/RED	112-1B	013158650027

Micro Sprinkler on Spike

360° micro sprinklers with double frame design, completely assembled with 13" spike, 24" micro tubing, and barb. The micro sprinkler's spinner/rotor is balanced between the micro sprinkler's double frame and the nozzle, providing gentle and consistent uniformity over a wide area up to 25' in diameter.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315635	1	12	FULL 18.3 GPH @ 25 PSI	8855-1GB	013158885511

Drip Irrigation Micro Sprayers



DIG® Adjustable Sprayer on Stake

DIG's 410 Adjustable Spray Pattern Micro Sprayers incorporate a vortex mechanism that offers an unusual configuration of a large water passage, a 360° spray pattern, and an adjustable cap combined with a 6" stake and a 1/4" barb. Flow rate 0-20 gph.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315694	1	24	FULL 0-20 GPH 3-PACK	410B	013158995371



Micro Sprayer - 12 Jet

DIG's model 9950BB Twelve Jet Micro Sprayer offers 360-degree coverage with no moving parts. The 10-GPH, Twelve Jet Micro Sprayer covers up to 6.5' full circle spraying twelve jets streams at 25 PSI. Includes a threaded barb and comes in a pack of three, with two extra spray pattern inserts (for 180° in orange color and 90° in green color) included for each.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315636	3	24	FULL, HALF & QUARTER 10 GPH @ 25 PSI -3-PACK	9950BB	013158995005



Fogger / Mister

DIG's low flow, 360-degree Fogger/Mister with barbed elbow and 6" spike, is ideal for misting or watering pots and hanging baskets. Operating at a pressure range of 30 to 60 PSI, the 3-GPH fogger/mister's vortex design spins the water droplets into a fine mist, producing micro-sized droplets in a small diameter area.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315420	2	18	FOGGER/MISTER ON 1/4" BARB & 6" SPIKE-2-PACK	7790BB	013158585558

Easily position the direction of your mister with the memory-flex tubing. The tubing retains the placement and position you set and allows for complete versatility. 12" memory-flex tubing with barb connector

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315638	1	24	3 GPM MISTER W/12" MEMORY-FLEX™ TUBING-3-PK	7760F	013158775027



Fogger Mister on Barbed Elbow

This Fogger/Mister on Barbed Elbow is ideal for pots or baskets up to 24" diameter. May use with 1/2" poly tubing or 1/4" micro tubing. Produces fine mist for ferns or other mist loving plants. Can be used in upright or upside down position.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315642	1	24	1/4" ELBOW 5-PACK	7795BB	013158585664



Mister on Threaded Barb

Spraying a fine mist over a diameter of up to 7.2 feet, DIG's small droplet size (140 micron), low precipitation rate Micro Mist Sprayers are used for residential gardens, greenhouses, and nurseries to water large planter boxes, flowerbeds, or for seed germination.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315639	524FULL	5.9 GPH @ 30 PSI - 5-PACK		7750BB	013158775003



Orbit® Flexible Three-Nozzle Mist Stand

The versatility of the Flex Cobra allows for watering or misting in virtually any position or situation. Cools the surrounding area up to 20 degrees Fahrenheit. Flexible mist stand attaches to most standard garden hoses. Comes with an interchangeable, flower-shaped misting head. Includes 3 brass and stainless steel misting nozzles.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
312600▲	1	4	FLEXIBLE COBRA MIST STAND	10360	718455103602



Rain Bird® 4" Drip Irrigation Xeri-Pop Micro Spray

4" drip irrigation pop-up, fully retracts to maintain a clean uncluttered look in your landscaping. Rectangular Pattern, nozzle pattern clicks to adjust from a 2.5-ft. to 5-ft. or 4-ft. to 8-ft. spray coverage.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
332301	1	12	4" SPRAY FOR DRIP IRRIGATION	XPOPSQ-1S	077985038519

Drip Irrigation Drip Emitters

DIG®

Pressure Compensating Drip Emitters

DIG's B22 PC Drip Emitters are designed to produce a consistent flow rate over a pressure range of 10 to 45 PSI, for use in a wide range of plantings in residential landscapes. With a 1/4" barbed inlet and small nipple outlet.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315600	10	24	1 GPH - BLACK 10-PACK	B221B	013158221005
315602	10	24	2 GPH - GREEN 10-PACK	B222B	013158999720
315604	10	24	4 GPH - RED 10-PACK	B224B	013158224006

Pressure Compensating Dripper on Stake

Drip Emitter Stakes with barbed inlets and pressure compensating drip emitters designed to produce a consistent flow rate. The emitter stakes contain a diaphragm that continuously adjusts to varying water pressures.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315613	1	24	5.7" 1 GPH - BLACK 5-PACK	B301	013158585718
315614	1	24	5.7" 2 GPH - GREEN 5-PACK	B302	013158585725

Adjustable Flow Drip Emitters

DIG's 180° & 360° Adjustable Stream Drip Emitters, combined with 6" stake and 1/4" barb are designed to produce a gentle stream pattern with adjustable flow rated from 0 to 10 GPH and a diameter range from 0 to 2.7' at 30 PSI.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315605	10	24	FULL ON 1/4" BARB 10-PACK	B10B	013158088882
315627	5	24	FULL ON 1/4" BARB 5-PACK	B05B	013158881148
315607	1	24	HALF ON 1/4" BARB 10-PACK	B10C	013158270034
315606	4	24	FULL ON 6" STAKE 4-PACK	BA1B	013158881131
315693	1	24	HALF ON 6" STAKE 5-PACK	BA5C	013158004738
315608	1	24	HALF ON 6" STAKE 5-PACK	BUS5B	013158390138
315628	1	24	FULL ON 10/32" THREAD 5-PACK	BT5B	013158390145

Flag Drip Emitters

DIG's FN Flag Drip Emitters have a unique style with side barbed outlet extension for extending 1/4" micro tubing to the plant area. Easy to clean and maintain.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315624	1	24	1 GPH BLACK 5-PACK	FN1A	013158230014
315610	1	24	1 GPH - BLACK 25-PACK	FNNB	013158121213
315625	1	24	2 GPH - GREEN 5-PACK	FN2A	013158230021
315612	1	24	2 GPH - GREEN 25-PACK	FN2B	013158212126
315626	1	24	4 GPH - RED 5-PACK	FN4A	013158733331
315611	1	24	4 GPH - RED 25-PACK	FN4B	013158099994

Button Drip Emitters

Button Drip Emitters are non-pressure compensating. The flow rate depends on incoming inlet pressure. Nominal pressure for the emitters is 15 psi.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315615	5	24	0.5 GPH - BROWN 5-PACK	W2205A	013158205050
315620	12	24	0.5 GPH - BROWN 25-PACK	W2205A	013158205258
315616	5	24	1.0 GPH - BLACK 5-PACK	W221A	013158221050
315621	12	24	1.0 GPH - BLACK 25-PACK	W221A	013158221012
315617	5	24	2.0 GPH - GREEN 5-PACK	W222A	013158222057
315622	12	24	2.0 GPH - GREEN 25-PACK	W222A	013158222019

In-line Drip Emitters

Inline Button Drip Emitters provide flexibility and simplify the installation and customization of residential drip irrigation systems. 1/4" barbed inlet and outlet for installation into 1/4" micro tubing

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315609	10	24	1.0 GPH - BLK/BLK 1/4" BARB X BARB 10-PACK	WL110B	013158290032

SECTION 7 • PAGE 28

Drip Irrigation Fittings

DIG® Compression Fittings

Easily connect 1/2" poly tubing and create a strong, water tight seal without the use of glues or special tools. Ideal for repairing or expanding your drip irrigation system. Black fittings are 0.600" I.D. x 0.700" O.D.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315433	1	24	1/2" COUPLING BULK	C33	013158003335
315435	1	24	1/2" TEE BULK	C35	013158003359
315436	1	24	1/2" ELBOW BULK	C36	013158003366

Connects 1/2" poly tubing (.700 OD) to 3/4" PVC

315449	1	24	1/2" COMPRESSION X 3/4" MPT ADAPTER BULK	C30	013158019251
--------	---	----	--	-----	--------------

Complete with 60 mesh screen. Connects 3/4" MHT or garden hose to 1/4" micro tubing.

315650	1	24	3/4" MHT X 1/4" COMPRESSION ADAPTER	C37B	013158370000
--------	---	----	-------------------------------------	------	--------------

This item has a 1/2" PVC Slip x 1/2" compression poly tube with black insert. Connects 1/2" poly tubing (.690-.710) to 1/2" PVC pipe.

315441	1	24	1/2" COUPLING BULK	D48	013158480006
--------	---	----	--------------------	-----	--------------

Reducing Coupling (.700 x .620 OD) Connects DIG poly tubing to RAIN DRIP poly tubing.

315440	1	24	1/2" REDUCING COUPLING BULK	D50G	013158500025
--------	---	----	-----------------------------	------	--------------

Use the compression insert to glue to any 1/2" PVC slip coupling or tee and to connect 1/2" drip tubing with .700 OD to 1/2" PVC pipe.

315467	1	24	1/2" PVC SPIGOT X .700 INSERT 2 PACK	C31B	013158310006
--------	---	----	--------------------------------------	------	--------------

Use to close the end of 1/2" poly tubing (.700 OD) or dripline. Swivel cap comes off easily when it is time to flush the line. Connect additional 1/2" poly tubing with C34.

315474	1	24	0.7" OD COMPRESSION END CAP BULK	Q58	013158666660
--------	---	----	----------------------------------	-----	--------------

Used to periodically flush irrigation systems of dirt and other debris keeping them clog free. It is ideal to flush your system each time you install or replace drippers.

315472	1	24	0.710" OD COMPRESSION END CAP	Q60	013158666653
--------	---	----	-------------------------------	-----	--------------

Swivel Compression Fittings

1/2" swivel tee connects 3/4" MHT or garden hose to two directions of 1/2" poly tubing. With 60 mesh stainless steel screen.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315438	1	24	1/2" SWIVEL TEE WITH SCREEN BULK	C38	013158003380

Complete with 60 mesh screen. Connects your 3/4" MHT or garden hose to 1/2" poly tubing. Black collar.

315434	1	24	1/2" SWIVEL ADAPTER X 3/4" MHT W/SCREEN -BULK	C34	013158003342
--------	---	----	---	-----	--------------

Connects 1/2" poly tubing to 3/4" pipe thread. Includes washer, with screen. Grey collar.

315450	1	24	3/4" FPT SWIVEL ADAPTER X 1/2" COMP. W/SCREEN BULK	50001	013158519997
--------	---	----	--	-------	--------------

Universal Nut Lock™ Fittings for 1/2" Tubing

The Universal Nut Lock™ Drip Fittings can be used to connect two different sizes of drip tubing. For use with .600, .700, and .710 OD poly tubing. Operating Pressure: 60 PSI.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315444	1	18	1/2" COUPLING BULK	C53	013158750017
315455	1	18	1/2" TEE BULK	C55	013158750024
315456	1	18	1/2" ELBOW BULK	C56	013158750031

Drip Irrigation Fittings and Accessories

DIG® (Continued)

Drip Soaker Tape Fittings

The drip soaker tape fittings use a threaded sleeve assembly over a body with large barb for easy installation of the drip tape. Fits all brand name 5/8" or 12 to 16 mil drip tape.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315439	2	24	CONNECTOR 2-PACK	ST11B	013158110002
315445	2	24	END CLOSURE 2-PACK	ST12B	013158120001

Use to connect drip soaker tape into 1/2" poly tubing.

315446	2	24	REDUCER BARB X TAPE 2-PACK	ST13B	013158130000
--------	---	----	----------------------------	-------	--------------

Swivel adapter with 60 mesh screen filter. Use to connect drip tape to a faucet or garden hose.

315447	2	24	SWIVEL ADAPTER 3/4" FHT BULK	ST14	013158140016
--------	---	----	------------------------------	------	--------------

Male Adapter

Nipple connects 3/4" male nominal pipe thread to 3/4" male hose thread.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315425	1	24	3/4" MIP X 3/4" MHT BULK	D49	013158490005

Brown 1/2" Barbed Drip Fittings

Barb connectors is used to provide a secure connection of two pieces of 1/2 in. poly tubing or drip line.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315416	1	24	BARBED COUPLING 5 PACK	CB73-5	840620101196
315417	1	24	BARBED TEE 5 PACK	CB75-5	840620101202
315418	1	24	ELBOW 5 PACK	CB76-5	840620101219

Flat Drip Soaker Tape - Spool

0.8GPH With drip emitters every 12". Disperses water through pre-inserted drip emitters. Requires special type (ST series) fittings.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315230	1	8	100-FT	ST100R	013158100027

Self Piercing 1/4" Insert Connector for 1/2" Tubing

The self-piercing insert connector takes away the need for a hole punch. Simply put around any 1/2" irrigation tubing and squeeze the ratchet mechanism to provide a secure water tight fit. Ratcheting provides a quick and secure installation.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315458	1	24	SELF-PIERCING INSERT CONNECTOR 5-PACK	D5010	013158585817

1/4" Barb Fittings

DIG's 1/4" Barbed Drip Fittings are used in the installation of all brands of 1/4" micro tubing, 1/4" drip line, and 1/4" soaker hose. Sharp barb design for secure and tight-fit installation without glue or clamps.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315651	10	24	1/4" BARB COUPLING 10-PACK	H80A	013158830009
315652	24	48	1/4" BARB COUPLING 50-PACK	H80B	013158800002
315654	10	24	1/4" BARB TEE 10-PACK	H82A	013158840008
315655	24	48	1/4" BARB TEE 50-PACK	H82B	013158820000
315656	10	24	1/4" BARB ELBOW 10-PACK	H84B	013158842224

Drip Irrigation Spikes, Stakes and Drip Irrigation Kits



DIG®

Adjustable Flow Spike Assembly

Adjustable Flow Spike Assembly 8" spike with needle valve and 8" poly riser used to raise any spray jet or fogger above the ground. With ability to adjust the flow rates.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315412	1	15	8" SPIKE & VOLUME CONTROL WITH 8" RISER-BULK	R68	013158870012

Ray Spike

13" spike used to extend, stabilize, and hold misters, micro sprayers, or micro sprayers with 10/32 thread above the plant canopy, providing a simple solution to a spray height layout within the plant growth area.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315477	1	24	13" RAY SPIKE BULK	R66	013158669876

Tubing Stakes

Available in plastic or galvanized wire. Stakes are used to secure the 1/2" drip tubing or drip line to the ground. The 1/4" stakes are used to secure the 1/4" micro tubing, 1/4" drip line, or 1/4" soaker hose to the ground or to support the drip emitters near the plant canopy.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315480	1	24	8" FOR 1/2" TUBE GALVANIZED WIRE 10-PACK	R61B	013158999768
315481	1	48	5" FOR 1/4" TUBE GALVANIZED WIRE 10-PACK	R32B	013158330028
315673	1	24	FOR 1/4" TUBE HOLDER 20-PACK	P33B	013158330004

Holds and supports any size of micro tubing in place.

315676	10	24	6" HEAVY DUTY STABILIZER 10-PACK	P35B	013158466666
--------	----	----	----------------------------------	------	--------------

1/2" Tubing Holder. Holds and secures 1/2" poly tubing or dripline in place.

315476	1	48	5-1/4" FOR 1/2" TUBE HOLDER	R60	013158999911
--------	---	----	-----------------------------	-----	--------------

315576	1	5	5-1/4" FOR 1/2" TUBE HOLDER 10-PACK	R60-10	013158999928
--------	---	---	-------------------------------------	--------	--------------

Polyethylene Risers

The 1/4" Semi-Rigid Extension Poly Riser with 1/4" Barb is used in the installation of our micro sprayers, misters, or foggers with 10/32" thread. The poly riser can be used to extend the micro sprayers, misters, or foggers above the ground, and above the plant canopy, providing a simple solution to a spray height layout within the plant growth area..

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315674	10	24	6" RISER WITH 1/4" BARB 5-PACK	P34B	013158340003

Riser Conversion Elbow

Riser conversion elbow allows a 1/2" sprinkler riser to serve as the point of connection from the water supply to 1/2" drip tubing or to 1/4" micro tubing for a complete drip irrigation layout starting from a 1/2" riser.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315475	1	24	3/4" MHT X 1/2" FNPT ELBOW BULK	Q59	013158666677

Drip Irrigation Kits



DIG®

Raised Bed Garden Drip Irrigation Kit

For vegetable garden. Includes 50 ft. of 1/4 in. drip-line with .65 GPH flow rate from each dripper spaced at 9 in. intervals. Each emitter features 2 outlets to help prevent clogging. Includes 25 PSI pre-set pressure regulator. Kit has all the parts needed to cover up to 10 vegetables rows totaling 50 ft long.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315502	1	6	BED DRIP KIT	ML50	013158791928

Patio Drip Watering Kit

Contains 10 1-GPH pressure compensating button drip emitters to water up to 10 hanging baskets, pots or containers in or around a patio or pool area. It includes a 3/4" backflow preventer, 3/4" FHT x 1/4" compression adapter, 60' of 1/4" micro tubing.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315500	1	10	POT DRIP WATERING KIT	FM01AS	013158000112

Drip Irrigation Living Wall™ Accessories and Manifolds

DIG® Living Wall Kit Modular Vertical Garden Planting Kits



The system utilizes framed mounting brackets, which may be attached to any interior or exterior structure to transform a space into a green, growing environment. The kit also includes an integrated professional watering system to deliver controlled amounts of water into each individual pot, using pressure compensating drippers with a check valve.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315505	1	4	SMALL KIT WITH 4 POTS	GLW04	840620100403
315506	1	4	LARGE KIT WITH 8 POTS	GLW08	840620100410



Drip Expansion Accessories Pack

For an expansion of an existing Living Wall™ with five individual pots. The expansion pack uses pressure compensating drippers with a check valve to maximize efficient use of water.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315504	1	4	DRIPPER, DRIP STAKE, TUBING PKG - 5 EACH	GLW-DE5	840620100158



Modular Mounting Bracket

7" Width x .7" Depth x 4.5" Height. Designed to attach to any structure and are easily expanded by attaching additional mounting brackets that are secured to each other using a unique self-lock system.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315507	1	4	WALL MOUNTING BRACKET - BLACK	70-007	840620100403



Small & Large Pots

They are designed to be mounted onto the modular wall mounting brackets as part of a vertical garden. The planter's pots are designed with meshed screen plate with two internal supporting legs faced downward that provide root protection, providing a safe growing medium. Raised drain hole at the bottom for better water holding capability that may allow for less frequent.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315508	1	10	SMALL POT 4-3/4" W X 5 1/2" D X 6-1/2" H	70-009S	840620101134
315509	1	10	LARGE POT 6-7/4" W X 6-7/8" D X 6-1/2" H	70-010L	840620101127

Drip Irrigation Manifolds

DIG® 4-Outlet Retrofit Drip Manifold



Four-Outlet Drip Irrigation Manifolds are high flow emission device used to retrofit an existing 1/2" sprinkler riser into a four outlet drip irrigation system without altering or increasing the flow of the sprinkler system zone. The four-outlet drip irrigation manifolds with 1/2" female pipe thread are pressure compensating heads operating at a pressure range of 10-50 PSI with an even flow rate of 12 gallons per hour (GPH) per each outlet with color coded red.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315405	1	24	12 GPH - 4 OUTLETS	A4-12	013158377795

6-Outlet Adjustable Flow Drip Manifold



Adjustable Six-Outlet PC Drip Manifold is used to retrofit an existing 1/2" sprinkler riser into a six outlet drip irrigation system without altering or increasing the total flow of the sprinkler system zone. The six-outlet manifold with 1/2" female pipe thread has six independently adjustable pressure compensating outlets with flow rates between 0 and 20 GPH at operating pressures of up to 60 PSI.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315400	1	12	1/2" FNPT - 6 OUTLETS	AD6	013158377795

Drip Irrigation Manifolds and Accessories

Orbit®

Adjustable & Full Flow Manifolds

These versatile manifolds include the following features: 1. Manual flow control which regulates all outlets. 2. Threaded outlet caps if not all ports are in use. 3. An easy access filter to prevent clogging. 1/4" barbed ports with threaded caps. Attaches to a 1/2" threaded riser.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
327605	1	20	4-PORT ADJUSTABLE FLOW	67005	046878670051
327635	1	20	8-PORT ADJUSTABLE FLOW	67000	046878670006
327606	1	30	4-PORT FULL FLOW	67025	046878670259
327626	1	20	2-PORT FULL FLOW	67030	046878670358

4 Port Adapter Manifold

4 capped ports with 1/2" FIP screened Inlet. 1/2" MIP top outlet allows you to also use your existing shrub head.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
327632	1	20	QUAD MANIFOLD ADAPTER	67060	046878670600

Accessories

DIG®

Clamps

C-Clamps with attached nails are used to hold micro tubing and drip tubing to a wooden surface or wall structure.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315670	1	24	1/2" 5-PACK	D47B	013158470007

Hose End Closures

The Figure "8" Hose End is used in the layout and installation of a drip irrigation system to close the end of the drip tubing or drip line and allow easy flushing of the system. Closes the end of 1/2" poly tubing (.690 -.704 OD).



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315671	5	24	FIGURE "8" HOSE ENDS 5-PACK	F68B	013158680000

Goof Plugs

Goof Plug is a barbed plug with two different sized ends, used to plug holes on the drip line or drip tubing, or to close the end of 1/4" micro tubing, 1/4" soaker hose, laser drilled soaker line, or 1/4" in. drip line, in the installation of a micro irrigation system.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315672	20	24	GOOF PLUGS 20-PACK	G79B	013158790006

Barbed Shut Off Valves

Use for on/off and flow adjustment for 1/4" micro tubing, micro line, or group of drippers, or 1/2" drip tubing and drip line.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315667	1	12	1/2" BXB SHUT OFF VALVE	D32B	013158358213
315668	2	24	1/4" BXB IN LINE VALVE 2-PACK	D33A	013158389880

Orbit®

Pro Series Drip Hose Punch Gun

Use to punch holes in 1/2 in. poly tubing when connecting 1/4 in. fittings or drippers to the main line. Comes with durable, comfortable handles. Great for installation of your drip irrigation systems. For outdoor use and cold water only.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
305043	1	10	DRIP PUNCH GUN	67757	046878677579

Drip Irrigation Accessories and Retrofit Products

DIG®

Tubing Cutter, Punch & Insertion Tool

This 3-IN-1 drip tubing cutter, punch and insertion tool incorporates a number of features to simplify the installation and maintenance of drip irrigation systems for home gardeners and professional landscapers. This one handy tool can do it all. The 3 main features of the tool are a tubing cutter, a 3 mm hole punch and the dripper/barb holders that allow for easy insertion of 1/4" barbs or drippers into 1/2" or 1/4" tubing.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315462	1	6	TUBING CUTTER	PNC-CUT	840620100199

Hole Punches

Punches holes in 1/2" tubing for insertion of 1/4" barb fittings.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315464	1	24	HOLE PUNCH BULK	D44	013158004448

Easily punch holes in 1/2" poly tubing when connecting 1/4" micro tubing or drippers to the main line.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315465	1	6	DELUXE HOLE PUNCH BULK	16-035R	013158160359

Retrofit Products

DIG®

DIG's retrofit systems are designed to easily convert sprinkler risers to efficient, water saving drip irrigation systems. All of DIG's Retrofit drip heads are designed to convert any 1/2" riser, allowing them to operate at the original sprinkler system's operating pressure.

Sprinkler Riser to 10/32" Thread

Converts a 1/2" sprinkler riser to a micro sprayer, fogger or spray jet with 10/32" thread to a 1/2" riser.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315468	1	48	INLET 1/2" FNPT RISER ADAPTER BULK	R70	013158870111

Polyethylene Riser on 1/2" MNPT

Polyethylene riser assembly allows you to raise any micro sprayer with 10/32" thread above the ground. The riser assembly can be used to retrofit any 1/2" FNPT outlet.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315469	1	24	8" RISER ON 1/2" MNPT BULK	R73	013158885634

Sprinkler Riser Conversion Kit

To convert a 1/2 in. sprinkler riser into a low flow drip irrigation zone. The DSR includes a 1/2 in. conversion adapter, a 25 psi preset pressure regulator, and a 0.700 O.D. swivel tee.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315451	1	8	SPRINKLER RISER TO DRIP KIT	DSR	840620100281

1/2" Riser Adapter With 1/4" Barbed Side Elbow

The R67 1/2" FNPT x MNPT Riser Adapter with 1/4 in. barbed side elbow outlet allows incorporation of 1/4" micro tubing with drip fittings into an existing 1/2" sprinkler riser, while still allowing full use of the sprinkler head.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315478	1	24	1/2" FNPT X 1/2" MNPT ELBOW WITH 1/4" BARB -BULK	R67	013158844174

Rain Bird®

Retrofit Pressure Regulator for 1/2" Threaded Riser

Easily converts a 1/2" riser or existing shrub spray to low volume drip watering system. Provides 30 psi pressure regulation for best performance of micro-watering devices. Designed for use with free flow drip irrigation manifolds.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
331330	1	10	PRESSURE REGULATING RISER 30 PSI	PRS05030SM	779850409188

Misting Components Hose End Irrigation - Nozzles



DIG® Misting Fittings

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315442	1	24	3/8" LINE CONNECTOR	OB17	013158611318
315443	1	24	3/8" ADAPTER WITH 60 MESH SCREEN	OB15	013158611288
315457	1	24	3/8" ELBOW	OB22	013158611387
315473	1	24	3/8" END CLOSURE	OB18	013158611325



Flexible Misting Line

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315515	1	8	3/8" X 50-FT TAN POLY TUBING COIL	OB07	013158611196



Mist Nozzle on Barb

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315640	1	24	0.75 GPH - PURPLE (5 PACK)	OB02	013158611141



C-Clamps for Misting Line

Secures 3/8" misting line to structure.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315666	1	24	3/8" C-CLAMPS (10-PACK)	OB10	013158611226



Ocean Breeze Large Misting Kit

DIG's Large Evaporative Mist Cooling Kit is ideal for use through the hot summer months to cool patios, pool sides, mobile home yards, gazebos, and campsites, as well as greenhouses, nurseries and outdoor work areas. The Ocean Breeze® Large Evaporative Mist Cooling Kit can reduce the air temperature by up to 20 degrees; the hotter and drier the air, the more noticeable the cooling effect. The kit contains 50 ft. of 3/8" beige poly pipe, ten .8-GPH foggers, and all the components needed to install the system.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
315511	1	6	LARGE MISTING KIT	BC380	013158611110

Hose End Irrigation - Nozzles



Orbit® Sweeper Nozzles

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
334105 [▲]	1	12	BRASS SWEEPER NOZZLE	58040N	046878580404
334117	1	12	ZINC SWEEPER NOZZLE WITH SHUT-OFF	58361N	046878583610



Adjustable Spray Nozzles

This nozzle adjusts from a fine mist to a heavy jet stream and is great for watering delicate plants or cleaning patios, driveways, and siding.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
334118 [▲]	1	12	5" FULL SIZE BRASS NOZZLE	58237N	046878582378
334120 [▲]	1	12	4" BRASS NOZZLE	58044N	046878580442



Fire Hose Nozzles

The spray easily adjusts from a tight forceful stream to power away dirt & debris to a wide spray for tackling large areas.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
334145	1	6	FIRE HOSE NOZZLE	56385	046878563858
334146	1	6	MINI FIRE HOSE NOZZLE	56363	046878563636

Hose End Irrigation Nozzles, Pistols & Stationary Sprinklers

Orbit®

Hose End Nozzle with Coiled Hose



STOCK#	PACK	CASE	DESCRIPTION	UPC#
334182▲	1	3	7 PATTERN NOZZLE W/25' GREEN HOSE	27862 046878278622

Wands



STOCK#	PACK	CASE	DESCRIPTION	UPC#
18" 9 pattern nozzle with trigger handle. Multicolor wand.				
334201▲	1	6	18"	58302N 046878583023
36" 9 pattern nozzle with lever shut-off.				
334200	1	12	36"	58290N 046878582903
33" gentle-rain wand with shut-off.				
334202	1	12	33" BLACK FIXED NOZZLE	56098 046878560987

Adjustable Pistols



STOCK#	PACK	CASE	DESCRIPTION	UPC#
334140▲	1	12	ZINC DELUXE PISTOL	58094N 046878580947
334183▲	1	12	FRONT TRIGGER PISTOL - COPPER TIP	56254 046878562547
334159▲	1	24	BRASS TIP PISTOL	58235D 046878582354
334155	1	12	ULTRA LIGHT PISTOL	58340N 046878583405
334185▲	1	12	CONT. HOT/COLD WATER PISTOL-RUBBER GRIP	56053N 046878560536
334186▲	1	6	CONT. COLD WATER ONLY D-GRIP PISTOL	58984 046878584841
334184	1	12	REAR TRIGGER PLASTIC	58057 046878580572

Turret Pistols



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
334152	1	12	7 PATTERN ZINC PISTOL	58230N	046878582309
334153	1	16	7 PATTERN PLASTIC PISTOL	58228N	046878582286
334157▲	1	12	7 PATTERN ZINC COMPACT PISTOL	58329N	046878583290
334158	1	12	7 PATTERN FRONT TRIGGER GALVANIZED PISTOL	56252	046878562523
334162	1	12	10 PATTERN ULTRA LIGHT PISTOL	58339N	046878583399

Plastic Fan Spray

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
334166	1	12	FAN SPRAY WITH SHUT OFF AND SPIKE-PLASTIC	58048N	046878580480

Stationary Sprinklers

Orbit®

Cyclone II Professional Sprinkler



The Orbit Cyclone II Rotating Sprinkler is ideal for watering small to medium sized areas. The sprinkler sprays up to 40-foot diameter, covering up to 1,250 square feet with a gentle, rain-like spray. Made from corrosion-resistant material with a coated finish, this sprinkler will last season after season. A hole in the base allows you to add stability with the use of a stake (sold separately). The swivel connection makes for easy hose attachment. Connect multiple sprinklers together to increase the coverage area.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
329941▲	1	6	CYCLONE SPRINKLER	58333N	046878583337

Hose End Irrigation Sprinklers and Hose Repair



Orbit® (Continued) Small Area Sprinklers

Designed for spot watering, the Orbit Zinc Twin Circle Sprinkler covers up to 30 feet in diameter. Easy to install and operate, this yard sprinkler connects to a standard garden hose, and is ideal for watering small areas. This product works well on high or low pressure, and evenly distributes a lot of water to keep your grass green and healthy.


STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
329942	1	8	TWIN CIRCLE SPRAY SPRINKLER - ZINC	58020N	046878580206
329943	1	8	RECTANGULAR SPRAY SPRINKLER - ZINC	58023N	046878580237

Plastic Impact Sprinkler

The Orbit Plastic Impact Sprinkler on Zinc Spike is ideal for watering large areas. Designed for dependability, impact heads have an uninterrupted water flow that are clog-resistant, even when used with dirty or reclaimed water from ponds and canals. Attached to a zinc spike, this sprinkler sprays up to a 90-foot diameter. Easily adjust the coverage from a partial section to a full circle. Features a deflector shield for distance adjustment, and an anti-backsplash arm to aid in spray pattern and area coverage. A simple twist of the diffuser screw breaks up the water stream, creating larger or smaller water droplets. The flow-through outlet allows you to connect multiple sprinklers to expand your watering areas depending on water pressure.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
329947	1	8	PLASTIC IMPACT ON ZINC SPIKE	58017N	046878580176

Hose End Irrigation Hose Repair



Orbit® Clincher Menders

For repairing any standard 5/8" water hose, this clincher mender is one garden hose repair part you must have for repairing broken garden water hoses. Use with rubber or plastic garden water hoses.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
334213 [▲]	1	20	5/8" BARB X 3/4" MHT	58070N	046878580701
334223 [▲]	1	20	5/8" BARB X 3/4" FHT	58073N	046878580732



Zinc Hose Menders

These menders are designed to replace the attachment end of a standard garden hose. Heavy-duty cast metal construction protects against corrosion and extends hose life. Unique tapered design allows for easy installment with minimal effort.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
334234	1	20	5/8" X 3/4" MALE	56647	046878566477
334235	1	20	5/8" X 3/4" FEMALE	56648	046878566484
334236	1	20	5/8"	56649	046878566491



Plastic Hose Menders

Repair damaged or leaking hose with this durable plastic hose mender. Extends the life of your hose. Non-corrosive plastic construction. For outdoor use with cold water only.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
334250	1	20	1/2"	58152N	046878581524
334253	1	20	5/8" & 3/4"	58104N	046878581043

Hose End Irrigation Hose Repair and Accessories



Orbit® (Continued)

Plastic Hose Menders (Continued)

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
334260	1	20	1/2" MALE	58150N	046878581500
334263	1	20	5/8" & 3/4" MALE	58102N	046878581029
334270	1	20	1/2" FEMALE	58151N	046878581517
334273	1	20	5/8" & 3/4" FEMALE	58103N	046878581036

Brass Shank Hose Menders

Heavy brass construction with barb and gear stainless steel clamp attachment.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
358720▲	1	20	5/8" MALE	58113N	046878581135
358730▲	1	15	3/4" MALE	58141N	046878581418
358721▲	1	20	5/8" FEMALE	58114N	046878581142
358731▲	1	15	3/4" FEMALE	58142N	046878581425
358722▲	1	20	5/8"	58115N	046878581159
358732▲	1	15	3/4"	58143N	046878581432

Hose End Irrigation-Accessories



Hose Washers - Rubber

STOCK#	PACK	CASE	DESCRIPTION	UPC#
100220	6	144	REGULAR DUTY W-225 - 10 PER CARD	054374001774



Hose Washers - Cloth Inserted Rubber

STOCK#	PACK	CASE	DESCRIPTION	UPC#
100221	6	144	HEAVY DUTY W-227 - 4 PER CARD	054374001781
304227	50	600	HEAVY DUTY W-227 - 50 PER BOX	054374089727



Screened Washer

Traps scale, sand and other debris to protect costly washing machines, dishwashers, lawn sprinklers, etc.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
100222	6	144	HOSE WASHERS WITH SCREEN-2 PER CARD	054374001798



Brass Hose Swivel

Washers included.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
102811▲	6	144	3/4" FEMALE HOSE X 3/4" FEMALE		054374006694
102812▲	6	144	3/4" FEMALE HOSE X 1/2" MALE PIPE ADAPTER		054374006700
102818▲	6	144	3/4" FEMALE HOSE X 3/4" FEMALE ADAPTER		054374006755
102819▲	6	144	3/4" FEMALE HOSE X 1/2" FEMALE ADAPTER		054374006762
127177▲	12	144	3/4" FEMALE HOSE X 3/8" BARB - BAGGED	S-5	054374309535

Brass Hose Adapter

STOCK#	PACK	CASE	DESCRIPTION	UPC#
102813▲	6	144	3/4" MALE HOSE X 3/4" MALE HOSE	054374006717
102816▲	6	144	3/4" MALE HOSE X 1/2" MALE PIPE	054374006748
102814▲	6	144	3/4" MALE HOSE X 3/4" MALE PIPE AND 1/2" FEMALE PIPE	054374006724
102815▲	6	144	3/4" FEMALE HOSE X 3/4" MALE PIPE AND 1/2" FEMALE PIPE	054374006731
102817▲	6	144	3/4" MALE HOSE X 3/4" FEMALE PIPE	054374106295

Hose End Irrigation Accessories and Timers

3/4" Hose Cap

Washer Included.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
102820▲	6	144	3/4" FEMALE HOSE BRASS		054374006779
102830▲	6	144	3/4" FEMALE HOSE PLASTIC		054374061570

Hose Shut-Offs

Wye connects two hoses to one faucet. Convenient wye shut-off levers control flow to each hose.

Includes washer.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
102834▲	6	72	3/4" MHT X 3/4" MHT X 3/4" FHT PLASTIC- CARDED		054374006861
102839▲	6	72	3/4" MHT X 3/4" MHT X 3/4" FHT BRASS-CARDED		054374126521
102843▲	6	72	3/4" MHT X 3/4" MHT X 3/4" FHT METAL-CARDED		054374126545

Brass shut-off connects hose to faucet. Convenient brass shut-off lever control flow to hose. Includes washer.



102838▲	6	72	3/4" MALE HOSE X 3/4" FEMALE HOSE BRASS	CARDED	054374126514
112838▲	6	72	3/4" MALE HOSE X 3/4" FEMALE HOSE BRASS	BAGGED	054374554027
334313▲	1	125	3/4" MALE HOSE X 3/4" MALE HOSE BRASS	BULK	054374123339

Hose Bibb Vacuum Breaker

Solid brass. Attaches to hose bibb with a breakaway screw. Required by code in some areas. IAPMO approved.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
102835▲	6	144	3/4" FHT X 3/4" MHT		054374006878

Orbit®

Brass Hose Faucet Manifold

Ideal for up to 4 hose faucet hose connection. Solid brass construction. Includes mounting bracket for greater stability.



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
329940▲	1	6	4-WAY WITH SHUT OFFS - BRASS	62010N	046878620100

Hose Shut-Offs



STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
334300	1	12	PLASTIC SHUT-OFF COUPLING	58086N	046878580862
334310	1	10	ZINC HOSE WYE WITH SHUT OFFS	58061N	046878580619
334302▲	1	12	BRASS GOOSENECK COUPLING	58553N	046878585539
334312▲	1	35	BRASS HOSE WYE WITH SHUT-OFFS - BULK	58249	046878582491

Hose End Irrigation Timers

DIG®

Digital Solar Powered Hose End Timer



EVO 100i is a Hose End Timer with a 3/4" female thread inlet and male thread outlet and fueled by the surrounding ambient light (solar). After being charged, this efficient energy system provides enough power for the timer to function at any time, night or day, and in any weather with no direct sunlight or batteries required. Run times from 1 minute up to 6 hour. 5 start times can be used a specific days of week, odd or even. Simple start programming.

STOCK#	PACK	CASE	DESCRIPTION	MFG#	UPC#
317419	1	4	SOLAR HOSE END TIMER	EVO100	840620100038

Hose End Irrigation Timers



DIG® (Continued) Digital Battery Operated

Up to 4 start times per day. 1 minute to 12 hours. Rain off button. Manual override. Low battery indicator.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
317421	1	4	DIGITAL HOSE END TIMER	BO9D 013158332978



Manual Battery Operated

Cyclical programming, once every 2 hours to 7 days. Tun times of 2 min. to 120 min. Manual override.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
317422	1	4	ANALOG HOSE END TIMER	BO92A 013158332985



Orbit® Mechanical Operated

The timer works just like an egg timer. Twist the dial to the desired watering duration up to 120 minutes and the timer will turn itself off. The mechanical operation requires no batteries and makes this one of the easiest and quickest timers to use. It has a large dial with both timed watering and manual watering options. Timed watering can be set from 15 to 120 minutes.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
329904	1	4	MECHANICAL HOSE END TIMER	62034 046878620346



Single Dial Hose Timer

This Orbit 62024 Single-Dial Hose Watering Digital Timer is an automatic timer will allow you to water without worry. The Oversized Dial allows manual selection for every day, every other day and every 3rd day watering. The Automatic Settings gives you 16 watering duration options from 2 to 90 minutes. It easily installs to any standard hose or faucet.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
329920 [▲]	1	6	SINGLE DIAL TIMER	62024 046878620247



Manual Battery Operated

One dial allows complete timer control functionality. Cycles easily from set clock, set watering time, how often, how long, then run program. A rain delay is built into the run program function. A manual button allows to keep programming dial allow manual watering.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
329911	1	4	SINGLE DIAL HOSE END TIMER	62061N 046878620612



Digital Battery Operated

Easy to set and use. Large easy to read display. Intervals from every 6 hours to every 7 days. Rain delay of 24, 48, or 72 hours. Manual watering without interrupting programming.

STOCK#	PACK	CASE	DESCRIPTION	UPC#
329912	1	4	DIGITAL HOSE END TIMER	58910 046878589100

SECTION 7 • PAGE 40

Proposition 65 Warnings

Below is a listing of all items that come with a Proposition 65 Warning. All eligible items are in numerical order.

STOCK#	WARNING	CHEMICAL
10222	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	CARBON BLACK; DIISONONYL PHTHALATE (DINP); LEAD AND LEAD COMPOUNDS; NICKEL (METALLIC)
102608	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD AND LEAD COMPOUNDS; NICKEL (METALLIC)
102700	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD AND LEAD COMPOUNDS; NICKEL (METALLIC)
102701	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD AND LEAD COMPOUNDS; NICKEL (METALLIC)
102702	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD AND LEAD COMPOUNDS; NICKEL (METALLIC)
102704	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD AND LEAD COMPOUNDS; NICKEL (METALLIC)
102705	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	NICKEL (METALLIC)
102806	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	CARBON BLACK; LEAD AND LEAD COMPOUNDS
102811	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	
102812	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	
102813	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	
102814	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	
102815	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	
102816	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	
102817	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	
102818	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	
102819	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	
102820	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	
102830	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	1,3-BUTADIENE; CARBON BLACK; DIISONONYL PHTHALATE (DINP); LEAD AND LEAD COMPOUNDS; STYRENE
102834	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	CARBON BLACK; DIISONONYL PHTHALATE (DINP);



Proposition 65 Warnings

Below is a listing of all items that come with a Proposition 65 Warning. All eligible items are In numerical order.

SECTION 7 • PAGE 42

STOCK#	WARNING	CHEMICAL	
102835	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	CARBON BLACK; LEAD AND LEAD COMPOUNDS; NICKEL (METALLIC)	
102838	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov		
102839	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov		
102843	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	1,3-BUTADIENE; CHROMIUM (HEXAVALENT COMPOUNDS); LEAD AND LEAD COMPOUNDS; NICKEL (METALLIC); STYRENE	
102897	<I> WARNING: Cancer - www.p65warnings.ca.gov		
112838	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov		
122777	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
127177	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD AND LEAD COMPOUNDS	
128695	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	CARBON BLACK; LEAD AND LEAD COMPOUNDS	
STOCK#	WARNING	CHEMICAL	CAS1
310236	<I> WARNING: Cancer - www.p65warnings.ca.gov	NICKEL (METALLIC)	7440-02-0
310246	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	DEHP	
310250	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	DEHP	
310950	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
310952	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
310956	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
312600	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
312982	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
312983	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
312987	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
312988	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
313915	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
313916	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
313918	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
313936	<I> WARNING: Cancer - www.toro.com/CAProp65		
313938	<I> WARNING: Cancer - www.toro.com/CAProp65		



Proposition 65 Warnings

Below is a listing of all items that come with a Proposition 65 Warning. All eligible items are in numerical order.

STOCK#	WARNING	CHEMICAL	CAS1
313939	<!> WARNING: Cancer - www.toro.com/CAProp65		
313940	<!> WARNING: Cancer - www.toro.com/CAProp65		
STOCK#	WARNING	CHEMICAL	CAS1
313954	<!> WARNING: Cancer - www.p65warnings.ca.gov	CHLOROPRENE	126-99-8
313955	<!> WARNING: Cancer - www.p65warnings.ca.gov	CHLOROPRENE	126-99-8
313959	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
313960	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
313962	<!> WARNING: Cancer - www.p65warnings.ca.gov	CHLOROPRENE	126-99-8
313976	<!> WARNING: Cancer - www.toro.com/CAProp65		
316625	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316626	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316636	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316637	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316638	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316640	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316672	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316711	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316731	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316750	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316752	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316758	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316760	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316762	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
316768	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
STOCK#	WARNING	CHEMICAL	CAS1
318017	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	7439-92-1
318020	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	7439-92-1
318060	<!> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	7439-92-1
325005	<!> WARNING: Cancer - www.toro.com/CAProp65		
325009	<!> WARNING: Cancer - www.toro.com/CAProp65		
325010	<!> WARNING: Cancer - www.toro.com/CAProp65		



Proposition 65 Warnings

Below is a listing of all items that come with a Proposition 65 Warning. All eligible items are In numerical order.

STOCK#	WARNING	CHEMICAL
325011	<!> WARNING: Cancer - www.toro.com/CAProp65	
325012	<!> WARNING: Cancer - www.toro.com/CAProp65	
325015	<!> WARNING: Cancer - www.toro.com/CAProp65	
325016	<!> WARNING: Cancer - www.toro.com/CAProp65	
325018	<!> WARNING: Cancer - www.toro.com/CAProp65	
325034	<!> WARNING: Cancer - www.toro.com/CAProp65	
325035	<!> WARNING: Cancer - www.toro.com/CAProp65	
325036	<!> WARNING: Cancer - www.toro.com/CAProp65	
326000	<!> WARNING: Cancer - www.toro.com/CAProp65	
326005	<!> WARNING: Cancer - www.toro.com/CAProp65	
326007	<!> WARNING: Cancer - www.toro.com/CAProp65	
326008	<!> WARNING: Cancer - www.toro.com/CAProp65	
326010	<!> WARNING: Cancer - www.toro.com/CAProp65	
326036	<!> WARNING: Cancer - www.toro.com/CAProp65	
326037	<!> WARNING: Cancer - www.toro.com/CAProp65	
326038	<!> WARNING: Cancer - www.toro.com/CAProp65	
326039	<!> WARNING: Cancer - www.toro.com/CAProp65	
326043	<!> WARNING: Cancer - www.toro.com/CAProp65	
326044	<!> WARNING: Cancer - www.toro.com/CAProp65	
326049	<!> WARNING: Cancer - www.toro.com/CAProp65	
326050	<!> WARNING: Cancer - www.toro.com/CAProp65	
326051	<!> WARNING: Cancer - www.toro.com/CAProp65	
326052	<!> WARNING: Cancer - www.toro.com/CAProp65	
326056	<!> WARNING: Cancer - www.toro.com/CAProp65	
326057	<!> WARNING: Cancer - www.toro.com/CAProp65	
326058	<!> WARNING: Cancer - www.toro.com/CAProp65	
326059	<!> WARNING: Cancer - www.toro.com/CAProp65	
326066	<!> WARNING: Cancer - www.toro.com/CAProp65	
326067	<!> WARNING: Cancer - www.toro.com/CAProp65	
326068	<!> WARNING: Cancer - www.toro.com/CAProp65	
326069	<!> WARNING: Cancer - www.toro.com/CAProp65	

SECTION 7 • PAGE 44



Proposition 65 Warnings

Below is a listing of all items that come with a Proposition 65 Warning. All eligible items are in numerical order.

STOCK#	WARNING	CHEMICAL	
326070	<I> WARNING: Cancer - www.toro.com/CAProp65		
326071	<I> WARNING: Cancer - www.toro.com/CAProp65		
327590	<I> WARNING: Cancer - www.toro.com/CAProp65		
329920	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
329940	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
329941	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
329944	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
STOCK#	WARNING	CHEMICAL	CAS1
330255	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	7439-92-1
331032	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
331034	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334105	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334118	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334120	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334140	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334157	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334159	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334182	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334183	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334185	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334186	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334201	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334213	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334223	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334302	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
334312	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD	
STOCK#	WARNING	CHEMICAL	CAS1
334313	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	CARBON BLACK; DIISONONYL PHTHALATE (DINP); LEAD	1333-86-4
342030	<I> WARNING: Cancer - www.toro.com/CAProp65		



Proposition 65 Warnings

Below is a listing of all items that come with a Proposition 65 Warning. All eligible items are in numerical order.

STOCK#	WARNING	CHEMICAL
358720	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD
358721	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD
358722	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD
358730	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD
358731	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD
358732	<I> WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov	LEAD

SECTION 7 • PAGE 46