

Product Guide

Graco's Select Line of Sprayers and Accessories





PROVEN QUALITY. LEADING TECHNOLOGY.

Our Story...

There is nothing like a Graco sprayer. Graco is a world leader in fluid handling solutions. Our products move, measure, control, dispense, and apply a wide range of materials. Designed with innovation and leading technology, Graco spray equipment makes painting fast and easy while delivering a professional finish.

The company's success is built on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service.

For more than 85 years, Graco has provided customers with proven quality and leading technology. Founded in 1926, Graco is the world leader in fluid handling systems and components. Since developing its first portable airless sprayer in 1958, Graco is recognized worldwide as the professional contractor's top choice for spray equipment.

- World leader in fluid handling technologies
- Headquartered in Minneapolis, MN USA

Publicly Traded, NYSE: GGG

- More than 2,600 employees
- Leading technology development, Graco holds more than 2,000 patents
- Global, with major distribution centers in the USA, Belgium, Japan, Korea, China, Australia

TrueCoat® 360 Handheld Sprayers

The Best Choice for Small Painting Projects

Just Fill, Squeeze & Spray! With one simple squeeze of the bag you're **Ready to Go!**

Never in the history of painting has this much power been this simple to use. Thanks to its industry-first innovative FlexLiner paint bag technology, the TrueCoat 360 line of sprayers makes fast work of indoor and outdoor painting and staining projects.

32 oz FlexLiner Paint Bags – 451652/Graco #17A226 Paint bags that can be reused or disposed of for fast cleanup. 3 pack. 42 oz FlexLiner Paint Bags – 451655/Graco #17F005

42 oz Big Job Cup for less refills and larger jobs. For use with TrueCoat 360 VSP only.



| Model: | TrueCoat 360Ds | | |
|-------------------------------|-------------------|--|--|
| Item Number | 451652 | | |
| Graco Part Number | 17A466 | | |
| Refills per Gallon | 4 | | |
| Speed Control | Low/High | | |
| Performance | 1500 psi | | |
| Spray Control | Better | | |
| Weight / Weight with material | 3.5 lbs / 5.5 lbs | | |

Proven Quality, Leading Technology,

Graco manufactures the most extensive and highest quality professional line of material application equipment in the market. This informational guide is designed to help you select the right solutions for your material application needs.

- Graco delivers:

 Maximum Performance
 - Unmatched Productivity
 - Reliable Warranty Coverage



FlexLiner[™] Paint Bag System

Replaces traditional material cups with suction tubes when you're done, reuse or toss, it's your choice!

VacuValve[™] Technology

Creates a vacuum for spraying in any direction without losing prime.

Reverse-A-Clean® (RAC®) Tip

4 and 12 Inch Reverse-A-Clean (RAC) Spray Tips (.015 hole size) included.

Dual Speed Switch

Provides more control and less overspray. Available on TrueCoat 360ps model only.

Variable Speed Control

Low speed to move slower, high speed to move faster. Available on TrueCoat 360vsp model only.

Durable, High-Pressure Piston Pump

Sprays paints and stains with no thinning required!

4 & 12 inch Reverse-A-Clean (RAC)

Spray Tip Pack – 451650/Graco #17A223 Reversible spray tips to quickly clear tip clogs without disassembly; .015 tip hole size. 2 pack.

TrueCoat 360vsp 451655 17D889 3 Variable 900 to 1500 psi Best 3.9 lbs / 7.0 lbs

MAGNUM[®] Airless Sprayers

Professional Finish, Faster, Easier



The Brand Preferred by Pros

Whether you are a homeowner with home improvement projects or a contractor that paints on a regular basis, Magnum has the perfect sprayer for the job. The durable stainless steel piston pump delivers a finely atomized spray for a flawless professional flawless finish with just one coat. Equipped with the breakthrough technology of the ProXChange[™] Pump, the new ProX sprayers allow you to replace your pump on the job faster and easier without any tools, eliminating downtime!

ProX Sprayer Features:

Stainless Steel Piston Pump Handles heavier materials, is corrosion resistant for long life and is modular for easy repair.

DC Motor Supports longer extension cords and up to 150 ft (46 m) airless hose.

InstaClean[™] Pump Filter Remove unwanted debris to reduce tip plugging and improve finish.

Power Flush[™] Adapter Connects to a garden hose for fast and easy cleaning.

Reversible Spray Tip Quickly clears tip clogs.

Adjustable Pressure Control Easy control of paint flow.

PushPrime[™] Fast and reliable start-up.



| Model: | Magnum Project Painter [™] Plus | Magnum X5 | Magnum X7 | Magnum PROX17 Stand | Magnum PROX19 Cart |
|---------------------------|--|------------------|------------------|---------------------|--------------------|
| Item Number | 451681 | 451682 | 451683 | 451657 | 451658 |
| Graco Part Number | 257025 | 262800 | 262805 | 17G177 | 17G180 |
| Recommended Annual Usage* | 50 gal | 125 gal | 125 gal | 300 gal | 500 gal |
| Max Tip Size | .015 | .015 | .017 | .017 | .019 |
| Max PSI | 2800 (193 bar) | 3000 (207 bar) | 3000 (207 bar) | 3000 (207 bar) | 3000 (207 bar) |
| Max GPM | 0.24 (.90 lpm) | 0.27 (1.0 lpm) | 0.31 (1.14 lpm) | 0.34 (1.28 lpm) | 0.38 (1.4 lpm) |
| Max Hose Length | 50 ft (15 m) | 75 ft (23 m) | 100 ft (30 m) | 150 ft (46 m) | 150 ft (46 m) |
| Motor | 3/8 hp Universal | 1/2 hp Universal | 5/8 hp Universal | 3/4 hp DC | 7/8 hp DC |

3 *Annual usage is a general guideline to help with product selection only. With good care and routine maintenance, our sprayer should last for years. Refer to the product box for materials supported by each sprayer.

New Technology!

Ideal for property Maintenance professionals, **Remodelers and General Contractors**







ProXChange Pump Replacement System

(Available on all Magnum ProX Sprayers)

Professional Sprayer

Pro Painting Solutions. Expert Results!

The Pro210Es includes the industry-proven Endurance[™] Pump with ProConnect[™] for maximum life and repairability required by professional painting contractors. Being able to quickly change a pump can be the difference between keeping a sprayer spraying or having it sit idle waiting for repairs.

Endurance[™] Pump

- The most reliable pump on the market—lasts 2 times longer than the next leading brand
- Long-life V-Max Blue[™] packings, Chromex[™] rod and hardened stainless steel cylinder
- QuikAccess[™] intake valve for fast cleaning or debris clearing

Easy Out[™] Manifold Filter

- Vertical design helps eliminate spills
- · Filters from the inside out and won't collapse
- Flow-through design cleans with only a few gallons

Durable DuraDC[™] Motor

 DC motors are more forgiving to voltage fluctuations allowing them to run on longer cords

SG3 Metal Spray Gun with 50 ft **DuraFlex[™] Paint Hose**

• Premium SG3 metal spray gun with hose swivel makes it easy to manage longer hose length while spraying.

Onen door and

remove pump



clamping nut

1-minute jobsite replacement

- Keeps you spraying instead of waiting for service
- Remove hose and ► No pins or parts to lose!
- Fast and Easy on-the-job pump replacement system Eliminates downtime!

suction tube



| Model: | Graco Pro210ES Stand | | |
|---------------------------|----------------------|--|--|
| Item Number | 451654 | | |
| Graco Part Number | 17D163 | | |
| Recommended Annual Usage* | 1500 gal | | |
| Max Tip Size | .021 | | |
| Max PSI | 3000 (207 bar) | | |
| Max GPM | 0.47 (1.78 lpm) | | |
| Max Hose Length | 200 ft (61 m) | | |
| Motor | 1 hp DuraDC | | |

GONNEC

Finish Every Job, Every Day!



Accessories

PROXCHANGE PUMP REPLACEMENT KIT - 451673/Graco #24Y472

Eliminates downtime with quick, no-tools pump replacement on-the-job! Graco's Pump Replacement System provides the only one-part pump replacement solution on the market today. For use on ProX models only.

SG3[™] DELUXE METAL SPRAY GUN – 451675/Graco #243012

Built-in swivel provides easy gun movement without tangling hose. In-handle paint filter reduces tip clogs and improves finish. Full trigger (4-finger) is comfortable when spraying for long periods of time.

REVERSE-A-CLEAN (RAC) IV SWITCHTIPS™

High precision spray tip provides excellent fan pattern life and a high quality finish. Reverse the handle to quickly clean material clogs.

| RAC IV Tip, 211 | 451660/Graco #221211 | RAC IV Tip, 4 |
|-----------------|----------------------|---------------|
| RAC IV Tip, 311 | 451661/Graco #221311 | RAC IV Tip, 4 |
| RAC IV Tip, 313 | 451662/Graco #221313 | RAC IV Tip, 5 |
| RAC IV Tip, 315 | 451663/Graco #221315 | RAC IV Tip, 5 |
| RAC IV Tip, 411 | 451664/Graco #221411 | RAC IV Tip, 5 |
| RAC IV Tip, 413 | 451665/Graco #221413 | RAC IV Tip, 5 |
| • * | | |

RAC IV TIP GASKET - 451674/Graco #243004

INLET STAINER FOR MAGNUM UNITS - 451684/Graco #288716

40-MESH INSTA-CLEAN FILTER - 451685/Graco #288747 Remove unwanted debris and reduce tip plugging to improve finish (ProX sprayers only)

PUMP ARMOR[™] STORAGE FLUID – 451679/Graco #243104 Protects your pump when not in use. Simply fill your pump and leave it in until you use your sprayer again. 1 gt (1 l).

PROCONNECT ENDURANCE PUMP REPLACEMENT - 451653/Graco #17C721

Graco's Pump Replacement System provides the only one-part pump replacement solution on the market today. For use on Pro210ES models only.

RAC IV TIP GUARD, 7/8 INCH THREAD - 451672/Graco #237859 Used with RAC IV SwitchTips. No tools need to install or remove. Fits all Graco spray guns

50-MESH GUN FILTER - 451686/Graco #288749 **100-MESH GUN FILTER – 451687**/Graco #288750 Remove unwanted debris to reduce tip plugging and improve finish.

DURAFLEX PAINT HOSE (3300 PSI) - 451680/Graco #247340 50 ft x 1/4 in. includes connector

Lighter weight and increased hose flexibility improves usability when spraying under pressure. With superior flexibility and durability, DuraFlex ensures you get the best results from your airless sprayer.

20 INCH TIP EXTENSION - 451677/Graco #243042 30 INCH TIP EXTENSION - 451678/Graco #243043

Attach to any Graco airless spray gun to extend your reach. Ideal for spraying ceilings, overhangs and decks.

TSL[™] (THROAT SEAL LIQUID) - 451659/Graco #206994 TSL prevents dried paint from accumulating on the pump rod-extending the life of the pump packings. Not required for Magnum sprayers. 8 oz (.24 l).

*Annual usage is a general guideline to help with product selection only. With good care and routine maintenance, our sprayer should last for years. Refer to the product box for materials supported by each sprayer







ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

Graco Customer Service 800-690-2894 Fax 800-334-6955 MAILING ADDRESS P.O. Box 1441 Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

AMERICAS

MINNESOTA Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

EUROPE

BELGIUM European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd. Shanghai Representative Office Building 7 1029 Zhongshan Road South Huangpu District Shanghai 200011 The People's Republic of China Tel: 86 21 649 50088 Fax: 86 21 649 50077

INDIA Graco H

Graco Hong Kong Ltd. India Liaison Office Room 443, Augusta Point Regus Business Centre 53 Golf Course Road Gurgaon, Haryana India 122001 Tel: 91 124 435 4208 Fax: 91 124 435 4001

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc. Shinhan Bank Building 4th Floor #1599 Gwanyang-Dong, Dongan-Ku, Anyang-si, Korea 431-060 Tel: 82 31 476 9400 Fax: 82 31 476 9801



Questions? 888-541-9788 magnum.graco.com/aplus

SALES/ DISTRIBUTION/ SERVICE Graco Inc. is registered to I.S. EN ISO 9001

Contact your local sales rep for more information. www.worldandmain.com

©2016 Graco Inc. 344038 Rev. A 7/16 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. Blue is a trademark of Graco Inc. for Contractor Equipment Sprayers.